

Surface Mount Schottky

FEATURES

- Designed for mounting on small surface
- Extremely thin / leadless package
- Low capacitance
- Low forward voltage drop
- Packing code with suffix "G" means green compound (halogen-free)





1005



MECHANICAL DATA

- Case: 1005

- Terminal: Gold plated, solderable per

MIL-STD-750, method 2026

- Polarity: Indicated by cathode band

- Weight: 6 mg (approximately)


- Marking code: BF


MAXIMUM RATINGS AND ELECTRICAL CHARACTERISTICS (T _A =25°C unless otherwise noted)					
PARAM	METER	SYMBOL	VALUE	UNIT	
Repetitive Peak Reverse Voltage	ge	V_{RRM}	30	V	
Reverse Voltage		V _R	30	V	
RMS Reverse Voltage		$V_{R(RMS)}$	21	V	
Average Forward Current		Io	200	mA	
Repetitive Peak Forward Curre	nt	I _{FRM}	0.3	A	
Peak Forward Surge Current 8.3ms Single Half Sine-Wave Superimposed on Rate Load		I _{FSM}	600		
Power Dissipation		Pd	200	mW	
Forward Voltage	I _F = 0.1 mA		0.24		
	$I_F = 1 \text{ mA}$		0.32		
	$I_F = 10 \text{ mA}$	V _F	0.40	V	
	$I_F = 30 \text{ mA}$		0.50		
	$I_F = 100 \text{ mA}$		1.00		
Reverse Leakage Current	V _R = 25 V	I _R	2	μA	
Typical Capacitance Between Terminals V _R = 1 V , f = 1.0 MHz Reverse Voltage		CJ	10	pF	
Reverse Recovery Time		4	F	ns	
$(I_F = I_R = 10 \text{mA}, I_{RR} = 0.1 \times I_R, R_L = 100 \Omega)$		t _{rr}	5		
Junction Temperature		T _J	-65 to +125	°C	
Storage Temperature		T _{STG}	-65 to +125	°C	





RATINGS AND CHARACTERISTICS CURVES

(T_A=25°C unless otherwise noted)












ORDERING INFORMATION						
PART NO.	PART NO. SUFFIX	PACKING CODE	PACKING CODE SUFFIX	PACKAGE	PACKING	
TSS54L	-xx (Note 1)	RW	G	1005	4K / 7" Reel	

Note 1: Part No. Suffix "-xx " would be used for special requirement

EXAMPLE					
PREFERRED PART NO.	PART NO.	PART NO. SUFFIX	PACKING CODE	PACKING CODE SUFFIX	DESCRIPTION
TSS54L RWG	TSS54L		RW	G	Multiple manufacture source Green compound
TSS54L-F0 RWG	TSS54L	-F0	RW	G	Define manufacture source Green compound

PACKAGE OUTLINE DIMENSION 1005



DIM.	Unit (mm)			Unit (inch)		
	Min	Тур	Max	Min	Тур	Max
L	2.40	-	2.60	0.094	1	0.102
W	1.10	-	1.30	0.043	-	0.051
Т	0.70	-	0.90	0.028	-	0.035
С	-	0.50	-	_	0.020	-
D	_	1.00	_	_	0.039	_



Notice

Specifications of the products displayed herein are subject to change without notice. TSC or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied,to any intellectual property rights is granted by this document. Except as provided in TSC's terms and conditions of sale for such products, TSC assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of TSC products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or seling these products for use in such applications do so at their own risk and agree to fully indemnify TSC for any damages resulting from such improper use or sale.

Document Number: DS_S1411012 Version: C14

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Schottky Diodes & Rectifiers category:

Click to view products by Taiwan Semiconductor manufacturer:

Other Similar products are found below:

MA4E2039 D1FH3-5063 MBR10100CT-BP MBR1545CT MMBD301M3T5G RB160M-50TR RB551V-30 BAS16E6433HTMA1 BAT
54-02LRH E6327 NSR05F40QNXT5G NTE555 JANS1N6640 SB07-03C-TB-H SB1003M3-TL-W SK310-T SK32A-LTP SK33A-TP
SK34B-TP SS3003CH-TL-E GA01SHT18 CRS10I30A(TE85L,QM MA4E2501L-1290 MBRB30H30CT-1G SB007-03C-TB-E SK32A-TP
SK33B-TP SK35A-TP SK38B-TP NRVBM120LT1G NTE505 NTSB30U100CT-1G SS15E-TP VS-6CWQ10FNHM3 ACDBA1100LR-HF
ACDBA1200-HF ACDBA140-HF ACDBA2100-HF ACDBA3100-HF CDBQC0530L-HF CDBQC0240LR-HF ACDBA340-HF
ACDBA260LR-HF ACDBA1100-HF SK310B-TP MA4E2502L-1246 MA4E2502H-1246 NRVBM120ET1G NSR01L30MXT5G NTE573
NTE6081