Notice for TAIYO YUDEN products

Please read this notice before using the TAIYO YUDEN products.

/!\ REMINDERS

Product information in this catalog is as of October 2016. All of the contents specified herein are subject to change without notice due to technical improvements, etc. Therefore, please check for the latest information carefully before practical application or use of our products.

Please note that TAIYO YUDEN shall not be in any way responsible for any damages and defects in products or equipment incorporating our products, which are caused under the conditions other than those specified in this catalog or individual specification.

- Please contact TAIYO YUDEN for further details of product specifications as the individual specification is available.
- Please conduct validation and verification of our products in actual condition of mounting and operating environment before using our products.
- The products listed in this catalog are intended for use in general electronic equipment (e.g., AV equipment, OA equipment, home electric appliances, office equipment, information and communication equipment), general medical equipment, industrial equipment, and automotive interior applications, etc. Please be sure to contact TAIYO YUDEN for further information before using the products for any equipment which may directly cause loss of human life or bodily injury (e.g., specially controlled medical equipment, transportation equipment including, without limitation, automotive powertrain control system, train control system, and ship control system, traffic signal equipment).

Please do not incorporate our products into any equipment requiring high levels of safety and/or reliability (e.g., aerospace equipment, aviation equipment, nuclear control equipment, undersea equipment, military equipment).

When our products are used even for high safety and/or reliability-required devices or circuits of general electronic equipment, it is strongly recommended to perform a thorough safety evaluation prior to use of our products and to install a protection circuit as necessary.

Please note that unless you obtain prior written consent of TAIYO YUDEN, TAIYO YUDEN shall not be in any way responsible for any damages incurred by you or third parties arising from use of the products listed in this catalog for any equipment requiring inquiry to TAIYO YUDEN or prohibited for use by TAIYO YUDEN as described above.

- Please note that TAIYO YUDEN shall have no responsibility for any controversies or disputes that may occur in connection with a third party's intellectual property rights and other related rights arising from use of our products. TAIYO YUDEN grants no license for such rights.
- Please note that unless otherwise agreed in writing, the scope of warranty for our products is limited to the delivered our products themselves and TAIYO YUDEN shall not be in any way responsible for any damages resulting from a fault or defect in our products.
- The contents of this catalog are applicable to our products which are purchased from our sales offices or authorized distributors (hereinafter "TAIYO YUDEN's official sales channel"). Please note that the contents of this catalog are not applicable to our products purchased from any seller other than TAIYO YUDEN's official sales channel.
- Caution for Export

Some of our products listed in this catalog may require specific procedures for export according to "U.S. Export Administration Regulations", "Foreign Exchange and Foreign Trade Control Law" of Japan, and other applicable regulations. Should you have any questions on this matter, please contact our sales staff.

WIRE-WOUND CHIP POWER INDUCTORS(CB SERIES)





■PART NUMBER

*Operating Temp.: -40~105°C (Including self-generated heat)

△=Blank space



 Oseries name
 Series name

 CB
 Wound chip power inductor

 Code
 Characteristics

 △△
 Standard

 △C
 High current

3Dimensions (L × W) Dimensions Code Type (inch) $(L \times W)[mm]$ 2012 2012 (0805) 2.0 × 1.25 2016 2016 (0806) 2.0×1.6 2518 (1007) 2.5 × 1.8 2518 3225 3225 (1210) 3.2×2.5

 Packaging

 Code
 Packaging

 T
 Taping

 Solution of the state of the stat

6 Inductance tolerance

Code	Inductance tolerance
K	±10%
М	±20%

 ⑦ Special code

 Code
 Special code


 Δ
 Standard

 R
 Low Rdc type

 Code
 Internal code

 V
 Inductor for Industrial and Automotive


■ STANDARD EXTERNAL DIMENSIONS / STANDARD QUANTITY



Recommended Land Patterns

Surface Mounting

- •Mounting and soldering conditions should be checked beforehand.
- Applicable soldering process to these products is reflow soldering only.



Туре	Α	В	С
2012	0.60	1.0	1.45
2016	0.60	1.0	1.8
2518	0.60	1.5	2.0
3225	0.85	1.7	2.7
		•	Unit:mm

Tyma	1	W	т		Standard quantity [pcs]		
Туре	L	, ,		е	Paper tape	Embossed tape	
CB 2012 CB C2012	2.0±0.2 (0.079±0.008)	1.25±0.2 (0.049±0.008)	1.25±0.2 (0.049±0.008)	0.5±0.2 (0.020±0.008)	_	3000	
CB 2016 CB C2016	2.0±0.2 (0.079±0.008)	1.6±0.2 (0.063±0.008)	1.6±0.2 (0.063±0.008)	0.5±0.2 (0.020±0.008)	-	2000	
CB 2518 CB C2518	2.5±0.2 (0.098±0.008)	1.8±0.2 (0.071±0.008)	1.8±0.2 (0.071±0.008)	0.5±0.2 (0.020±0.008)	-	2000	
CB C3225	3.2±0.2 (0.126±0.008)	2.5±0.2 (0.098±0.008)	2.5±0.2 (0.098±0.008)	0.6±0.3 (0.024±0.012)	_	1000	

Unit:mm(inch)

[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).

· All the Wire-wound Chip Power Inductors of the catalog lineup are RoHS compliant.

- The exchange of individual specifications is necessary depending on the application and circuit condition. Please contact Taiyo Yuden sales channels.
- *2: Industrial products and Medical products

Please consult with TAIYO YUDEN's official sales channel for the details of the product specification , etc.,

and please review and approve TAIYO YUDEN's product specification before ordering.

Please be sure to contact us for further information before using the components for Automotive equipment.

2012 (0805) type

	M 1 11 1 1		Self-resonant	DO D	Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB 2012T1R0M V	1.0	±20%	100	0.15	500	700	7.96	*2
CB 2012T2R2M V	2.2	±20%	80	0.23	410	620	7.96	*2
CB 2012T3R3M V	3.3	±20%	55	0.30	330	550	7.96	*2
CB 2012T4R7M V	4.7	±20%	45	0.40	300	430	7.96	*2
CB 2012T6R8M V	6.8	±20%	38	0.47	250	350	7.96	*2
CB 2012T100[] V	10	±10%, ±20%	32	0.70	190	300	2.52	*2
CB 2012T100[RV	10	±10%, ±20%	32	0.50	200	300	2.52	*2
CB 2012T150[] V	15	±10%, ±20%	28	1.3	170	240	2.52	*2
CB 2012T220 V	22	±10%, ±20%	16	1.7	135	220	2.52	*2
CB 2012T470[] V	47	±10%, ±20%	11	3.7	90	140	2.52	*2
CB 2012T680[] V	68	±10%, ±20%	10	6.0	70	100	2.52	*2
CB 2012T101 V	100	±10%, ±20%	8	7.0	60	100	0.796	*2

	Nominal inductance		Self-resonant	DC Resistance $[\Omega](\pm 30\%)$	Rated curren	t ※)[mA]	Measuring	
Part number	[μ H]	Inductance tolerance	frequency [MHz] (min.)		Saturation current Idc1	Temperature rise current Idc2	frequency[MHz]	Note
CB C2012T1R0M V	1.0	±20%	100	0.19	700	640	7.96	*2
CB C2012T2R2M V	2.2	±20%	70	0.33	530	485	7.96	*2
CB C2012T4R7M V	4.7	±20%	45	0.50	360	395	7.96	*2
CB C2012T100 U	10	±10%, ±20%	40	1.2	240	255	2.52	*2
CB C2012T220 U	22	±10%, ±20%	16	3.7	170	145	2.52	*2
CB C2012T470 U	47	±10%, ±20%	11	5.8	120	115	2.52	*2

2016(0806)type

2010 (0000) type	M 2 12 1 4		Self-resonant	DO D	Rated current			
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB 2016T1R0M V	1.0	±20%	100	0.09	600	720	7.96	*2
CB 2016T1R5M V	1.5	±20%	80	0.11	550	650	7.96	*2
CB 2016T2R2M V	2.2	±20%	70	0.13	510	600	7.96	*2
CB 2016T3R3M V	3.3	±20%	55	0.20	400	440	7.96	*2
CB 2016T4R7M V	4.7	±20%	45	0.25	340	410	7.96	*2
CB 2016T6R8M V	6.8	±20%	38	0.35	300	330	7.96	*2
CB 2016T100 V	10	±10%, ±20%	32	0.50	250	270	2.52	*2
CB 2016T150[] V	15	±10%, ±20%	28	0.70	210	220	2.52	*2
CB 2016T220 V	22	±10%, ±20%	16	1.0	165	190	2.52	*2
CB 2016T330□ V	33	±10%, ±20%	14	1.7	130	140	2.52	*2
CB 2016T470[] V	47	±10%, ±20%	11	2.4	110	120	2.52	*2
CB 2016T680[] V	68	±10%, ±20%	10	3.0	90	110	2.52	*2
CB 2016T101 V	100	±10%, ±20%	8	4.5	70	90	0.796	*2

			Self-resonant	D0 D : :	Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB C2016T1R0M V	1.0	±20%	100	0.10	1,100	885	7.96	*2
CB C2016T1R5M V	1.5	±20%	80	0.15	1,000	775	7.96	*2
CB C2016T2R2M V	2.2	±20%	70	0.20	750	625	7.96	*2
CB C2016T3R3M V	3.3	±20%	55	0.27	600	535	7.96	*2
CB C2016T4R7M V	4.7	±20%	45	0.37	550	460	7.96	*2
CB C2016T6R8M V	6.8	±20%	38	0.59	450	360	7.96	*2
CB C2016T100[] V	10	±10%, ±20%	32	0.82	380	305	2.52	*2
CB C2016T150 V	15	±10%, ±20%	28	1.2	300	255	2.52	*2
CB C2016T220□ V	22	±10%, ±20%	16	1.8	250	205	2.52	*2
CB C2016T330□ V	33	±10%, ±20%	14	2.8	220	165	2.52	*2
CB C2016T470[] V	47	±10%, ±20%	11	4.3	150	130	2.52	*2
CB C2016T680[] V	68	±10%, ±20%	10	7.0	130	105	2.52	*2
CB C2016T101 V	100	±10%, ±20%	8	8.0	110	95	0.796	*2

[•] \square Please specify the Inductance tolerance code (Kor M)

[%])The saturation current value(Idc1) is the DC current value having inductance decrease down to 30%.(at 20°C) %)The temperature rise current value(Idc2) is the DC current value having temperature increase by 20°C.(at 20°C)

^{*}X) The rated current value is following either Idc1 or Idc2, which is the lower one.

[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/) .

■PART NUMBER 2518(1007)type

	Nominal inductance		Self-resonant	DC Resistance	Rated curren	t ※)[mA]	Measuring	
Part number	[μ H]	Inductance tolerance	frequency [MHz] (min.)	$[\Omega](\pm 30\%)$	Saturation current Idc1	Temperature rise current Idc2	frequency[MHz]	Note
CB 2518T1R0M V	1.0	±20%	100	0.06	1,200	1,250	7.96	*2
CB 2518T1R5M V	1.5	±20%	80	0.07	650	1,100	7.96	*2
CB 2518T2R2M V	2.2	±20%	68	0.09	510	1,000	7.96	*2
CB 2518T3R3M V	3.3	±20%	54	0.11	440	900	7.96	*2
CB 2518T4R7MRV	4.7	±20%	46	0.10	310	820	7.96	*2
CB 2518T4R7M V	4.7	±20%	46	0.13	340	820	7.96	*2
CB 2518T6R8M V	6.8	±20%	38	0.15	270	750	7.96	*2
CB 2518T100[] V	10	±10%, ±20%	30	0.25	250	600	2.52	*2
CB 2518T150 V	15	±10%, ±20%	23	0.32	180	500	2.52	*2
CB 2518T220[] V	22	±10%, ±20%	19	0.50	165	390	2.52	*2
CB 2518T330 V	33	±10%, ±20%	15	0.70	130	320	2.52	*2
CB 2518T470 V	47	±10%, ±20%	12	0.95	110	270	2.52	*2
CB 2518T680 V	68	±10%, ±20%	9.5	1.5	70	210	2.52	*2
CB 2518T101 V	100	±10%, ±20%	9.0	2.1	60	190	0.796	*2
CB 2518T151 V	150	±10%, ±20%	7.0	3.2	55	140	0.796	*2
CB 2518T221 V	220	±10%, ±20%	5.5	4.5	50	110	0.796	*2
CB 2518T331[] V	330	±10%, ±20%	4.5	7.0	40	90	0.796	*2
CB 2518T471[] V	470	±10%, ±20%	3.5	10	35	70	0.796	*2
CB 2518T681[] V	680	±10%, ±20%	3.0	17	30	50	0.796	*2
CB 2518T102 V	1000	±10%, ±20%	2.4	24	25	45	0.252	*2

			Self-resonant		Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB C2518T1R0M V	1.0	±20%	100	0.08	1,000	775	7.96	*2
CB C2518T1R5M V	1.5	±20%	80	0.11	950	730	7.96	*2
CB C2518T2R2M V	2.2	±20%	68	0.13	890	630	7.96	*2
CB C2518T3R3M V	3.3	±20%	54	0.16	730	560	7.96	*2
CB C2518T4R7M V	4.7	±20%	41	0.20	680	510	7.96	*2
CB C2518T6R8M V	6.8	±20%	38	0.30	550	420	7.96	*2
CB C2518T100 U	10	±10%, ±20%	30	0.36	480	375	2.52	*2
CB C2518T150 U	15	±10%, ±20%	23	0.65	350	285	2.52	*2
CB C2518T220□ V	22	±10%, ±20%	19	0.77	320	250	2.52	*2
CB C2518T330 U	33	±10%, ±20%	15	1.5	270	185	2.52	*2
CB C2518T470 U	47	±10%, ±20%	12	1.9	240	165	2.52	*2
CB C2518T680 U	68	±10%, ±20%	9.5	2.8	200	140	2.52	*2
CB C2518T101 U	100	±10%, ±20%	9.0	3.7	160	125	0.796	*2
CB C2518T151 V	150	±10%, ±20%	7.0	6.1	140	95	0.796	*2
CB C2518T221□ V	220	±10%, ±20%	5.5	8.4	115	80	0.796	*2
CB C2518T331□ V	330	±10%, ±20%	4.5	12.3	100	65	0.796	*2
CB C2518T471[] V	470	±10%, ±20%	3.5	22	80	50	0.796	*2
CB C2518T681 V	680	±10%, ±20%	3.0	28	65	45	0.796	*2

3225 (1210) type

3225(1210)type			Self-resonant	505 11	Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB C3225T1R0MRV	1.0	±20%	250	0.055	2,000	1,100	0.1	*2
CB C3225T1R5MRV	1.5	±20%	220	0.060	2,000	1,000	0.1	*2
CB C3225T2R2MRV	2.2	±20%	190	0.080	2,000	930	0.1	*2
CB C3225T3R3MRV	3.3	±20%	160	0.095	2,000	850	0.1	*2
CB C3225T4R7MRV	4.7	±20%	70	0.100	1,250	830	0.1	*2
CB C3225T6R8MRV	6.8	±20%	50	0.120	950	760	0.1	*2
CB C3225T100[RV	10	±10%, ±20%	23	0.133	900	720	0.1	*2
CB C3225T150□RV	15	±10%, ±20%	20	0.195	730	590	0.1	*2
CB C3225T220□RV	22	±10%, ±20%	17	0.27	620	500	0.1	*2
CB C3225T330□RV	33	±10%, ±20%	13	0.41	500	400	0.1	*2
CB C3225T470□RV	47	±10%, ±20%	10	0.67	390	320	0.1	*2
CB C3225T680□RV	68	±10%, ±20%	8.0	1.0	320	260	0.1	*2
CB C3225T101□RV	100	±10%, ±20%	6.0	1.4	270	220	0.1	*2
CB C3225T221□RV	220	±10%, ±20%	3.0	2.5	190	170	0.1	*2
CB C3225T821 RV	820	±10%, ±20%	1.8	12	110	80	0.1	*2
CB C3225T102[]RV	1000	±10%, ±20%	1.6	13	100	75	0.1	*2

^{• []} Please specify the Inductance tolerance code (Kor M)


[%]) The saturation current value (Idc1) is the DC current value having inductance decrease down to 30%.(at 20°C) %) The temperature rise current value (Idc2) is the DC current value having temperature increase by 20°C.(at 20°C) %) The rated current value is following either Idc1 or Idc2, which is the lower one.

[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/) .

Derating of Rated Current

CB series

Derating of current is necessary for CB series depending on ambient temperature. Please refer to the chart shown below for appropriate derating of current.



[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/) .


WIRE-WOUND CHIP INDUCTORS (LB SERIES), WIRE-WOUND CHIP POWER INDUCTORS (CB SERIES), WIRE-WOUND CHIP INDUCTORS FOR SIGNAL LINES (LB SERIES M TYPE)


■PACKAGING


1 Minimum Quantity Type


Type	Standard Qu	antity [pcs]
Type	Paper Tape	Embossed Tape
LB C3225	_	1000
CB C3225	_	1000
LB 3218	_	2000
LB R2518		
LB C2518		
LB 2518	_	2000
CB 2518		
CB C2518		
LBM2016		
LB C2016		
LB 2016	_	2000
CB 2016		
CB C2016		
LB 2012		
LB C2012		
LB R2012	_	3000
CB 2012		
CB C2012		
CB L2012	4000	_
LB 1608	4000	
LBMF1608	_	3000
CBMF1608	<u>-</u>	3000

②Tape material










This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).


Embossed Tape (0.315 inches wide)



T	Chip	cavity	Insertion pitch	Tape th	ickness
Туре	Α	В	F	Т	K
LBM2016	1.75±0.1	2.1±0.1	4.0±0.1	0.3±0.05	1.9max.
	(0.069±0.004)	(0.083±0.004)	(0.157±0.004)	(0.012±0.002)	(0.075max.)
LB C3225	2.8±0.1	3.5±0.1	4.0±0.1	0.3±0.05	4.0max.
CB C3225	(0.110±0.004)	(0.138±0.004)	(0.157±0.004)	(0.012±0.002)	(0.157max.)
LB 3218	2.1±0.1	3.5±0.1	4.0±0.1	0.3±0.05	2.2max.
	(0.083±0.004)	(0.138±0.004)	(0.157±0.004)	(0.012±0.002)	(0.087max.)
LB 2518 CB 2518 LB C2518 CB C2518 LB R2518	2.15±0.1	2.7±0.1	4.0±0.1	0.3±0.05	2.2max.
	(0.085±0.004)	(0.106±0.004)	(0.157±0.004)	(0.012±0.002)	(0.087max.)
LB 2016 CB 2016 LB C2016 CB C2016	1.75±0.1 (0.069±0.004)	2.1±0.1 (0.083±0.004)	4.0±0.1 (0.157±0.004)	0.3±0.05 (0.012±0.002)	1.9max. (0.075max.)
LB 2012 CB 2012 LB C2012 CB C2012 LB R2012	1.45±0.1 (0.057±0.004)	2.25±0.1 (0.089±0.004)	4.0±0.1 (0.157±0.004)	0.25±0.05 (0.010±0.002)	1.45max. (0.057max.)
LBMF1608	1.1±0.1	1.9±0.1	4.0±0.1	0.25±0.05	1.2max.
CBMF1608	(0.043±0.004)	(0.075±0.004)	(0.157±0.004)	(0.010±0.002)	(0.047max.)

Unit:mm(inch)

Card board carrier tape (0.315 inches wide)




Tuma	Chip	cavity	Insertion pitch	Tape thickness
Туре	Α	В	F	Т
CB L2012	1.55±0.1	2.3±0.1	4.0±0.1	1.1max.
GB L2012	(0.061 ± 0.004)	(0.091 ± 0.004)	(0.157 ± 0.004)	(0.043max.)
LD 1600	1.0±0.1	1.8±0.1	4.0±0.1	1.1max.
LB 1608	(0.039 ± 0.004)	(0.071 ± 0.004)	(0.157 ± 0.004)	(0.043max.)


Unit:mm(inch)

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

4 Leader and Blank Portion




⑤Reel Size



6Top Tape Strength

The top tape requires a peel-off force 0.2 to 0.7N in the direction of the arrow as illustrated below.



This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

WIRE-WOUND CHIP INDUCTORS (LB SERIES), WIRE-WOUND CHIP POWER INDUCTORS (CB SERIES), WIRE-WOUND CHIP INDUCTORS FOR SIGNAL LINES (LB SERIES M TYPE)

■ RELIABILITY DATA

1.Operating tempera	ature Range			
	LB, LBC, LBR Series			
Specified Value	CB, CBC Series	-40~+105°C (Including self-generated heat)		
	LBM Series			
Test Methods and Remarks	Including self-generated heat			
2 Storage Tempera	ture Range (after soldering)			
2. Otorago Tempera	LB, LBC, LBR Series			
Specified Value	CB, CBC Series -40~+85°C			
opodinou valuo	LBM Series	-		
Test Methods and Remarks	LB, CB Series: Please refer the term of "7. storage conditions" in precaution	ns.		
3.Rated Current				
J.Nated Ourrent	LB, LBC, LBR Series			
Specified Value	CB, CBC Series	Within the specified tolerance		
opecifica value	LBM Series	- Within the specified colorance		
	LDM OUTCS	<u> </u>		
4.Inductance				
4.inductance	LB, LBC, LBR Series			
Specified Value	CB, CBC Series	Within the specified tolerance		
Specifical value	LBM Series			
Test Methods and	LB·LBC·LBR·CB·CBC·LBM Series			
Remarks	Measuring equipment :LCR Mater(HP4285A or its e	equivalent)		
5.Q				
	LB, LBC, LBR Series			
Specified Value	CB, CBC Series			
	LBM Series	Within the specified tolerance		
Test Methods and Remarks	LBM Series Measuring equipment : LCR Mater(HP4285A or its ec	guivalent)		
6.DC Resistance				
0.DC Resistance	LB, LBC, LBR Series			
Specified Value	CB, CBC Series	Within the specified tolerance		
Specified value	LBM Series	- Within the specified tolerance		
Test Methods and	LDM Series			
Remarks	Measuring equipment : DC Ohmmeter (HIOKI 3227 or its equ	vivalent)		
7.Self-Resonant Fre	adilancy			
7.3011 Resoliant Fre	LB, LBC, LBR Series			
Specified Value	CB, CBC Series	Within the specified tolerance		
Spoomed Value	LBM Series	- Thain the appointed colorance		
Test Methods and Remarks	Measuring equipment : Impedance analyzer (HP4291A or its	equivalent)		

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

0.7						
8.Temperature Characteristic						
	LBM2016	3			Inductance change : Within±10%	
	LB2012	LBR2012	CB2012	LB2016		
	CB2016	LB2518	LBR2518	CB2518	Inductance change : Within±20%	
Specified Value	LBC3225	CBC3225				
	LBC2016	CBC2016	LBC2518	CBC2518		
	LB3218				Inductance change : Within±25%	
	LBC2012	CBC2012			Inductance change : Within±35%	
	Change o	of maximum inductar	ce deviation in	step 1-5	·	
	0.	Temp	erature(°C)			
	Step	LB, CB Serie				
Test Methods and	1	20				
Remarks	2	-40				
	3	20(Reference temperature)		e)		
	4	+85 (Maximum operating temperature)		rature)		
	5	20				

9.Rasistance to Fle	xure of Substrate	
Specified Value	LB, LBC, LBR Series	No damage.
	CB, CBC Series	
	LBM Series	
Test Methods and Remarks	Warp : 2mm(LB·LBC·LBR·CB·CBC·LBM Series) Test substrate : Board according to JIS C0051 Thickness : 1.0mm Pressing jig 10 20 R340 Board Board	

10.Body Strength				
	LB, LBC, LBR Series			
Specified Value	CB, CBC Series	No damage.		
	LBM Series			
Test Methods and Remarks	LB·LBC·LBR·CB·CBC·LBM Applied force : 10N Duration : 10sec.			

11.Adhesion of terminal electrode					
	LB, LBC, LBR Series			No abnormality.	
Specified Value	CB, CBC Series		No abnormality.		
	LBM Series				
	LB·LBC·LBR·CB	-CBC-CBL-LBM	•		
Test Methods and	Applied force	: 10N to X and Y directions			
Remarks	Duration	5 sec.			
	Test substrate	: Printed board			

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

12.Resistance to vi	1			
Specified Value	LB, LBC, LBR Series		Inductance change : Within±20% No significant abnormality in appearance.	
	CB, CBC Series		· · · ·	
	LBM Series		Inductance change: Within±20% No significant abnormality in appearance.	
	LB·LBR·LBC·CB·CBC·LBM : According to JIS C5102 clause 8.2.			
	Vibration type Directions	: A : 2 hrs each in X, Y and Z direction	a Tatalifi hra	
Test Methods and		: 10 to 55 to 10 Hz (1min.)	s. Total. O III S	
Remarks		: 1.5mm		
	Mounting method : Soldering onto printed board			
	Recovery	: At least 2 hrs of recovery under the hrs.	he standard condition after the test, followed by the measurement within 4	
		1110.		
13.Drop test				
	LB, LBC, LBR Series			
Specified Value	CB, CBC Series			
	LBM Series			
14.Solderability	T			
	LB, LBC, LBR Series			
Specified Value	CB, CBC Series		At least 90% of surface of terminal electrode is covered by new	
	LBM Series			
T . M .! ! !	LB·LBC·LBR·CB·CBC·	·CBL·LBM: : 245±5°C		
Test Methods and Remarks		: 245±5 C : 5±0.5sec		
	Flux	: Methanol solution with 25% of co	olophony	
15.Resistance to so	oldering			
	LB, LBC, LBR Series		Inductance change : Within±20%	
Specified Value	CB, CBC Series		Inductance change . Within ±2070	
	LBM Series		Inductance change : Within±20%	
Test Methods and	LB·LBC·LBR·CB·CBC·			
Remarks	3 times of reflow oven a	at 230°C MIN for 40sec. with peak t	emperature at 260 °C for 5sec.	
16.Resisitance to se	olvent			
10.11001011411100 10 0	LB, LBC, LBR Series			
Specified Value	CB, CBC Series		1 _	
	LBM Series		-	
T . M	Solvent temperature	: Room temperature		
Test Methods and Remarks	Type of solvent : Isopropyl alcohol			
Tremarks	Cleaning conditions	: 90s. Immersion and cleaning.		
47.71				
17.Thermal shock	LB, LBC, LBR Series			
Specified Value	CB, CBC Series		Inductance change : Within±20% No significant abnormality in appearance.	
Specified Value				
	LBM Series			
Test Methods and	10 100 100 00 000	CBL•LBM: -40~+85°C, maintain	1' 00 ' 100	

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

100				
18.Damp heat life to			1	
Specified Value	LB, LBC, LBR Series		Inductance change : Within±20%	
	CB, CBC Series		No significant abnormality in appearance.	
	LBM Series			
Tark Makharda and	Temperature	: 60±2°C		
Test Methods and Remarks	Humidity Duration	: 90∼95%RH : 1000 hrs		
. tomanto	Recovery		andard condition after the test, followed by the measurement within 48 hrs.	
19.Loading under da	amp heat life test			
	LB, LBC, LBR Seri	es	Industance shange: Within + 2004	
Specified Value	CB, CBC Series		Inductance change : Within±20% No significant abnormality in appearance.	
	LBM Series		,	
	Temperature	: 60±2°C		
Test Methods and	Humidity	: 90~95%RH		
Remarks	Duration Applied current	: 1000 hrs : Rated current		
	Recovery		andard condition after the test, followed by the measurement within 48 hrs.	
	<u>-</u>	•		
20.High temperature	e life test			
	LB, LBC, LBR Seri	es	-	
Specified Value	CB, CBC Series		Inductance change : Within ± 20%	
	LBM Series		No significant abnormality in appearance.	
T . M .!	Temperature	: 85±2°C	-	
Test Methods and Remarks	Duration : 1000 hrs Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs			
rtomartto				
	ricoovery	: At least 2 hrs of recovery under the st	andard condition after the test, followed by the measurement within 48 hrs.	
	· · · · · · · · · · · · · · · · · · ·	: At least 2 hrs of recovery under the st	andard condition after the test, followed by the measurement within 48 hrs.	
21.Loading at high t	emperature life test	: At least 2 hrs of recovery under the st		
21.Loading at high t	· · · · · · · · · · · · · · · · · · ·		Inductance change : Within±20%	
21.Loading at high t	emperature life test LB, LBC, LBR Seri			
	emperature life test LB, LBC, LBR Seri CB, CBC Series		Inductance change : Within±20%	
	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series	es	Inductance change : Within±20% No significant abnormality in appearance.	
Specified Value	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature	es : 85±2°C	Inductance change : Within±20% No significant abnormality in appearance.	
	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series	es	Inductance change : Within±20% No significant abnormality in appearance.	
Specified Value Test Methods and	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration	es : 85±2°C : 1000 hrs : Rated current	Inductance change : Within±20% No significant abnormality in appearance.	
Specified Value Test Methods and	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current	es : 85±2°C : 1000 hrs : Rated current	Inductance change : Within±20% No significant abnormality in appearance. —	
Specified Value Test Methods and	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery	es : 85±2°C : 1000 hrs : Rated current	Inductance change : Within±20% No significant abnormality in appearance. —	
Specified Value Test Methods and Remarks	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs.	
Specified Value Test Methods and Remarks	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20%	
Specified Value Test Methods and Remarks 22.Low temperature	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs.	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20%	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance.	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20%	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and Remarks	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance.	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance. andard condition after the test, followed by the measurement within 48 hrs.	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and Remarks	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance. andard condition after the test, followed by the measurement within 48 hrs. Standard test conditions	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and Remarks	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance. andard condition after the test, followed by the measurement within 48 hrs. Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and Remarks	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance. andard condition after the test, followed by the measurement within 48 hrs. Standard test conditions	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and Remarks 23.Standard condition	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance. andard condition after the test, followed by the measurement within 48 hrs. Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C	
Specified Value Test Methods and Remarks 22.Low temperature Specified Value Test Methods and Remarks 23.Standard condition	emperature life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Applied current Recovery life test LB, LBC, LBR Seri CB, CBC Series LBM Series Temperature Duration Recovery LB, LBC, LBR Seri CB, CBC Series LB, LBC, LBR Seri CB, CBC Series	es : 85±2°C : 1000 hrs : Rated current : At least 2 hrs of recovery under the st es : -40±2°C : 1000 hrs : At least 2 hrs of recovery under the st	Inductance change: Within±20% No significant abnormality in appearance. — andard condition after the test, followed by the measurement within 48 hrs. Inductance change: Within±20% No significant abnormality in appearance. andard condition after the test, followed by the measurement within 48 hrs. Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits:	

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

WIRE-WOUND CHIP INDUCTORS (LB SERIES), WIRE-WOUND CHIP POWER INDUCTORS (CB SERIES), WIRE-WOUND CHIP INDUCTORS FOR SIGNAL LINES (LB SERIES M TYPE)

PRECAUTIONS

1. Circuit Design

◆Operating environment

The products listed in this catalogue are intended for use in general electronic equipment (e.g., AV equipment, OA equipment, home electric
appliances, office equipment, information and communication equipment), general medical equipment, industrial equipment, and automotive
interior applications, etc.

Precautions

Please be sure to contact TAIYO YUDEN for further information before using the products for any equipment which may directly cause loss of human life or bodily injury (e.g., specially controlled medical equipment, transportation equipment including, without limitation, automotive powertrain control system, train control system, and ship control system, traffic signal equipment).

Please do not incorporate our products into any equipment requiring high levels of safety and/or reliability (e.g., aerospace equipment, aviation equipment, nuclear control equipment, undersea equipment, military equipment, etc.).

2. PCB Design

Precautions

◆Land pattern design

1. Please contact any of our offices for a land pattern, and refer to a recommended land pattern of a right figure or specifications.

Technical considerations

PRECAUTIONS
[Recommended Land Patterns]

Surface Mounting

Mounting and soldering conditions should be checked beforehand.

· Applicable soldering process to those products is reflow soldering only.

3. Considerations for automatic placement

Precautions

◆Adjustment of mounting machine

- 1. Excessive impact load should not be imposed on the products when mounting onto the PC boards.
- 2. Mounting and soldering conditions should be checked beforehand.

Technical considerations

1. When installing products, care should be taken not to apply distortion stress as it may deform the products.

4. Soldering

Precautions

◆Reflow soldering(LB and CB Types)


1. For reflow soldering with either leaded or lead-free solder, the profile specified in "point for controlling" is recommended.

s 🔻

- ◆Recommended conditions for using a soldering iron
 - 1. Put the soldering iron on the land-pattern. Soldering iron's temperature Below 350°C Duration-3 seconds or less. The soldering iron should not come in contact with inductor directly.

◆Reflow soldering(LB and CB Types) 1. Reflow profile

Technical considerations



- ◆Recommended conditions for using a soldering iron
- 1. Components can be damaged by excessive heat where soldering conditions exceed the specified range.

5. Cleaning

Precautions

◆Cleaning conditions

Washing by supersonic waves shall be avoided.

Technical considerations

♦Cleaning conditions

If washed by supersonic waves, the products might be broken.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

6. Handling	
Precautions	 ✦Handling 1. Keep the inductors away from all magnets and magnetic objects. ✦Breakaway PC boards(splitting along perforations) 1. When splitting the PC board after mounting inductors, care should be taken not to give any stresses of deflection or twisting to the board. 2. Board separation should not be done manually, but by using the appropriate devices. ✦Mechanical considerations 1. Please do not give the inductors any excessive mechanical shocks.
Technical considerations	 ◆Handling 1. There is a case that a characteristic varies with magnetic influence. ◆Breakaway PC boards(splitting along perforations) 1. Planning pattern configurations and the position of products should be carefully performed to minimize stress. ◆Mechanical considerations 1. There is a case to be damaged by a mechanical shock.

7. Storage conditions Precautions Precautions Precautions Ambient temperature must be kept below 30°C even under ideal storage conditions, solderability of products electrodes may decrease as time passes. For this reason, These series should be used within 6 months from the time of delivery. Technical considerations Technical and deterioration of taping/packaging materials may take place.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by Taiyo Yuden manufacturer:

Other Similar products are found below:

CR43NP-680KC CR54NP-820KC CR54NP-8R5MC CTX32CT-100 70F224AI MGDQ4-00004-P MHL1ECTTP18NJ MHL1JCTTD12NJ PE-51506NL PE-53601NL PE-53602NL PE-53630NL PE-53824SNLT PE-62892NL PE-92100NL PG0434.801NLT PG0936.113NLT 9310-16 PM06-2N7 PM06-39NJ A01TK 1206CS-471XJ HC2-2R2TR HC2LP-R47-R HC3-2R2-R 1206CS-151XG RCH664NP-140L RCH664NP-4R7M RCH8011NP-221L RCP1317NP-332L RCP1317NP-391L RCR1010NP-470M RCR110DNP-331L DH2280-4R7M DS1608C-106 ASPI-4020HI-R10M-T B10TJ B82477P4333M B82498B3101J000 B82498B3680J000 ELJ-RE27NJF2 1812CS-153XJ 1812CS-183XJ 1812CS-223XJ 1812LS-104XJ 1812LS-105XJ 1812LS-124XJ 1812LS-154XJ 1812LS-223XJ 1812LS-224XJ