

# **Specification**

Part No. : **AA.166.A.301111** 

Product Name : Ulysses Ultra Low Profile Magnetic Mount

GPS/GLONASS/Galileo/BeiDou Antenna

Features : Dimensions: 37.8\*40.4\*10mm

Cable: 3m RG-174

Connector: SMA(M)

IP67 Rated

Cable Length and Connector Customizable

**RoHS & REACH Compliant** 





#### 1. Introduction

The Ulysses miniature ultra low profile (only 10mm in height) GNSS antenna is designed for applications which require high positioning accuracy by combining signals from GPS, GLONASS, Galileo and BeiDou systems. The tiny size of this antenna allows it to be used in very space restricted environments.

A high gain wide-band patch antenna on an integral ground delivers reliable performance. A fully IP67 waterproof rated and UV resistant enclosure allows use in outdoor environments. Mid SAW filter configuration eliminates potential LNA burn-out from nearby out of band radiated power bursts from other antennas that may be co-located nearby.

The antenna is manufactured to strict first tier Automotive quality controlled manufacturing process in IATF16949 approved facility. Custom cables and connectors available on request. Contact your regional Taoglas customer support team for more information.



## 2. Specification

GPS-Galileo-GLONASS-BeiDou						
Center	Galileo E1	BeiDou	GPS	Galileo E2	GLONASS	
Frequency	1559 MHz	1561 MHz	1575.42±1.02 3 MHz	1592 MHz	1602±5 MHz	
Passive Antenna Efficiency (%)	46.13	51.33	34.56	49.74	44.55	
Passive Antenna Average gain (dBi)	-3.36	-2.90	-4.61	-2.41	-3.51	
Passive Antenna Peak gain	1.92	2.34	0.34	2.10	1.81	
VSWR	<5					
Impedance	50Ω					
Axial Ratio	Galileo E1:28.94 Beidou:<27.29 GPS:<0.93 Galileo:< 7.76 GLONASS:< 16.15					
Polarization	RHCP					
	LNA and Filter Electrical Properties					
	BeiDou:1561±2.046 MHz					
Center	GPS:1575.42±1.023 MHz					
Frequency	GLONASS:1602±5 MHz					
	Galileo:1575.5±MHz					
Pout 1dB gain	-6dBm Min2 dbm Typ. (1561MHz,1575.42MHz,1602MHz,1559MHz- 1592MHz)					
Compression						
point	· · · - ,					
Output Impedance	50 Ohm					
VSWR	< 5:1					
Return Loss	-3 dB Max.					
	Frequency (M	Hz) Volta	age LNA	Gain(Typ)	Noise Figure(Typ)	
LNA Gain,	1559		3	31.37	3.24	
Current Draw,	1561		3	31.31	3.16	
and Noise	1575.42	3-5	5V 2	29.75	2.66	
Figure @GPS	1591		3	31.21	3.00	
	1602		3	30.43	2.97	




MECHANICAL				
Antenna Dimensions	40.4 x 37.8 x 10mm			
Housing Material	UV Resistant ABS			
Cable	3m RG-174			
Connector	SMA(M)			
Magnet force				
ENVIRONMENTAL				
Operation Temperature	-40°C to 85°C			
Storage Temperature	-40°C to 85°C			
Humidity	Non-condensing 40°C 95% RH			



## 3. Antenna Characteristics


#### 3.1 GPS-GLONASS-GALILEO-BEIDOU Antenna

3.1.1 Block Diagram (Active antenna)






### 3.1.2 Test Setup




## 3.1.3 Return Loss (Passive antenna)






### 3.1.4 VSWR (Passive antenna)




#### 3.1.5 Smith Chart (Passive antenna)





## 3.1.6 Efficiency (Passive antenna)



## 3.1.7 Average Gain (Passive antenna)







### 3.1.8 Peak Gain (Passive antenna)






# .1.9 Antenna Radiation Pattern (Passive antenna)2D Radiation pattern













### 3.1.10 Axial Ratio Pattern (Passive antenna)


















### 3.1.11 LNA Gain and Noise Figure (Active antenna)



LNA Gain@3.0V






LNA Noise Figure @3.0V



## 4. Mechanical Drawing (Unit:mm)






## 5. Packaging

1 pcs AA.166.A.301111 per PE bag PE Bag Dimensions - 100 x 200mm Weight - 65g

10 PE bags per large PE bags 10 pcs AA.166.A.301111 per large PE bags Carton Dimensions - 420 x 220mm Weight - 0.65kg

10 Large PE bags per carton 100 pcs AA.166.A.301111 per carton Carton Dimensions - 380 x 380 x 310mm Weight - 7.5kg





Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein. Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

© Taoglas

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Taoglas manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352