

SPECIFICATION

Patent Pending

Part Number : **FXP611.07.0092C**

Product Name : "The Cloud" Flexible Polymer

GPS/GLONASS/Galileo/BeiDou

Cloud Shape Antenna

Features : 1559-1610 MHz

38mm*37mm*0.15mm size

92mm 1.37 Cable

I-PEX MHF® I Connector (U.FL compatible)

CE Certified

RoHS & REACH Compliant







1. Introduction

This convenient "peel and stick" flexible polymer antenna is designed for applications which require high positioning accuracy using GPS, GLONASS, Galileo and even BeiDou functions on modern day GNSS systems. The antenna is designed to be mounted directly to plastic (e.g. ABS enclosure of a wireless device) and has been designed in a way that makes it extremely resistant to detuning affects caused by the device environment.



2. Specification

ELECTRICAL	
ANTENNA	GPS-GLONASS-Galileo-BeiDou
STANDARD	
Operation Frequency (MHz)	1559-1610
Polarization	Linear
Impedance (Ohms)	50
Max VSWR	1.2:1
Peak Gain (dBi)	3
Efficiency (%)	80
Average Gain (dB)	-1
Radiation Properties	Omni- directional
Max Input Power (Watts)	5

^{*} The FXP611 antenna performance was measured with 30X30 cm ABS Plastic.

MECHANICAL	
Antenna	GPS-GLONASS-Galileo-BeiDou
Standard	
Dimensions (mm)	38x37x0.15
Required Space (mm)	40x40x0.2
Material	Flexible Polymer
Connector	I-PEX MHF® I (U.FL Compatible)
Weight(g)	0.9

^{**} The FXP611 antenna requires at least 1cm clearance to metal or to the main device ground plane

ENVIRONMENTAL	
Antenna	GPS-GLONASS-Galileo-BeiDou
Standard	GPS-GLONASS-Gailleo-Beildou
Operation Temperature	-40°C to 85°C
Storage Temperature	-40°C to 105°C
Relative Humidity	40% to 95%
RoHS Compliant	Yes



3. Test Setup




Figure 1: Impedance, isolation and correlation coefficient measurements (left hand) and peak gain, average gain, efficiency and radiation pattern measurements (right hand)



4. Antenna Parameters

4.1. Return Loss



Figure 2: Return loss of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna

4.2. VSWR




Figure 3: VSWR of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna



4.3. Efficiency




Figure 4: Efficiency of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna

4.4. Peak Gain




Figure 5: Peak Gain of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna



4.5. Average Gain




Figure 6: Average Gain of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna



4.6. Radiation Pattern




Figure 7: Radiation Pattern of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna at 1561MHz




Figure 8: Radiation Pattern of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna at 1575MHz






Figure 9: Radiation Pattern of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna at 1589MHz





Figure 10: Radiation Pattern of FXP611 GPS/GLONASS/Galileo/BeiDou Antenna at 1610MHz




5. Mechanical Drawing







6. Packaging




100pcs FXP611.07.0092C per PE Bag Bag Dimensions - 130 x 230mm Weight - 132g



1000 pcs FXP611.07.0092C per carton Carton - 230 x 175 x 160mm Weight - 1.4Kg



Pallet Dimensions 1200 x 1000 x 1480mm 200 Cartons per Pallet 25 Cartons per layer 8 Layers





Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein.

Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

© Taoglas

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Taoglas manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352 MIKROE-2350