

SPECIFICATION

| Part No. | : | GP.1575.25.4.A.02 |
|--------------|---|---|
| Product Name | : | 4mm thick GPS/GALILEO Patch Antenna |
| Features | : | 25mm*25mm*4mm Halogen Free RoHS Compliant |





1. Introduction

This miniaturized ceramic GPS/GALILEO patch antenna is based on smart *XtremeGain*[™] technology. It is mounted via pin and double-sided adhesive and has been tuned as optimal solution for the customer device environment.

2. Specification Table


| 0113 | original rater specification tested on 50° sommiground plane | | | | | | | |
|------|--|----------------------------------|------------------|--|--|--|--|--|
| No | Parameter | Specification | | | | | | |
| | Range of Receiving Frequency | 1575.42MHz +/- 1.023MHz | | | | | | |
| 1 | Center Frequency | 1575MHz +/- 3MHz | | | | | | |
| 2 | Impedance | 50Ω | | | | | | |
| 3 | Bandwidth | 10 MHz min Return Loss <-10dB | | | | | | |
| 4 | VSWR | 1.2:1 | | | | | | |
| 5 | Gain toward Zenith | 1.55 dBic typ. | Center Frequency | | | | | |
| 6 | Gain at 10°Elevation | -2.5 dBic typ. | | | | | | |
| 7 | Axial Ratio | 3dB Max. | | | | | | |
| 8 | Polarization | Right Hand Circular Polarization | | | | | | |
| | Frequency Temperature | | | | | | | |
| 9 | Coefficient (Tf) | | 0 ± 20ppm/°C | | | | | |
| 10 | Operating Temperature | -40ºC to +85ºC | | | | | | |

Original Patch Specification tested on 50*50mm ground plane




3. Electrical Specification

3.1 Return Loss






3.2 Smith Chart







3.3. **VSWR**



4. 2D Radiation Patterns








4.1 XZ Patterns



+ZModel No. Min Gain(dBi) Test Mode Freq(MHz) Max Gain(dBi) Avg. Gain(dBi) Source Polar. Pattern Date YZ 1575.00 -1.00 / 356.97 -9.42/105.88 -4.18 2013/7/26 GP.1575.25.4 A.02 Hor. 1 2 YZ 1575.00 -1.88/353.83 -11.35/97.71 -5.68 Ver. 2013/7/26 GP.1575.25.4.A.02 3 GP 1575 25.4 A.02 YZ 1575.00 1.59/356.91 -7.16/103.89 -1.87 V+H 2013/7/26

4.2 YZ Patterns





5. Gain Pattern Value



| Angle | XZ-Plane | YZ-Plane | |
|-------|----------|------------|--|
| 90° | -8.37 | -6.59 | |
| 75° | -6.12 | -4.70 | |
| 60° | -3.66 | -2.80 | |
| 45° | -1.65 | -1.05 | |
| 30° | -0.11 | 0.26 | |
| 15° | 0.94 | 1.14 | |
| 0° | 1.45 | 1.55 | |
| 345° | 1.46 | 0.00 | |
| 330° | 0.99 | 0.00 | |
| 315° | 0.11 | 0.57 | |
| 300° | -1.10 | -0.82 | |
| 285° | -2.45 | -2.45 | |
| 270° | -3.69 | -3.94 | |
| | | (Unit:dBi) | |



Munumman 25 99 90 Munnin man www.www.www. Model No. Test Mode Freq(MHz) Max Gain(dBi) Min Gain(dBi) Avg. Gain(dBi) Source Polar. Date Pattern GP.1575.25.4.A.02 Axial Ratio 1575.42 -0.84 / 348.27 -35.58/257.52 -4.86 CP 2013/7/26 1

6. Axial Ratio Pattern




| Angle | Axial Ratio | |
|-----------------|-------------|--|
| 90° | 10.17 | |
| 75° | 3.27 | |
| 60° | 2.03 | |
| 45° | 1.51 | |
| 30° | 1.14 | |
| 15° | 0.87 | |
| 0° | 0.83 | |
| 345° | 1.14 | |
| 330° | 1.88 | |
| 315° | 2.94 | |
| 300° | 4.58 | |
| 285° | 6.86 | |
| 270° | 12.88 | |
| (At 1575.42MHz) | | |

 $(\operatorname{At}\mathsf{1575.42MHz})$




7. 2D Mechanical Drawing



| | | Name | Material | Finish | QTY |
|--|---|-----------------------|------------|-------------|-----|
| NOTES: 1.Double sided adhesive area | 1 | GP.1575 Patch 25x25x4 | Ceramic | Clear | 1 |
| | 2 | Double sided Adhesive | NITTO 5015 | White Liner | 1 |




5.1 Layout Dimension




UNITimm

*Note Layout Dimensions may be affected by the thickness of the PCB


8. Test Jig and Dimension








8.1 Test Fixture Antenna Setup and Measurements







9. Packaging

50 pieces per Tray 200 per Inner Carton 4 x 200 – 800 pieces per Outer Carton









Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein.

Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

Copyright © Taoglas Ltd.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Taoglas manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393