

Specification

Part No	:	GWSFTP.50.3.A.08
Product Name	:	Low Profile GPS & Wi-Fi Terrablast Combination Patch Antenna
Feature	:	GPS with Wi-Fi 2.4GHz Band Single Feed Patch Assembly Ultra-Impact Resistant Right-Hand Circularly Polarized Patent Pending Design Dimensions: 50*50*3mm RoHS Compliant





1. Introduction

The Taoglas GWSFTP.50.3.A.08 is a 50*50mm Terrablast GPS & Wi-Fi embedded stacked passive patch antenna with 3mm thickness. This low profile patch is made from a revolutionary new material developed to meet the unique needs of the UAV and automotive industries. It uses a patent pending antenna technology which results in lighter weight patches, up to 35%, with mush greater impact resistance.

Typical applicable industries are:

:: Transportation	:: Defense	:: Marine
:: Agriculture	:: UAV Navigation	

The antenna has been tuned and tested on a 70*70mm ground plane and works at GPS (1575.42MHz) and Wi-Fi (2.4Ghz) bands. The GWSFTP.50 is mounted via a pin and double sided adhesive. This antenna works well without modifications in most environment but can be tuned and further optimized to different ground planes and enclosures if this is required. Custom antenna modifications are subject to possible NRE and minimum order quantity.

Terrablast antennas are not suitable for SMD reflow. The correct method is manual soldering at a soldering temperature of 380°C +/- 20°C for a duration of 3 to 5 seconds. All Terrablast antennas undergo rigorous temperature, vibration and impact tests and exceed the highest ISO16750 standards.

For further information, or support to test and integrate Taoglas Terrablast technology please contact your regional Taoglas facility.



2. Specification

Electrical								
	GPS	Wi-Fi						
Frequency	1575.42±1.023 MHz	2450±50 MHz						
Return Loss	≤-10dB	≤-7dB						
Efficiency	40.1 %	24.5 %						
Average Gain	-3.9 dB	-6.1dB						
Peak Gain	1.6 dBi typ.	0.1 dBi typ.						
Polarization	RHCP	RHCP						
Impedance	50 Ω	50 Ω						
Mechanical								
Dimensions	50 x 50 x 3 mm							
Material	Terrablast							
Pin Diameter	0.9 mm							
Pin Length	2.0 mm							
Weight	15.8g							
Environmental								
Operation Temperature	-30°C to 85°C							
Storage Temperature	Storage Temperature -40°C to 95°C							
Humidity	Non-condensing 65°C 95% RH							


* Antenna properties were measured with the antenna mounted on 70*70mm Ground Plane.






3. Antenna Characteristics

3.1 Return Loss




3.2 Efficiency






3.4 Peak Gain




3.5 Average Gain






3.6 Axial Ratio






4 2D Antenna Radiation

4.5 Test Setup







4.6 X-Y Plane



X-Z Plane





Y-Z Plane






5 3D radiation pattern












NOTES:

1. Double Sided Adhesive Area.

	Name	P/N	Material	Finish	QTY
1	Patch	001518H130000A	Terrablast	Clear	1
2	Double Sided Adhesive	001518H130000A	NITTO 5015	White Liner	1




6.1 Adhesive Thickness



Red Line shows the adhesive without Liner – thickness 0.08~0.1mm

7 PCB Footprint Recommendation



UNITIMM



8 Packaging




40 pcs GWSFTP.50.3.A.08 per Small Carton Carton Dimensions - 263*154*96mm Weight - 0.7kg

50mm

160 pcs GWSFTP.50.3.A.08 per Large Carton Large Carton Dimensions - 327*280*218mm Weight - 3kg

Pallet Dimensions: 1200mm*1000mm*1280mm 36 Cartons per Pallet 9 Cartons per Layer, 4 Layers





Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein.

Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

Copyright © Taoglas Ltd.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Taoglas manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 Y4503
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 C37
 MAF94051
 MA9-5N
 EXD420PL
 B1322NR

 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 A0-AGSM-OM54
 5200232
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393

 MIKROE-2352
 MIKROE-2352
 MIKROE-2352
 MIKROE-2349
 WCM.01.0111
 MIKROE-2393