

Specification

- Part No. : **TI.08.A.0111**
- Product Name : 868MHz ISM Band Dipole Terminal Antenna
- Feature : SMA Plug(M) Connector
High radiation efficiency and robust handling
RoHS compliant



1. Introduction

The TI.08.0A.0111 is high performance 868MHz ISM band dipole Omni-directional antenna. The antenna features an SMA(M) connector as standard, the antenna has a high Radiation efficiency of 35% in free space. The antenna is fabricated using TPU which allows for robust handling, while remaining lightweight


2. Specification

ELECTRICAL	
Centre Frequency	868 ~ 870MHz
Peak Gain	-1.7dBi
Average Gain	-4.4dBi
Radiation Efficiency	35%
VSWR	1.5 : 1 max
Polarization	Linear
Impedance	50 Ω
MECHANICAL	
Dimensions	168 x ϕ 12 mm
Housing Material	TPU
Connector	SMA (MA)
Weight	21g
ENVIRONMENTAL	
Operation Temperature	-40°C to 85°C
Storage Temperature	-40°C to 105°C
Relative Humidity	40% to 95%


* Electrical properties are measured with the antenna in free space.

3. Antenna Free Space S11 Performance

3.1. Return Loss




3.2 VSWR




4. Antenna Free Space Radiation Property


4.1 Radiation Efficiency



4.2 Peak Gain




4.3 Average Gain




4.4 868MHz Free Space Radiation Pattern

H-Plane Radiation



4.5 E-Plane Radiation




5. Ground Plane Effect

Three ground setups are used to see the affect of positioning TI.08 close to ground -


1. Small Ground (15 x 9cm) – common size of CPE devices. TI.08 is mounted at the longer edge for testing.
2. Big Ground Edge (45 x 30cm) – simulate the effect of mounting antenna on a base station device. TI.08 is mounted at the centre of the longer edge.
3. Big Ground Centre (45 x 30cm) – simulate the effect of mounting antenna in a centre of a big ground plane, such as vehicle top.

6. S11 Performance of TI.08 with Different Ground

6.2 Return Loss




6.3 VSWR




7. Radiation Property of TI.08 with Different Ground


7.1 Radiation Efficiency



7.2 Antenna Peak Gain




7.3 Average Gain




7.4 Radiation Pattern



H-Plane Radiation



E-Plane Radiation



8. Mechanical Drawing



	Name	Material	Finish
①	Antenna Housing	TPU	Black
②	SMA(M) ST	Brass	Black

Unit : mm

9. Packaging

TBC.

Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein. Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

Copyright © Taoglas Ltd.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Taoglas](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [C37](#) [MAF94051](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#) [MIKROE-2352](#) [MIKROE-2350](#) [MAF94153](#)