


BCL3225-AUTO-KIT

Wound Metal Automotive Power Inductor
Sample Kit



BCL3225 type

AEC-Q200

Features

- The adoption of the new method has resulted in a high inductance that could not be achieved with conventional metallic materials
- Due to the properties of metallic materials, they are more able to handle larger currents than ferrite materials
- The use of high- μ materials has made it possible to achieve low Rdc in metal products
- The coil is fully encapsulated with a magnetic material to minimize leakage flux
- Supports rated voltage of 40V
- Operating temperature range: -55 to +155°C (including self-temperature rise)
- Compliant with AEC-Q200

Application

- ADAS - Level5 for Camera

L (μ H)	Tolerance	DC Resistance		Rated Current		Part Number	Kit Quantity	
		max (Ω)	typ. (Ω)	Isat (A) max.	(A) typ.			Itemp (A) typ.
4.7	±20%	0.163	0.13	1.71	2.14	2.08	BCL322515RT-4R7M-D	5
6.8	±20%	0.32	0.19	1.43	1.79	1.79	BCL322515RT-6R8M-D	5
10	±20%	0.32	0.28	1.20	1.51	1.50	BCL322515RT-100M-D	5
15	±20%	0.48	0.41	0.98	1.23	1.19	BCL322515RT-150M-D	5
22	±20%	0.71	0.61	0.80	1.00	0.96	BCL322515RT-220M-D	5
3	±20%	1.11	0.97	0.68	0.85	0.75	BCL322515RT-330M-D	5
47	±20%	1.40	1.22	0.57	0.72	0.67	BCL322515RT-470M-D	5
2.2	±20%	0.064	0.055	3.45	4.31	3.21	BCL322520RT-2R2M-D	5
3.3	±20%	0.078	0.068	3.13	3.91	2.99	BCL322520RT-3R3M-D	5
4.7	±20%	0.11	0.09	2.50	3.12	2.52	BCL322520RT-4R7M-D	5
6.8	±20%	0.18	0.16	2.24	2.80	1.87	BCL322520RT-6R8M-D	5
10	±20%	0.23	0.20	1.71	2.14	1.72	BCL322520RT-100M-D	5
15	±20%	0.32	0.28	1.33	1.67	1.47	BCL322520RT-150M-D	5
22	±20%	0.46	0.40	1.20	1.49	1.20	BCL322520RT-220M-D	5
33	±20%	0.67	0.59	0.92	1.16	0.99	BCL322520RT-330M-D	5
47	±20%	1.05	0.91	0.80	1.00	0.78	BCL322520RT-470M-D	5
68	±20%	1.63	1.42	0.68	0.84	0.62	BCL322520RT-680M-D	5
100	±20%	2.29	1.99	0.56	0.70	0.52	BCL322520RT-101M-D	5

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Inductor Kits & Accessories](#) category:

Click to view products by [TDK](#) manufacturer:

Other Similar products are found below :

[B82498X001](#) [EKDMGN08A-KIT](#) [CP-P36/22-2S](#) [744062](#) [TSTH-MM](#) [TSTH-MS](#) [TTH 50-150](#) [WE-1413H](#) [WE-1952V](#) [WE-237](#) [WE-2750H](#)
[WE-279](#) [WE-3671H](#) [WE-3683H](#) [WE-3686](#) [WE-3693](#) [WE-3698H](#) [WE-3701H](#) [WE-3759](#) [E30-K-H-12P-SS-P3002](#) [E65-54-K-H](#) [E65-81-K-H](#)
[EE13-K-V-10P-SW](#) [EE25_10_6-K-V-10P-YW-360](#) [EF12.6-K-H-9P-P1212](#) [EF16-K-H-9P-SW](#) [EF20-K-H-8P](#) [EF20-K-H-8P-SW](#) [EFD12_3.5-](#)
[K-1S-8P-CPHS](#) [FIRCHK](#) [744006](#) [7440405](#) [CLI-EFD25](#) [CPH-U15/11/6-1S-4P](#) [TSTH-MD](#) [WE-3657H](#) [WE-3621H](#) [WE-3292V](#) [WE-2752V](#)
[CCCM453232-LAB1](#) [B66359-B1013-T1](#) [B82442X002](#) [TTH 200-300](#) [74491](#) [P0752NLKIT](#) [P0250NLKIT](#) [P0770NLKIT](#) [823999](#) [WZ-7958](#)
[WZ 7953/1 ST](#)