



Applications	Commercial Grade	
	Shield Magnetic Shield	
Feature	Multilayer Multilayer	
	Ferrite Core	
Series Type	MLF	
Status	Production	
Brand	ТДК	

	Size
Length(L)	2.00mm ±0.20mm
Width(W)	1.25mm ±0.20mm
Thickness Height	1.25mm ±0.20mm
Recommended Land Pattern (A)	0.80mm Nom.
Recommended Land Pattern (B)	1.00mm Nom.
Recommended Land Pattern (C)	1.20mm Nom.

Electrical Characteristics				
Inductance	10µH ±10% at 2MHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]				
Rated Current (Temperature Rise) [Typ.]				
Rated Current (Temperature Rise) [Max.]	15mA			
DC Resistance [Typ.]	400mΩ			
DC Resistance [Max.]	800mΩ			
Self Resonant Frequency [Min.]	30MHz			
Self Resonant Frequency [Typ.]	50MHz			
Q [Min.]	50			
Q [Typ.]	75			

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 125°C			
Coldering Mathead	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	No			
Packing	Blister (Plastic)Taping [180mm Reel]			
Package Quantity	2000pcs			
Weight	0.014g			

I images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.



MLF2012E100KT000





Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.





Associated Images



! Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by TDK manufacturer:

Other Similar products are found below :

MLZ1608M6R8WTD25 MLZ1608N6R8LT000 MLZ1608N3R3LTD25 MLZ1608N3R3LT000 MLZ1608N150LT000 MLZ1608M150WTD25 MLZ1608M3R3WTD25 MLZ1608M3R3WT000 MLZ1608M150WT000 MLZ1608A1R5WT000 MLZ1608N1R5LT000 B82432C1333K000 PCMB053T-1R0MS PCMB053T-1R5MS PCMB104T-1R5MS CR32NP-100KC CR32NP-151KC CR32NP-180KC CR32NP-181KC CR32NP-1R5MC CR32NP-390KC CR32NP-3R9MC CR32NP-680KC CR32NP-820KC CR32NP-8R2MC CR43NP-390KC CR43NP-560KC CR43NP-680KC CR54NP-181KC CR54NP-470LC CR54NP-820KC CR54NP-8R5MC MGDQ4-00004-P MGDU1-00016-P MHL1ECTTP18NJ MHL1JCTTD12NJ PE-51506NL PE-53601NL PE-53630NL PE-53824SNLT PE-62892NL PE-92100NL PG0434.801NLT PG0936.113NLT PM06-2N7 PM06-39NJ HC2LP-R47-R HC2-R47-R HC3-2R2-R HC8-1R2-R