




◀ PAGE BACK ✕ CLOSE

Product Name **Multilayer Inductor for Ultra High**
Series **Frequency Range**
Type **MLK Series**
Part Number **1005 Type**
 MLK1005S5N6DT000

Product Lifecycle Stage PROD



Specification

Mounting Method Flag	Yes	
Processing	MULTI-LAYER	
Shape	SMD	
Size Code	1005	
Body Length(L)	Nom	1 m m
Body Breadth(W)	Nom	0.5 m m
Body Height(T)	Nom	0.5 m m
Rated Inductance	Nom	5.6 n H
Inductance Tolerance (Value)	Min	-0.5 n H
	Max	0.5 n H
Test Frequency of Inductance	Nom	100 M Hz
	Min	7
Q	Typ	9
	Nom	100 M Hz
Test Frequency of Q	Min	5.7 G Hz
	Typ	6.7 G Hz
DC Resistance	Max	0.3 Ohm
	Nom	0.15 Ohm
Rated Current	Max	400 m A
IDC1 (Inductance Change)	Max	400 m A
IDC2 (Temperature Rise)	Max	400 m A
Temperature Rise	Max	20 Cel
Terminal Material	Ag(100%)/Sn plating	
Polarity Marking	No	
Magnetic Shielding	No	
Soldering Method	Reflow,Iron Soldering	
Measuring Equipment(L, Q, Rdc)	L,Q:HP4291A+16193A, Rdc:YOKOGAWA TYPE7561	
Category Temperature Range	Min	-55 Cel
	Max	125 Cel
Storage Temperature Range	Min	-55 Cel

Summary/Applications/Feature

Summary	Small size High-Q RF coil for high frequency circuit of mobile application. Pb free and correspond to Pb free soldering.
Applications	Cellular,VCO module,PA module,Bluetooth,other high frequency circuit for mobile applications
Feature	Small size High-Q RF coil for high frequency circuit of mobile application. High Self Resonance Frequency (SRF). No polarity. Lead free, lead free soldering, and RoHS compliant

Packaging

Packing	Punched (Paper)Taping [180mm Reel]	
Minimum Package Qty	Nom	10000 Pcs
Minimum Order Qty	Nom	10000 Pcs

[Details](#)

	Max	125 Cel
Weight	Nom	0.001 g

◆ [**Caution**]

Specifications which provide more details for the proper and safe use of the described product are available upon request.

◆ [**Notice of Revision and Improve**]

All specifications are subject to change without notice.

[PAGE TOP](#) 

Copyright(c) 1996-2008 All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [tdk manufacturer](#):

Other Similar products are found below :

[VLF5012ST-1R0N2R5](#) [C3225X5R0J686M200AC](#) [VLF5014AT-150MR76](#) [VLF5014AT-6R8MR99](#) [CXA-2115](#) [MCZ1210AH301L2T](#)
[78P7200-IH/F](#) [MLP2012S1R5TT](#) [ACH3218-682-TD01](#) [ACT45B-KIT](#) [NL565050T-822J-PF](#) [C1005JB1H471K050BA](#)
[C1608CH1H151J080AA](#) [C2012JB1H105K125AB](#) [C4532NP01H154J250KA](#) [SLF12575T-680M2R0-PF](#) [CD75-B2GA331KYGKA](#)
[CLF10040T-221M](#) [CLF12555T-220M](#) [R22095*REPAIRED](#) [MLF1005LR12K](#) [MLP2520S1R0ST](#) [MLP2520S1R5MT](#) [VLS252015T-](#)
[3R3M1R0](#) [VLS4012T-150MR65](#) [ZCAT-KIT](#) [MPZ2012-KIT](#) [NLV32T-R27J-EFD](#) [CKCM25C0G2A101K060AK](#) [CLF10040T-4R7N](#)
[VLS252010HBX-R24M-1](#) [CGJ2B2X7R1C222K](#) [CGA8M3X7R1H475K](#) [CGA9M1X7T2J334K](#) [CGA8P3X7T2E105M/SOFT](#)
[CGA6J4C0G2J392J](#) [CGA6M3X7R2E154K](#) [CGA3E3C0G2E181J](#) [CGA2B2C0G1H331J](#) [CEU-AC01-E6-KIT](#) [CERB3UX5R0G105M](#)
[RLF12545T-100M5R1-PF](#) [PFE500F28/T](#) [CCT406393-600-36-02](#) [PFC3819QM-181K09B-00](#) [VLF3010AT-100MR49](#) [MMZ0603D330C](#)
[MPZ2012S102ATD25](#) [MLG1608B18NJ](#) [UHV-251A](#)