



**PART NO:**

**AR00719**

**DRAWING NO:**

**AR00719**

**PAGE:**

**1 of 2**

**GENERAL COMPONENT SPECIFICATION / DESCRIPTION**

<b>DESCRIPTION:</b>	Thermal Cut-Off Resistor	
<b>MANUFACTURTER NAME:</b>	Uchihashi	
<b>MANUFACTURER PN:</b>	A5MC-220J	
<b>ADDITIONAL PART DETAILS:</b>	22Ω, 1.6W, AC250, 5%, 139°C, 70W Max Overload	
<b>APPROVALS:</b>	See Attached Spec Sheet	
<b>WHERE USED:</b>	External Inrush resistor for PFH500F Series	
<b>STATUS:</b>	Preferred	
<b>LIFE CYCLE PHASE:</b>	Active	

OTHER NOTES:


<b>REV</b>	<b>DATE</b>	<b>ENG</b>	<b>NOTES</b>
01	05-08-2017		Release to Agile

# A5MC Series

RoHS Compliant Thermal Cutoffs



- It is a high performance thermal cutoff/ resistor assembly which combine a cement resistor with a fusible alloy type thermal cutoff and has an overheat protect function.
- It uses coil-winding for greater ability to withstand inrush current.
- It can open the circuit certainly in the case of any circuit malfunction. Its characteristics rarely fluctuate.
- It provides extremely robust electrical insulation and voltage withstanding properties after it functioned, and almost no trouble occurs with residual resistance or re-continuity.
- It does not contain lead (Pb) and cadmium (Cd) in compliance with RoHS.
- It does not contain 163 substances of very high concern (SVHC) that are specified by REACH as of Jun. 2015.



Dimensions (mm)									
A	B	C	D	E	F	G (L3.5)	H (L3.5)	I	J
25.0±1.5	14.0±1.0	9.0±1.0	0.8±0.05	0.6±0.05	5.5±1.0	3.5+0.5 -0	3.5+0.5 -0	2.0±0.5	4.0±0.8

## Specification

Type No.	Nominal Resistance Value (Ω)	Resistance Tolerance (%)	Rated functioning temperature (°C)	Rated Power (W)	Maximum Open Circuit Voltage (V)	Maximum Overload Power (W)
A5MC-5R1J	5.1	±5	139	1.6	AC250	70
A5MC-6R8J	6.8					
A5MC-100J	10					
A5MC-150J	15					
A5MC-220J	22					

## Safety standard information

Type No.	Safety standard approval					
	PSE	UL	c UL	VDE	CCC	KC
A5MC	-	E50082	E50082	923000-1171-0012	2008010205283372	SU05029-8002A (10Ω・15Ω・22Ω)

- Please feel free to contact us in regard of the details of safety standard approvals.

## Uchihashi Estec Co.,Ltd.

Head Office Sales Group  
9-14, Imazu-Kita 2-chome, Tsurumi-ku, Osaka 538-0041, Japan  
Tel : +81-6-6962-6666 Fax : +81-6-6962-6668

Tokyo Sales Section  
Tsutake Bldg., 18-37, Minami-Ikebukuro 3-chome, Toshima-ku, Tokyo  
171-0022, Japan  
Tel : +81-3-3989-1481 Fax : +81-3-3989-1487

<http://www.uchihashi.co.jp>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Thermal Cut-offs](#) category:*

*Click to view products by [TDK-Lambda](#) manufacturer:*

Other Similar products are found below :

[CR-200W](#) [CB82ABB](#) [10A117250V](#) [10A121250V](#) [10A133250V](#) [10A142250V](#) [10A157250V](#) [10A172250V](#) [10A184250V](#) [SA77SB0](#)  
[SA72SB0](#) [9K9.9700-080/5JSB/060C/QTG](#) [HC90AY-1](#) [LC72AY-1](#) [LC77AY-1](#) [NR72AB0](#) [NR72CB0](#) [NR85AB0](#) [P-TCO-N350/12-2](#) [P-](#)  
[TCO-N450/12-2](#) [SA77CB0](#) [SA82CB0](#) [SA85CB0](#) [SC72AAA](#) [SC72AAB](#) [SC77AAB](#) [SC82AAA](#) [SC82AAB](#) [SC85AAA](#) [BTT010077](#)  
[BTT010128](#) [TC102](#) [TC135](#) [TC145](#) [TC150](#) [TD115](#) [TJC0805LF-T1](#) [TJC1225LF-T1](#) [TJC1206LF-T1](#) [TJC2512LF-T1](#) [TJC2010LF-T1](#)  
[TJC1020LF-T1](#) [SA85SB0](#) [SA82SB0](#) [AA72AB0](#) [AC72ABD](#) [AC77ABD](#) [AC82ABD](#) [AC85ABD](#) [AC90ABD](#)