

強制空冷フィン (計算値)

							And the second of the second s					*						画 (m/s)
			Principal Control of C														0 0.5 1 1.5 2	
	2	The state of the s	O The state of the		2	(X)	\\\\>	1)]	41	1	181	2	The day of the property of the control of the contr	The state of the s				
	2 3	6	91	[5]	· I de a constante para de la constante de la	2 3 4		9	6,	61	99	8	Part of the state		2	9	おいて一定の条件下で計算した「ではありません。	
A 1/1.			742間隔 (mm) 5.15	77.2 内厚 (皿) 1.75	742枚数 6枚	風速(m/s) 1	0.5 5.781	1 4.116	1.5 3,379	2 2.939	2. 5 2. 639	3 2.418	3.5 2.46	4 2. 107	4.5 1.992	5 1.895	※ 本データは、弊社において-参考値であり、保証値ではあって	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Sinks category:

Click to view products by TDK-Lambda manufacturer:

Other Similar products are found below:

581102B00000G 656-15ABPE 657-20ABPNE 7020B-TC12-MTG 73452PPBA 7G0011A PF720G A22-4026 HAH10L HAH15L HF20

1542616-1 HS-2506-F1 HS-87M0-F2 218-40CTE3 231-69PAB-15V 25-7520 SW50-4G 231-75PAB-13V 231-75PAB-15V 253-122ABE
22 PSC22CB CLP212SG CLP-7701G HAA083 HAF10L HAQ10T D10100-28 TO5-002D BDN183CBA01 3-21053-4 32438 TX0506-1B

TX1806B LAE66A3CB WA-DT2-101E 511-3U 73381PPBA 73403PPBA 7G0047C COMX-440-HSP 510-12M D10650-40T5 V8511 Y

APF40-40-13CB/A01 780653U04500G ATS-54310K-C2-R0 FK 216 CB SA FK 231 SA 220 648-51AB