



# TECHSPRAY RENEW™

## Technical Data Sheet

### Delicate Task Wipes

2342-2343

Techspray offers a large array of wipes for a variety of applications, including cleanroom, PCB rework, polishing, and maintenance. A large number of different materials are available to meet each unique requirement.



**Cleanroom Wipers:** Meet the particulate count and extractables for Class 10 / ISO Class 4 and Class 100 / ISO Class 5 cleanrooms.

**Maintenance Wipers:** Lower cost, high quality wipers for heavy-duty cleaning.

**Delicate Task Wipers:** Cellulose tissue for light cleaning, like in lab settings.

**Microfiber Wipers:** Polishing wipes that are ideal for screen and display cleaning, with or without a cleaner.

**SMT Roll Wipers:** DEK and MPM understencil roll wipes to fit the most common printers.



#### 100% recycled wipe and box

Ideal for light cleaning tasks in the laboratory, repair and maintenance facilities, and more. Quickly and easily wipes up liquid and dust. Packaged in a portable dispenser that reduces lint and cross contamination.

- Low Linting
- 100% recycled wipe & box
- Biodegradable & sustainable
- Eco-friendly replacement for Kimwipes (KC34155, KC34256)

### Product Packaging

2342-300  
Delicate Task Wipes  
280 ct  
60 units/case



2343-140  
Delicate Task Wipes  
140 ct  
15 units/case



#### Chemical & Physical Properties

Appearance	
Odor	
Flash Point	
VOC (EPA)	
VOC (CARB)	





# TECHSPRAY RENEW™

## Technical Data Sheet

Boiling Point	
Density	

### Environmental Policy

Techspray is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

### Resources

Techspray products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray products in the United States, call the technical sales department at 800-858-4043, email [tsales@techspray.com](mailto:tsales@techspray.com) or visit our web site at: [www.techspray.com](http://www.techspray.com).

#### **North America**

Techspray  
P.O. Box 949  
Amarillo, TX 79105  
800-858-4043  
email: [tsales@techspray.com](mailto:tsales@techspray.com)

#### **Europe**

ITW Contamination Control BV  
Saffierlaan 5  
2132 VZ Hoofddorp  
The Netherlands  
+31 88 1307 400  
email: [info@itw-cc.com](mailto:info@itw-cc.com)

#### **Countries Outside US**

Call to locate a distributor in your country

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Chemicals](#) category:*

*Click to view products by [Techspray](#) manufacturer:*

Other Similar products are found below :

[HANDPAD](#) [1624-10S](#) [3045-QT](#) [3065-15S](#) [3125-9S](#) [5200-WHITE-3OZ](#) [70008073302](#) [1398159-1](#) [S1255-04-34X100FT](#) [3748-Q-58"x8"](#) [FO-25DT](#) [13844](#) [S1009-KIT-A-CS8606](#) [8361-P](#) [2216-GRAY-2OZ](#) [DP100-200ML](#) [1743-2FP](#) [2310-10](#) [VERSIL406](#) [826-450G](#) [SS4120-1P](#) [3789-Q](#) [9729](#) [9223](#) [9176](#) [600-0510](#) [3748PG](#) [04952-00531-00](#) [04952-00533-00](#) [10-50L](#) [3748-Q-5/8"X8"](#) [3764-TC](#) [3M 9087](#) [3M 9088](#) [AS1700](#) [120-320](#) [BLR-15ML](#) [HYBRICX 35C](#) [7552](#) [7558](#) [3748-V-O-Q-5/8"X8"](#) [3764-Q](#) [3779-TC](#) [3797TC](#) [3M 9086](#) [100500F00000G](#) [101800F00000G](#) [1610-5G](#) [1610-G4](#) [1621-5G](#)