



WITH ATTACHMENT



ATTACHMENT OPTIONS:



NOTE 1:  
CONTACT SALES TEAM  
FOR GASKET OPTIONS.

NOTE 2:  
DOES NOT APPLY FOR COMPOSITE  
AND BLACK ACETAL (OPTION 74 & 7).  
ACTUAL VALUE FOR COMPOSITE AND  
BLACK ACETAL IS 18,50 ± 0,50

OMIT FOR NO ATTACHMENT  
(SEE SHEET 2)

100P160-17-1-C-WR4-17

SERIES \_\_\_\_\_  
 INSERT 'F' FOR \_\_\_\_\_  
 FLUROSILICONE GASKET  
 OMIT FOR STANDARD  
 SILICONE GASKET  
 SHELL SIZE (TABLE 1) \_\_\_\_\_  
 MATERIAL (TABLE 5) \_\_\_\_\_  
 FINISH (TABLE 6) \_\_\_\_\_  
 LANYARD TYPE (TABLE 4) \_\_\_\_\_  
 LANYARD LENGTH (IN INCHES) \_\_\_\_\_  
 +1,0"/-0" TOLERANCE  
 ATTACHMENT (SEE ABOVE) \_\_\_\_\_

|   |             |             |  |  |  |  |      |            |  |  |   |
|---|-------------|-------------|--|--|--|--|------|------------|--|--|---|
| <table border="1"> <tr> <td>DRAWN</td> <td>W.RUST</td> <td>DATE</td> <td rowspan="2">                  3RD ANGLE PROJECTION NOT TO SCALE             </td> <td rowspan="2">                 PART NUMBER:<br/><b>100P160 SERIES</b> </td> </tr> <tr> <td>SALES APPR</td> <td></td> <td>12/02/2014</td> </tr> </table>  | DRAWN       | W.RUST      | DATE   | 3RD ANGLE PROJECTION NOT TO SCALE  | PART NUMBER:<br><b>100P160 SERIES</b>  | SALES APPR                             |      | 12/02/2014 | TITLE:<br><b>RECEPTACLE PROTECTION CAP</b>   |  | Polamco<br>TE connectivity                                      |
| DRAWN   | W.RUST      | DATE        | 3RD ANGLE PROJECTION NOT TO SCALE  |  |  | PART NUMBER:<br><b>100P160 SERIES</b>  |      |            |  |  |   |
| SALES APPR  |             | 12/02/2014  |  |  |  |  |      |            |  |  |   |
| <table border="1"> <tr> <td>DESIGN APPR</td> <td></td> <td></td> <td rowspan="2">                 UNLESS OTHERWISE SPECIFIED<br/>                 ALL DIMENSIONS IN MILLIMETRES<br/>                 GENERAL TOL<br/>                 LINEAR +/-0,25MM<br/>                 ANGULAR +/- 1°             </td> <td rowspan="2">                 ASSY USED ON: MIL-DTL-38999 SERIES III             </td> </tr> <tr> <td>PROD APPR</td> <td></td> <td></td> </tr> </table> | DESIGN APPR |             |  | UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0,25MM<br>ANGULAR +/- 1° | ASSY USED ON: MIL-DTL-38999 SERIES III | PROD APPR                              |      |            | THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD<br>IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE<br>DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY. |  | POLAMCO LTD, WESTON LOCK,<br>LOWER BRISTOL ROAD<br>BATH BA2 1EP |
| DESIGN APPR   |             |             | UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0,25MM<br>ANGULAR +/- 1° |  |  | ASSY USED ON: MIL-DTL-38999 SERIES III |      |            |  |  |   |
| PROD APPR   |             |             |  |  |  |  |      |            |  |  |   |
| <table border="1"> <tr> <td>QUAL APPR</td> <td></td> <td></td> <td rowspan="2"> <b>MATERIAL</b><br/>                 SEE PART NUMBER<br/>                 BREAKDOWN<br/><br/> <b>FINISH</b><br/>                 SEE PART NUMBER<br/>                 BREAKDOWN             </td> <td rowspan="2">                 SHT<br/><b>1</b> </td> </tr> <tr> <td>ISSUE</td> <td>REV.</td> <td>DCR</td> </tr> </table>   | QUAL APPR   |             |  | <b>MATERIAL</b><br>SEE PART NUMBER<br>BREAKDOWN<br><br><b>FINISH</b><br>SEE PART NUMBER<br>BREAKDOWN             | SHT<br><b>1</b>                        | ISSUE                                  | REV. | DCR        | DRAWING NO:<br><b>P10523</b>   |  |   |
| QUAL APPR   |             |             | <b>MATERIAL</b><br>SEE PART NUMBER<br>BREAKDOWN<br><br><b>FINISH</b><br>SEE PART NUMBER<br>BREAKDOWN             |  |  | SHT<br><b>1</b>                        |      |            |  |  |   |
| ISSUE   | REV.        | DCR         |  |  |  |  |      |            |  |  |   |
| <table border="1"> <tr> <td>AA</td> <td></td> <td><b>7332</b></td> <td></td> <td></td> </tr> </table>   | AA          |             | <b>7332</b>  |  |  | NCAGE CODE U5792 WEIGHT _____          |      |            |  |  |   |
| AA  |             | <b>7332</b> |  |  |  |  |      |            |  |  |   |

TABLE 1

| SHELL SIZE | ØA MAX | B THREAD            |
|------------|--------|---------------------|
| 09         | 21,0   | 0.625-0.1P-0.3L-TS  |
| 11         | 24,5   | 0.750-0.1P-0.3L-TS  |
| 13         | 28,0   | 0.875-0.1P-0.3L-TS  |
| 15         | 30,0   | 1.000-0.1P-0.3L-TS  |
| 17         | 34,0   | 1.1875-0.1P-0.3L-TS |
| 19         | 37,0   | 1.250-0.1P-0.3L-TS  |
| 21         | 40,0   | 1.375-0.1P-0.3L-TS  |
| 23         | 43,0   | 1.500-0.1P-0.3L-TS  |
| 25         | 47,0   | 1.625-0.1P-0.3L-TS  |

TABLE 2

| EYELET REF. | ØF  |
|-------------|-----|
| 01          | 3,2 |
| 02          | 3,7 |
| 03          | 4,3 |
| 04          | 5,3 |
| 05          | 6,4 |

TABLE 3

| RING REF. | ØE MAX |
|-----------|--------|
| 09        | 18,0   |
| 11        | 21,4   |
| 13        | 25,8   |
| 15        | 28,8   |
| 17        | 32,0   |
| 19        | 35,0   |
| 21        | 38,3   |
| 23        | 41,7   |
| 25        | 44,6   |

TABLE 4

| CODE | LANYARD TYPE  |
|------|---|
| WR   | NYLON COVERED (CLEAR) STAINLESS STEEL WIRE ROPE       |
| TC   | TEFLON COVERED (CLEAR) STAINLESS STEEL WIRE ROPE      |
| WG   | TEFLON COVERED (OLIVE DRAB) STAINLESS STEEL WIRE ROPE |
| WB   | TEFLON COVERED (BLACK) STAINLESS STEEL WIRE ROPE      |
| WRB  | PVC COVERED (BLACK) STAINLESS STEEL WIRE ROPE         |
| LC   | LINK CHAIN  |
| BK   | BLACK CORD  |
| VGB  | 1,5mm BLACK POLYESTER CORD EQV. TO DIN83330-E1,5      |
| R    | OLIVE DRAB POLYESTER CORD                             |
| NB   | OLIVE DRAB NYLON CORD                                 |
| NK   | BLACK NYLON CORD                                      |

TABLE 5

| CODE | MATERIAL                | GASKET MATERIAL |
|------|-------------------------|-----------------|
| 1    | ALUMINIUM               | SILICONE        |
| 2    | NICKEL ALUMINIUM BRONZE | SILICONE        |
| 4    | STAINLESS STEEL         | SILICONE        |
| 7    | BLACK ACETAL            | SILICONE        |
| 74   | COMPOSITE               | SILICONE        |
| 46   | STAINLESS STEEL 316     | SILICONE        |


LIST NOT EXHAUSTIVE, SEE MATERIAL TABLE FOR OTHER OPTIONS

TABLE 6

| PLATING CODE | PLATING DESCRIPTION  | ROHS COMPLIANT             | ENVIRONMENT PROTECTION/ CONDUCTIVITY   |
|--------------|--|----------------------------|--|
| B            | CADMIUM, OLIVE DRAB (5-10 MICRONS) QQ-P-416, TYPE II, CLASS 3 OVER ELECTROLESS NICKEL                      | YES (SUBJECT TO EXEMPTION) | CONDUCTIVE 500 HRS SALT SPRAY. EXEMPTION APPLICABLE FOR AEROSPACE / MILITARY APPLICATIONS. SEE ROHS WEBSITES FOR MORE INFORMATION. |
| C            | ELECTROLESS NICKEL, AMS-C-26074, CLASS 4, GRADE B  | YES                        | CONDUCTIVE   |
| J            | PASSIVATE, PER QQ-P-35 OR MI-S-5002  | YES                        | ROHS COMPLIANT   |
| U            | UNPLATED CLEAN FINISH NOT SHOT BLASTED   | YES                        | CONDUCTIVE   |
| Z            | SHOT BLAST FOR NON-REFLECTIVE FINISH   | YES                        | CONDUCTIVE   |
| ZB           | ZINC COBALT (5-10 MICRONS) OVER ELECTROLESS NICKEL (2,5-7,5 MICRONS) WITH A OLIVE DRAB CHROMATE CONVERSION | YES                        | CONDUCTIVE 350 HRS SALT SPRAY  |
| ZN           | ZINC NICKEL BLACK PASSIVATE (5-12 MICRONS) OVER ELECTROLESS NICKEL (8-12 MICRONS), ASTM B 841 CLASS 1      | YES (SUBJECT TO TESTING)   | ROHS COMPLIANT (SUBJECT TO TESTING)  |

LIST NOT EXHAUSTIVE, SEE PLATING TABLE FOR OTHER OPTIONS


WITHOUT ATTACHMENT





100P160-17-1-C  
NO ATTACHMENT VERSION


100P160-17-1-C-EO  
EYELET ONLY VERSION  
(NO LANYARD)

COMPOSITE VERSION



|   |   |  |  |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
|---|---|--|--|------------|------------|--|------|------------|-------------|--|--|--|-----------|--|--|--|-----------|--|--|--|-------|------|-----|--|----|--|------|--|--|--|---|
| <table border="1"> <tr><td>DRAWN</td><td>W.RUST</td><td>DATE</td><td>12/02/2014</td></tr> <tr><td>SALES APPR</td><td></td><td>DATE</td><td>12/02/2014</td></tr> <tr><td>DESIGN APPR</td><td></td><td></td><td></td></tr> <tr><td>PROD APPR</td><td></td><td></td><td></td></tr> <tr><td>QUAL APPR</td><td></td><td></td><td></td></tr> <tr><td>ISSUE</td><td>REV.</td><td>DCR</td><td></td></tr> <tr><td>AA</td><td></td><td>7332</td><td></td></tr> </table> | DRAWN   | W.RUST   | DATE                                   | 12/02/2014 | SALES APPR |  | DATE | 12/02/2014 | DESIGN APPR |  |  |  | PROD APPR |  |  |  | QUAL APPR |  |  |  | ISSUE | REV. | DCR |  | AA |  | 7332 |  | <p>3RD ANGLE PROJECTION NOT TO SCALE</p> <p>UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES<br/>GENERAL TOL<br/>LINEAR +/-0,25MM<br/>ANGULAR +/- 1°</p> <p><b>MATERIAL</b><br/>SEE PART NUMBER BREAKDOWN</p> <p><b>FINISH</b><br/>SEE PART NUMBER BREAKDOWN</p> | <p>PART NUMBER:<br/><b>100P160 SERIES</b></p> <p>TITLE:<br/><b>PROTECTION CAP ASSEMBLY</b></p> <p>ASSY USED ON: MIL-DTL-38999 SERIES III</p> |  <p>Polamco</p>  <p>TE connectivity</p> |
| DRAWN   | W.RUST  | DATE   | 12/02/2014                             |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| SALES APPR  |   | DATE   | 12/02/2014                             |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| DESIGN APPR   |   |  |  |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| PROD APPR   |   |  |  |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| QUAL APPR   |   |  |  |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| ISSUE   | REV.  | DCR  |  |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| AA  |   | 7332   |  |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |
| <p>NCAGE CODE U5792</p> <p>WEIGHT</p>   | <p>THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.</p> | <p>POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP</p> | <p>SHT 2</p> <p>DRAWING NO: P10523</p> |            |            |  |      |            |             |  |  |  |           |  |  |  |           |  |  |  |       |      |     |  |    |  |      |  |  |  |   |




OPTIONAL GASKET:




OMIT FOR NO ATTACHMENT  
(SEE SHEET 2)

100P160-17-1-C-WR4-17-EPDM

SERIES  
SHELL SIZE (TABLE 1)  
MATERIAL (TABLE 5)  
FINISH (TABLE 6)  
LANYARD TYPE (TABLE 4)  
LANYARD LENGTH (IN INCHES)  
+1,0"/-0" TOLERANCE  
ATTACHMENT (SEE ABOVE)  
EPDM GASKET

|             |        |            |  |  |  |  |
|-------------|--------|------------|--|--|--|--|
| DRAWN       | W.RUST | DATE       |  3RD ANGLE<br>PROJECTION<br>NOT TO<br>SCALE | PART NUMBER:   |  | <br><b>100P160 SERIES</b> |
| SALES APPR  |        | 12/02/2014 |  | TITLE:   |  |  |
| DESIGN APPR |        | 12/02/2014 | UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0,25MM<br>ANGULAR +/- 1°               | ASSY USED ON: MIL-DTL-38999 SERIES III   |  |                           |
| PROD APPR   |        |            |  | <b>MATERIAL</b><br>SEE PART NUMBER<br>BREAKDOWN<br><br><b>FINISH</b><br>SEE PART NUMBER<br>BREAKDOWN | THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD<br>IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE<br>DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY. |  |
| QUAL APPR   |        |            | SHT  |  | DRAWING NO:<br><b>P10523</b>   |  |
| ISSUE       | REV.   | DCR        | WEIGHT   |  |  | <b>3</b>   |
| AA          |        | 7332       | NCAGE CODE U5792   |  |  |  |

WITH PLATED ACCESSORIES












100P160-17-1-C2-EO  
EYELET ONLY VERSION  
(NO LANYARD)

RING OPTION  
(FITS OVER JAM NUT THREAD)

100P160-17-1-C2-WR4-17


- SERIES \_\_\_\_\_
- SHELL SIZE (TABLE 1) \_\_\_\_\_
- MATERIAL (TABLE 5) \_\_\_\_\_
- FINISH (TABLE 6) \_\_\_\_\_
- PLATED EYELETS, RIVETS  
AND RINGS - AVAILABLE  
FOR PLATING CODES B, C, ZB, ZN  
(SEE NOTE)
- LANYARD TYPE (TABLE 4) \_\_\_\_\_
- LANYARD LENGTH (IN INCHES)  
+1,0"/-0" TOLERANCE \_\_\_\_\_
- ATTACHMENT (SEE ABOVE) \_\_\_\_\_

NOTE:  
1. ALL COMPONENTS INDICATED TO BE PLATED THE SAME AS CAP WHEN CODE "2" IS INSERTED IN THE PART NUMBER

|   |        |            |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
|---|--------|------------|---|---|--|--|--|--|------------|-------------|--|------------|-----------|--|--|-----------|--|--|---|--|---|--|---|-----------------|------------------------------|
| <table border="1"> <tr> <td>DRAWN</td> <td>W.RUST</td> <td>DATE</td> <td rowspan="5">  <br/>3RD ANGLE<br/>PROJECTION<br/>NOT TO<br/>SCALE                 </td> <td rowspan="5"> <b>PART NUMBER:</b><br/><br/> <b>100P160 SERIES</b> </td> <td rowspan="5"> <br/> <b>Polamco</b><br/>  </td> </tr> <tr> <td>SALES APPR</td> <td></td> <td>12/02/2014</td> </tr> <tr> <td>DESIGN APPR</td> <td></td> <td>12/02/2014</td> </tr> <tr> <td>PROD APPR</td> <td></td> <td></td> </tr> <tr> <td>QUAL APPR</td> <td></td> <td></td> </tr> </table> | DRAWN  | W.RUST     | DATE  | <br>3RD ANGLE<br>PROJECTION<br>NOT TO<br>SCALE | <b>PART NUMBER:</b><br><br><b>100P160 SERIES</b> | <br><b>Polamco</b><br> | SALES APPR                                       |  | 12/02/2014 | DESIGN APPR |  | 12/02/2014 | PROD APPR |  |  | QUAL APPR |  |  | <b>TITLE:</b><br><br><b>RECEPTACLE PROTECTION CAP</b> |  | <b>ASSY USED ON: MIL-DTL-38999 SERIES III</b> | THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD<br>IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE<br>DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY. | POLAMCO LTD, WESTON LOCK,<br>LOWER BRISTOL ROAD<br>BATH BA2 1EP | SHT<br><b>4</b> | DRAWING NO:<br><b>P10523</b> |
| DRAWN   | W.RUST | DATE       | <br>3RD ANGLE<br>PROJECTION<br>NOT TO<br>SCALE |   |  |  | <b>PART NUMBER:</b><br><br><b>100P160 SERIES</b> | <br><b>Polamco</b><br> |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| SALES APPR  |        | 12/02/2014 |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| DESIGN APPR   |        | 12/02/2014 |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| PROD APPR   |        |            |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| QUAL APPR   |        |            |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0,25MM<br>ANGULAR +/- 1°  |        |            |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| <b>MATERIAL</b><br>SEE PART NUMBER<br>BREAKDOWN   |        |            |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| <b>FINISH</b><br>SEE PART NUMBER<br>BREAKDOWN   |        |            |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| ISSUE   | REV.   | DCR        | NCAGE CODE U5792    WEIGHT _____  |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |
| AA  |        | 7332       |   |   |  |  |  |  |            |             |  |            |           |  |  |           |  |  |   |  |   |  |   |                 |                              |






SPLIT RING OPTION:



OMIT FOR NO ATTACHMENT  
(SEE SHEET 2)

100P160-17-1-C-WR4-C17

SERIES \_\_\_\_\_  
 INSERT 'F' FOR \_\_\_\_\_  
 FLUROSILICONE GASKET  
 OMIT FOR STANDARD  
 SILICONE GASKET  
 SHELL SIZE (TABLE 1) \_\_\_\_\_  
 MATERIAL (TABLE 5) \_\_\_\_\_  
 FINISH (TABLE 6) \_\_\_\_\_  
 LANYARD TYPE (TABLE 4) \_\_\_\_\_  
 LANYARD LENGTH (IN INCHES) \_\_\_\_\_  
 +1,0"/-0" TOLERANCE  
 ATTACHMENT  
 C - SPLIT RING \_\_\_\_\_  
 17 - RING SIZE (SEE TABLE 3) \_\_\_\_\_

|                  |        |        |  |  |              |  |  |
|------------------|--------|--------|--|--|--------------|--|--|
| DRAWN            | W.RUST |        | DATE   |  3RD ANGLE<br>PROJECTION<br>NOT TO<br>SCALE | PART NUMBER: |  | <br><b>Polamco</b><br> |
| SALES APPR       |        | DATE   | 100P160 SERIES   |  |              |  |  |
| DESIGN APPR      |        |        | UNLESS OTHERWISE SPECIFIED<br>ALL DIMENSIONS IN MILLIMETRES<br>GENERAL TOL<br>LINEAR +/-0,25MM<br>ANGULAR +/- 1° | TITLE:   |              | RECEPTACLE PROTECTION COVER  |  |
| PROD APPR        |        |        | <b>MATERIAL</b><br>SEE PART NUMBER<br>BREAKDOWN<br><br><b>FINISH</b><br>SEE PART NUMBER<br>BREAKDOWN             | ASSY USED ON: MIL-DTL-38999 SERIES III   |              | THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD<br>IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE<br>DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY. |  |
| QUAL APPR        |        |        |  | POLAMCO LTD, WESTON LOCK,<br>LOWER BRISTOL ROAD<br>BATH BA2 1EP  |              | SHT  | DRAWING NO:  |
| ISSUE            | REV.   | DCR    |  |  | 5            | P10523   |  |
| AA               |        | 7332   |  |  |              |  |  |
| NCAGE CODE U5792 |        | WEIGHT |  |  |              |  |  |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[D38999/24FJ4AN](#) [570416-000](#) [CLTEQ-M81CE-SSRELAY-4-20V](#) [4-1195131-0](#) [650069-000](#) [SMD100-2](#) [358838-000](#) [CB-1022B-78](#)  
[RM707012](#) [RP410012](#) [MMS42](#) [1-640426-8](#) [2EDL4CM](#) [DTS20W19-11PD-3028-LC](#) [RM202615](#) [NC6-P104-06](#) [MSPS103B](#) [DTS26F21-](#)  
[41HE-LC](#) [DTS26F21-41AE](#) [DTS26F21-41PE-LC](#) [DTS26F21-11SE-3028-LC](#) [30DCB6](#) [1932144-1](#) [293545-4](#) [LVR125S](#) [MS27466T25F4PB](#)  
[CKB-38-78010](#) [TR04AI-TINELLOCKRING](#) [1206SFF150F/63-2](#) [D38999/20JB35HA](#) [TE1500A2R2J](#) [D38999/20WC8BB](#) [DTS24F19-11SC-](#)  
[3028-LC](#) [D38999/24WG11HA](#) [D38999/24WG11HN](#) [MS27467T21F11H](#) [DJT16E21-11HA](#) [MS27467T21F35J](#) [MS27467T21F11J](#)  
[MS27467T21F16H-LC](#) [MS27467T21F35H](#) [MS27467T21F41H-LC](#) [1206SFH150F/24-2](#) [RP330024](#) [DJT16E21-11PA-LC](#) [DJT16E21-11HA-](#)  
[LC](#) [DJT16E21-11AA](#) [MS27467T21B11JA](#) [DJT16E21-11JA](#) [MS27467T21B11JA-LC](#)