





REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
AF		REVISED PER ECO-16-006307	03AUG2016	NK MM



RECOMMENDED HOLE LAYOUT FOR MANUAL INSERTION

- 1 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 2 ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS.
- 3 TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- 4 .000381[.000015] GOLD ON THE CONTACT AREA, .00254[.000100]-.00508[.000200] MATTE TIN LEAD ON THE SOLDER TAIL, ALL OVER .00127[.000050] NICKEL.
- 5 PRELIMINARY PART-NOT RELEASED FOR PRODUCTION.
- 6 .000381[.000015] GOLD ON THE CONTACT AREA, .00254[.000100]-.00508[.000200] MATTE TIN ON THE SOLDER TAIL, ALL OVER .00127[.000050] NICKEL.
- 7 HIGH TEMPERATURE CONFIGURATION.
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KATE HELM 21-12-89		TE Connectivity		
DIMENSIONS: mm [INCHES]		CHK RANDY FEIDT 21-12-89		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RON FELIX 21-12-89		HDR ASSY, MOD II, BREAKAWAY, DBL ROW		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .127 [.005] 4 PLC ± - ANGLES ± -		PRODUCT SPEC		.100X.100 C/L VL, .025 SQ.POST, WITH SELECTIVE LOADING		
MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC		APPLICATION SPEC	SIZE A2	CAGE CODE 00779	DRAWING NO C=103675	RESTRICTED TO
COLOR: BLACK		FINISH SEE TABLE	SCALE 4:1		SHEET 1 OF 2	REV AF
POST: COPPER ALLOY		WEIGHT -	CUSTOMER DRAWING			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

REMARKS	PLATING	ROW N	ROW M	POST NUMBER OMITTED	B	A	NO OF ACTIVE POSN	NO OF POSN	ASSEMBLY PART NUMBER
OBSOLETE	△7	△6	3	NONE	12.29 [.484]	4	9	10	7-103675-0
	△7 △8	△6	NONE	7	25.40 [.884]	8	17	18	6-103675-6
	△7 △8	△6	14	14	42.77 [1.684]	16	32	34	6-103675-5
	△7 △8	△6	NONE	12	32.61 [1.284]	12	25	26	6-103675-4
	△7 △8	△6	1	NONE	19.91 [.784]	7	15	16	6-103675-3
	△7 △8	△6	13,14	14	50.39 [1.984]	19	37	40	6-103675-2
	△7 △8	△6	3	NONE	9.75 [.384]	3	7	8	6-103675-1
OBSOLETE	△7	△6	NONE	2	24.99 [.984]	9	19	20	6-103675-0
	△7 △8	△6	14	NONE	37.69 [1.484]	14	29	30	5-103675-9
	△7 △8	△6	2	NONE	42.77 [1.684]	16	33	34	5-103675-8
OBSOLETE	△7	△6	NONE	10	50.39 [1.984]	19	39	40	5-103675-7
	△7 △8	△6	NONE	13	32.61 [1.284]	12	25	26	5-103675-6
	△7	△6	NONE	5	12.29 [.484]	4	9	10	5-103675-5
	△7 △8	△6	NONE	15	42.77 [1.684]	16	33	34	5-103675-3
	△7 △8	△6	11	NONE	50.39 [1.984]	19	39	40	5-103675-2
	△7 △8	△6	13	NONE	32.61 [1.284]	12	25	26	5-103675-1

		△4	2	2	12.29 [.484]	4	8	10	1-103675-9
OBSOLETE		△4	9	NONE	25.40 [.884]	8	17	18	1-103675-8
		△4	4	NONE	19.91 [.784]	7	15	16	1-103675-7
	△8	△4	NONE	7	25.40 [.884]	8	17	18	1-103675-6
	△8	△4	14	14	42.77 [1.684]	16	32	34	1-103675-5
	△8	△4	NONE	12	32.61 [1.284]	12	25	26	1-103675-4
	△8	△4	1	NONE	19.91 [.784]	7	15	16	1-103675-3
	△8	△4	13,14	14	50.39 [1.984]	19	37	40	1-103675-2
	△8	△4	3	NONE	9.75 [.384]	3	7	8	1-103675-1
	△8	△4	NONE	2	24.99 [.984]	9	19	20	1-103675-0
	△8	△4	14	NONE	37.69 [1.484]	14	29	30	1-103675-9
	△8	△4	2	NONE	42.77 [1.684]	16	33	34	1-103675-8
OBSOLETE		△4	NONE	10	50.39 [1.984]	19	39	40	1-103675-7
	△8	△4	NONE	13	32.61 [1.284]	12	25	26	1-103675-6
	△8	△4	NONE	5	12.29 [.484]	4	9	10	1-103675-5
OBSOLETE		△4	10	NONE	50.39 [1.984]	19	39	40	1-103675-4
	△8	△4	NONE	15	42.77 [1.684]	16	33	34	1-103675-3
	△8	△4	11	NONE	50.39 [1.984]	19	39	40	1-103675-2
	△8	△4	13	NONE	32.61 [1.284]	12	25	26	1-103675-1
REMARKS	PLATING	ROW N	ROW M	POST NUMBER OMITTED	B	A	NO OF ACTIVE POSN	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	KATE HELM	21-12-89
CHK	RANDY FEIDT	21-12-89
APVD	RON FELIX	21-12-89

TE Connectivity

HDR ASSY,MOD II,BREAKAWAY,DBL ROW
.100 X .100CL VERTICAL, .025 SQ. POST,
WITH SELECTIVE LOADING

SIZE	A2	CAGE CODE	00779	DRAWING NO	C=103675	RESTRICTED TO	-
SCALE	4:1	SHEET	2 OF 2	REV	AF		

CUSTOMER DRAWING

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [000-34000](#) [0009482033](#) [0009507031](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009508121](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [647662-1](#) [65039-019ELF](#) [65817-002LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67016-026LF](#) [67046-001LF](#) [67095-007LF](#) [68002-116](#) [68016-236H](#) [68648-049](#)