# DWP-125-3/4-2-2IN ~ ACTIVE

### Raychem | Raychem DWP-125

TE Internal #: 1118016003 Raychem DWP-125, Heat Shrink Tubing, Red, Dual Wall, 19.1 mm [. 75 in] Expanded Inside, .23 in [6 mm] Recovered Inside, 3:1 Shrink Ratio

View on TE.com >



Heat Shrink Tubing > Dual Wall DWP-125 Spool HS Tubing



Primary Product Color: **Red** Wall Type: **Dual** Expanded Inside Diameter (Min): **19.1 mm [.75 in ]** Recovered Inside Diameter (Max): **6 mm [.23 in ]** Shrink Ratio: **3:1** 

All Dual Wall DWP-125 Spool HS Tubing (57)

### Features

#### Product Type Features

Product Family

Wall Type

DWP-125

Dual

#### **Electrical Characteristics**

Voltage (Max)	.6 kV						
Body Features							
Fluid Type	Hydraulic Fluid, Lubricating Oil, Water						
Primary Product Color	Red						
Shrink Ratio	3:1						
Primary Product Material	Irradiated Modified Polyolefin						
Flexibility	Flexible						
Dimensions							
Recovered Wall Thickness (Tolerance)	2.03 mm[.08 in]						
Cut Length	50.8 mm[2 in]						
Expanded Inside Diameter (Min)	19.1 mm[.75 in]						
Recovered Inside Diameter (Max)	6 mm[.23 in]						
Heat Shrink Tubing Size Range	6 – 19.1 mm[.23 – .75 in]						

Raychem DWP-125, Heat Shrink Tubing, Red, Dual Wall, 19.1 mm [.75 in] Expanded Inside, .23 in [6 mm] Recovered Inside, 3:1 Shrink Ratio



#### **Usage Conditions**

Shrink Temperature (Min)	80 °C						
Fluid Resistance	Splash Protection						
Heat Shrink Tubing Flammability	Flame-Retardant						
Operating Temperature Range	-40 – 110 °C						
Heat Shrink Tubing Resistance	Fluids						
Recovery Temperature	125 °C						
Product Availability							
Applicable Region	Global						
Packaging Features							
Packaging Method	Box						
Other							
Meets Low Outgassing Requirements	No						
Product Source	US						

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

Raychem DWP-125, Heat Shrink Tubing, Red, Dual Wall, 19.1 mm [.75 in] Expanded Inside, .23 in [6 mm] Recovered Inside, 3:1 Shrink Ratio



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




Raychem DWP-125, Heat Shrink Tubing, Red, Dual Wall, 19.1 mm [.75 in] Expanded Inside, .23 in [6 mm] Recovered Inside, 3:1 Shrink Ratio






# Also in the Series | Raychem DWP-125



# Customers Also Bought



TE Part #3371890001	TE Part #5052896123	TE Part #F71884-000	TE Part #130599P009
ES-CAP-NO.1-C1-0-30MM	RNF-100-1/16-0-50MM	ES2000-NO.3-B8-0-60MM	ES2000-NO.4-B7-0-30MM



TE Part #130599P010 ES2000-NO.4-B7-0-40MM

## Documents

Product Drawings

DWP-125-3/4-2-2IN

English

Datasheets & Catalog Pages DWP-125 Pages from 9-1773447-9

English

Raychem DWP-125, Heat Shrink Tubing, Red, Dual Wall, 19.1 mm [.75 in] Expanded Inside, .23 in [6 mm] Recovered Inside, 3:1 Shrink Ratio



Flexible, Flame-Retardant, Adhesive-lined, Polyolefin Heat-Shrinkable Tubing

English

Measuring\_Single\_Wall\_Tubing

English

Selecting\_Correct\_Tubing

English

Product Specifications

**Quality Specification** 

English

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 0-0320562-0 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 61-SN 626-0194 62-NBM-A 62-SN 62-SP 63-S 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02