

4

3





2

1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD			
B8		REVISED PER ECO-19-018165	29NOV2019	WH	DZ			

POSITION 1
IDENTIFICATION
FEATURE



- 1 MATERIAL: HOUSING-NYLON, UL94V-0 (COLOR-NATURAL, COLOR OF PARTS MAY VARY) CONTACTS-0.25 [0.010] THICK BRASS ALLOY.
- 2 CONTACT FINISH: 0.002032 [0.000080] MIN BRIGHT TIN OVER 0.000381 [0.000015] MIN NICKEL OVER ENTIRE CONTACT.
- 3 MATES WITH VAL-U-LOK(TM) RECEPTACLE HOUSINGS.
- 4 CONTACT FINISH: 0.000076 [0.000030] MIN GOLD PLATE ON PIN MATING SURFACE, 0.003 [0.00012] MIN TIN PLATE ON OTHER SURFACE, ALL OVER 0.00127 [0.00005] MIN NICKEL BASE PLATE.



PCB LAYOUT: COMPONENT SIDE
RECOMMENDED BOARD THICKNESS 1.78 [0.070]

2-1586040-4 SHOWN

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
mm [INCHES]				25-SEP-2002			
0 PLC	±			S. HOOVER	25-SEP-2002	STE TE Connectivity	
1 PLC	± 0.5 [0.02]			D. COLEY	25-SEP-2002	VERTICAL HEADER WITH PEGS, WITH DRAIN HOLES, VAL-U-LOK(TM)	
2 PLC	± 0.25 [0.010]			D. COLEY	25-SEP-2002	108-2112	
3 PLC	±					APPLICATION SPEC	
4 PLC	±					114-13172	
ANGLES	±					SIZE	CAGE CODE
						A2	00779
						DRAWING NO	1586040
MATERIAL	1	FINISH	SEE TABLE	WEIGHT	-	RESTRICTED TO	-
						CUSTOMER DRAWING	SCALE N/A
						SHEET	1 of 2
						REV	B8

1586040



A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD			
-	-	SEE SHEET 1	-	-	-			

△4	24	46.2±0.25 [1.82±.01]	51.6 [2.03]	55.6 [2.19]	5-1586040-4
△4	22	42.0±0.25 [1.65±.01]	47.4 [1.87]	51.4 [2.02]	5-1586040-2
△4	20	37.8±0.25 [1.49±.01]	43.2 [1.70]	47.2 [1.86]	5-1586040-0
△4	18	33.6±0.25 [1.32±.01]	39.0 [1.54]	43.0 [1.69]	4-1586040-8
△4	16	29.4±0.25 [1.16±.01]	34.8 [1.37]	38.8 [1.53]	4-1586040-6
△4	14	25.2±0.25 [.99±.01]	30.6 [1.21]	34.6 [1.36]	4-1586040-4
△4	12	21.0±0.25 [.83±.01]	26.4 [1.04]	30.4 [1.20]	4-1586040-2
△4	10	16.8±0.13 [.66±.005]	22.2 [.87]	26.2 [1.03]	4-1586040-0
△4	8	12.6±0.13 [.50±.005]	18.0 [.71]	22.0 [1.03]	3-1586040-8
△4	6	8.4±0.13 [.33±.005]	13.8 [.54]	17.8 [.70]	3-1586040-6
△4	2		5.4 [.21]	9.4 [.37]	3-1586040-2
△4	4	4.2±0.13 [.17±.005]	9.6 [.38]	13.6 [.54]	3-1586040-4
△2	24	46.2±0.25 [1.82±.01]	51.6 [2.03]	55.6 [2.19]	2-1586040-4
△2	22	42.0±0.25 [1.65±.01]	47.4 [1.87]	51.4 [2.02]	2-1586040-2
△2	20	37.8±0.25 [1.49±.01]	43.2 [1.70]	47.2 [1.86]	2-1586040-0
△2	18	33.6±0.25 [1.32±.01]	39.0 [1.54]	43.0 [1.69]	1-1586040-8
△2	16	29.4±0.25 [1.16±.01]	34.8 [1.37]	38.8 [1.53]	1-1586040-6
△2	14	25.2±0.25 [.99±.01]	30.6 [1.21]	34.6 [1.36]	1-1586040-4
△2	12	21.0±0.25 [.83±.01]	26.4 [1.04]	30.4 [1.20]	1-1586040-2
△2	10	16.8±0.13 [.66±.005]	22.2 [.87]	26.2 [1.03]	1-1586040-0
△2	8	12.6±0.13 [.50±.005]	18.0 [.71]	22.0 [.87]	1586040-8
△2	6	8.4±0.13 [.33±.005]	13.8 [.54]	17.8 [.70]	1586040-6
△2	4	4.2±0.13 [.17±.005]	9.6 [.38]	13.6 [.54]	1586040-4
△2	2		5.4 [.21]	9.4 [.37]	1586040-2
FINISH	POS	A	B±0.25[.01]	C±0.38[.015]	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S. HOOVER 25-SEP-2002	 TE Connectivity	PRODUCT SPEC 108-2112	
CHK D. COLEY 25-SEP-2002		APPLICATION SPEC 114-13172	
APVD D. COLEY 25-SEP-2002	NAME	SIZE A2	RESTRICTED TO -
VERTICAL HEADER WITH PEGS, WITH DRAIN HOLES VAL-U-LOK(TM)		CAGE CODE 00779	DRAWING NO 1586040
MATERIAL 		WEIGHT -	SCALE N/A
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 0.5 [.02] 2 PLC ± 0.25 [.010] 3 PLC ± 4 PLC ± ANGLES ±	SHEET 2 of 2
FINISH SEE TABLE		CUSTOMER DRAWING	REV B8

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)