

TE D/N	TE OD	Namaniaa D/N	Ded Description
TE P/N	TE CD	Nanonics P/N	Part Description
1589488-1 1589488-2	1589488 1589488	STG009M5CN STG015M5CN	Dualobe, 2 row, gold, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. Dualobe, 2 row, gold, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1589488-3	1589488	STG015M5LQ	Dualobe, 2 row, gold, 15 position, receptacle, vertical mount, thru hole termination, use long, thread readmanner, 1.0 x .200 mounting scree w 2 standorfs, thread for 1.2 jackscrews. Dualobe, 2 row, gold, 15 position, receptacle, vertical mount, thru hole termination, use long, thread readmanner, 1.0 x .200 mounting scree w 2 standorfs, thread for 1.2 jackscrews.
1589488-4	1589488	STG075M5LQ STG025M5	Dualobe, 2 row, gold, 25 position, receptacle, vertical mount, first his hold retrieval returning to the wind state of the
1589488-5	1589488	STG025M5CN	Dualobe, 2 row, gold, 25 position, receptacle, vertical mount, intribution termination, vso long, intribute termination and the state teaching the
1589488-6	1589488	STG025M5CN	Dualobe, 2 row, gold, 37 position, receptacle, vertical mount, thru hole termination, 0.90 long, tim/lead leadframe, 1.0 x .200 mounting screw w 2 standorfs, thread for 1.0 jackscrews.
1589488-7	1589488	STL009M5L	Dualobe, 2 row, LCP, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 2 standorfs, interactions,
1589488-8	1589488	STL009M3L STL015M5CN	Dualobe, 2 row, LCP, 15 position, receptacle, vertical mount, thu hole termination, .990 long, tin/lead leadframe, 1.0 x. 200 mounting screw w. 2 standorfs, thread for 1.0 jackscrews. Dualobe, 2 row, LCP, 15 position, receptacle, vertical mount, thu hole termination, .990 long, tin/lead leadframe, 1.0 x. 200 mounting screw w. 2 standorfs, thread for 1.0 jackscrews.
1-1589488-0	1589488	STL025M5	Dualobe, 2 row, LCP, 25 position, receptacle, vertical mount, find note termination, 390 long, tim/lead leadframe. Dualobe, 2 row, LCP, 25 position, receptacle, vertical mount, thur hole termination, 390 long, tim/lead leadframe.
1-1589488-1	1589488	STL025M5CN	Dualobe, 2 row, LCP, 25 position, receptacle, vertical mount, find note termination, ost orig, direct read readment in 1.0 x.200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews. Dualobe, 2 row, LCP, 25 position, receptacle, vertical mount, thin hole termination, ost orig, direct read readment in 1.0 x.200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
1-1589488-3	1589488	STL025M5CIV	Dualobe, 2 row, LCP, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tim/lead leadframe, 1.2 x .200 mounting screws w/2 standoffs, thread for 1.2 jackscrews.
1-1589488-4	1589488	STL037M5Q	Dualobe, 2 row, LCP, 37 position, receptacle, vertical mount, thru hole, termination, colo long, tim/lead lead/frame, thread for 1.2 jackscrews.
1-1589488-5	1589488	STL051M5CN	Dualobe, 2 row, LCP, 57 position, receptacle, vertical mount, thru hole termination, .030 long tim/lead leadframe, 1.0 x .200 mounting screws w/2 standoffs, thread for 1.0 jackscrews.
1-1589488-6	1589488	STM009M5CN	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standorfs, thread for 1.0 jackscrews.
1-1589488-7	1589488	STM009M5DQ	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead lead/frame, 1.2 x .160 mounting screw w/ 2 standorfs, thread for 1.2 jackscrews.
1-1589488-8	1589488	STM009M5HN	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, oslo long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
1-1589488-9	1589488	STM009M5LQ	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/2 standoffs, thread for 1.2 jackscrews.
2-1589488-0	1589488	STM009M5Q	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, thread for 1.2 jackscrews,
2-1589488-1	1589488	STM009M5Q STM015M5AN	Dualoue, 2 low, inetal, 5 position, receptable, ventical intotal, and note termination, 350 long, infreduceation in 1.2 jacksolews,
2-1589488-2	1589488	STM015M5AN	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
2-1589488-3	1589488	STM015M5CN STM015M5HN	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead lead/frame, 1.0 x .150 million gracewise. Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead lead/frame, 1.0 x .150 mounting screw, thread for 1.0 jackscrews.
2-1589488-4	1589488	STM015M5KN	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, 0.90 long, tin/lead leadframe, 1.0 x .200 mounting screw, interaction of 1.0 jackscrews.
2-1589488-5	1589488	STM015M5LN	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, 0.90 long, tin/lead lead/frame, 1.2 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
2-1589488-6	1589488	STM015M5LQ	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1,2 x 200 mounting screw w./ 2 standoffs, thread for 1.2 jackscrews.
2-1589488-7	1589488	STM015M5PQ	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, 1990 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 4 standoffs, thread for 1.2 jackscrews.
2-1589488-8	1589488	STM015M5FQ STM025M5CN	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead lead/frame, 1,0 x, 200 mounting screw w/ 2 standoffs, thread to 1.2 jackscrews.
2-1589488-9	1589488	STM025M5HN	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x.160 mounting screw threat for 1.0 jackscrews.
3-1589488-0	1589488	STM025M5LQ	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, 309 long, tin/lead leadframe, 1.2 x. 200 mounting screw wi 2 standoffs, thread for 1.2 jackscrews.
3-1589488-1	1589488	STM025M5PQ	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x. 200 mounting screw wi 4 standoffs, thread for 1.2 jackscrews.
3-1589488-2	1589488	STM025M5SN	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
3-1589488-3	1589488	STM037M5AN	OBSOLETE
3-1589488-4	1589488	STM037M5CN	Dualobe, 2 row, metal, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x, 200 mounting screw w/ 2 standoffs, thread for 1.0 iackscrews.
3-1589488-5	1589488	STM037M5HN	Dualobe, 2 row, metal, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x.160 mounting screw, thread for 1.0 lackscrews.
3-1589488-6	1589488	STM037M5N	Dualobe, 2 row, metal, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.
3-1589488-7	1589488	STM037M5PQ	Dualobe, 2 row, metal, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 4 standoffs, thread for 1.2 jackscrews.
3-1589488-8	1589488	STM037M5SN	Dualobe, 2 row, metal, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 iackscrews.
3-1589488-9	1589488	STM051M5AQ	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
4-1589488-0	1589488	STM051M5CN	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
4-1589488-1	1589488	STM051M5DQ	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
4-1589488-2	1589488	STM051M5LQ	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 2 standoffs, thread for 1.2 jackscrews.
4-1589488-3	1589488	STM051M5PQ	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/ 4 standoffs, thread for 1.2 jackscrews.
4-1589488-4	1589488	STM065M5CN	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
4-1589488-5	1589488	STM065M5HM	OBSOLETE
4-1589488-6	1589488	STM065M5LQ	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .200 mounting screw w/2 standoffs, thread for 1.2 jackscrews.
4-1589488-7	1589488	STM065M5N	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, thread for 1.0 jackscrews.
4-1589488-8	1589488	STL009M5CN	Dualobe, 2 row, LCP, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
4-1589488-9	1589488	STL037M5CN	Dualobe, 2 row, LCP, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/2 standoffs, thread for 1.0 jackscrews.
5-1589488-0	1589488	STM065M5HN	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
5-1589488-1	1589488	STL015M5SN	Dualobe, 2 row, LCP, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
5-1589488-2	1589488	STL025M5KN	Dualobe, 2 row, LCP, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
5-1589488-3	1589488	STL065M5KN	Dualobe, 2 row, LCP, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
5-1589488-4	1589488	STL051M5KN	Dualobe, 2 row, LCP, 51 position, receptacle, vertical mount, thru hole termination, .090 long tin/lead leadframe, 1.0 x .200 mounting screws w/ 4 standoffs, thread for 1.0 jackscrews.
5-1589488-5	1589488	STM065M5FN	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .250 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
5-1589488-7	1589488	STM037M5AQ	Dualobe, 2 row, metal, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
5-1589488-8	1589488	STM009M5AQ	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 X .160 mounting screw, thread for 1.2 jackscrews,
5-1589488-9	1589488	STM009M5PQ	Dualobe, 2 row, metal, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 X .200 mounting screw w/ 4 standoffs, thread for 1.2 jackscrews,
6-1589488-0	1589488	STS009M5CN	Dualobe, 2 row, stainless, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589488-1	1589488	STS015M5CN	Dualobe, 2 row, stainless, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589488-2	1589488	STS037M5CN	Dualobe, 2 row, stainless, 37 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589488-3	1589488	STS051M5CN	Dualobe, 2 row, stainless, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589488-4	1589488	STM025M5AQ	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 x .160 mounting screw, thread for 1.2 jackscrews.
6-1589488-5	1589488	STL009M5KN	Dualobe, 2 row, LCP, 9 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/4 standoffs, thread for 1.0 jackscrews.
6-1589488-6	1589488	STL015M5KN	Dualobe, 2 row, LCP, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
6-1589488-7	1589488	STM015M5SN	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589488-8	1589488	STM051M5SN	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
6-1589488-9	1589488	STM065M5SN	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw w/ 2 standoffs, thread for 1.0 jackscrews.
7-1589488-0	1589488	STM065M5AQ	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 X .160 mounting screw, thread for 1.2 jackscrews.
7-1589488-1	1589488	STM015M5AQ	Dualobe, 2 row, metal, 15 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 X .160 mounting screw, thread for 1.2 jackscrews,
-			



Revision 1



7-1589488-2	1589488	STM065M5IQ	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 X .200 mounting screw, thread for 1.2 jackscrews.
7-1589488-3	1589488	STM025M5KN	Dualobe, 2 row, metal, 25 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
7-1589488-4	1589488	STM065M5KN	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .200 mounting screw w/ 4 standoffs, thread for 1.0 jackscrews.
7-1589488-5	1589488	STM065M5PQ	Dualobe, 2 row, metal, 65 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.2 X .200 mounting screw w/ 4 standoffs, thread for 1.2 jackscrews.
7-1589488-6	1589488	STM051M5HN	Dualobe, 2 row, metal, 51 position, receptacle, vertical mount, thru hole termination, .090 long, tin/lead leadframe, 1.0 x .160 mounting screw, thread for 1.0 jackscrews.
7 1500/00 7	1500/00	CTCOSEMECN	Dualaha 2 raw stainless 25 position recontrolly vertical mount, thru halo termination, 000 lang tin/lead leadframe, 1.0 x, 200 mounting serow w/ 2 standaffs, thread for 1.0 independent

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Rectangular Mil Spec Connectors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

006-1169-16 CSR31343-0001-00000 CSR31346-0001-A0001 CSR31899-0001-00000 CSR31900-0001-A0001 CTJ-3D-05 CTS-S16/16

M55302/57A36X M55302/58-A70Y 65002-062 65008-D08 CY4602-000 732-8020-01 732-8021-02 B 77058-22-55PN 81542-20

86.030.0053.0 1241346-1 RM252-020-311-2900 DMC-M 08-16 SNE 1589051-4 BACC65CAMA BACC65CAMN BACC65CP1PN

BACI10BC1220PN 18023-9 HSB-D4S03DM222X 2217548-1 891-009-15SA2-BRT1T SIM2S100A 1604996-2 SMD25PN90L-4055

1925036-4 220A012-25225-0 22628-10-6P-791 CSR31343-0001-A0001 CSR31899-0001-A0001 CSR31900-0001-00000 33526M11-08PD

RE04-212S CTD160E01F-6148 CTJ112E03B CTJ122E02D-8000 CTJ-3D-12 CTJ920E06N-513 CTJ920E12N-513 CTL-16-090 CTR06-5100SY M55302/63A20H M55302/66-30H