





REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
	H4	REVISED PER ECR-19-016990	05NOV2019	AL HL



△ 指示穴は40極品以上に適用。  
 △ THESE HOLES ARE APPLIED TO 40 POS OR MORE.



APPROX. 300mm程度 WITHOUT CHARGE  
 WITH PRODUCT CHARGE  
 APPROX. 300mm程度 WITHOUT CHARGE

OBSOLETE

OBSOLETE	49.5	45.5	0.38	24.5	44	40.4	20.2	1500	50	5-179396-0
OBSOLETE	37.5	33.5	↑	20.5	32	28.4	14.2	↑	40	4-↑-0
OBSOLETE	↑	↑	↑	16.5	↑	↑	↑	↑	30	3-↑-0
OBSOLETE	29.5	25.5	↑	14.1	24	↑	11.5	↑	24	2-↑-4
OBSOLETE	↑	↑	↑	10.9	↑	↑	↑	↑	16	1-↑-6
OBSOLETE	21.5	17.5	0.38	10.1	↑	↑	↑	↑	14	1-↑-4
	22.4	16.4	0.4	9.3	16	↑	7.5	1500	12	1-179396-2

INSTRUCTION SHEET  
 取扱説明書  
 411-5654

DIMENSIONS

W <sub>2</sub>	W <sub>1</sub>	E	D	C	B	A	数量 (ヶ)	極数	リール巻コネクタ型等
							QTY/REEL	POS	TAPING P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 耗 mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差

0 PLC	± 0.2
1 PLC	± 0.2
2 PLC	± 0.2
3 PLC	± 0.2
4 PLC	± 0.2
ANGLES	± 3'

MATERIAL 材料

FINISH 仕上

DWN K.ASAKAWA 24FEB94

CHK S.KUBOUCHI

APVD S.KUBOUCHI 01NOV96

PRODUCT SPEC 製品規格

APPLICATION SPEC 取付適用規格

WEIGHT

CUSTOMER DRAWING

SCALE 尺度 4:1

SHEET 1 OF 2

REV H4

TE Connectivity Ltd.

PLUG ASSEMBLY WITH BOSS  
 0.8mm PITCH BOARD TO BOARD CONNECTOR  
 MATING HEIGHT 3.0MM

SIZE A3 CAGE CODE 00779 DRAWING NO. 108-5424

RESTRICTED TO

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




FEB. 1994.

© COPYRIGHT 1994 By -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	変更 DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



△ 材料：ハウジング - 6T NYLON (高耐熱性ナイロン)  
 ガラス30%, 色：ベージュ  
 コンタクト - 燐青銅・錫めっき(0.2t)  
 テールプレート - 燐青銅・錫めっき(0.2t)

△ MATERIAL: HOUSING - 6T NYLON (HIGH HEAT-RESISTED NYLON), GF30%  
 COLOR: BEIGE.  
 CONTACT - POST-TIN/PHOS-BROZ(0.2t)  
 TAIL PLATE - POST-TIN/PHOS-BROZ(0.2t)

0.410	23.2	---	24.2	20.75	19.2	50
-0.340	19.2	0.4	20.2	16.75	15.2	40
0.270	15.2	---	16.2	12.75	11.2	30
0.228	12.8	0.4	13.8	10.35	8.8	24
0.172	9.6	0.4	10.6	7.15	5.6	16
0.158	8.8	---	9.8	6.35	4.8	14
0.144	8.0	0.4	9.0	5.55	4.0	12
重量(g) WEIGHT	L	K	J	H	G	極数 POS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差
	0 PLC ± 0.2
	1 PLC ± 0.2
	2 PLC ± 0.2
	3 PLC ± 0.2
	4 PLC ± 0.2
	ANGLES ± 3'
MATERIAL 材料	FINISH 仕上
SEE NOTE △ 注△参照	SEE NOTE △ 注△参照

DWN	CHK	APVD	PRODUCT SPEC 製品規格	APPLICATION SPEC 取付適用規格	WEIGHT	CUSTOMER DRAWING
-----	-----	------	----------------------	----------------------------	--------	------------------

TE Connectivity Ltd.

NAME 名称			PLUG ASSEMBLY WITH BOSS 0.8MM PITCH BTB CONNECTOR EMBOSS MATING HEIGHT 3.0MM		
SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO		
A3	00779	G=179396			
SCALE 尺度 10:1		SHEET 2 OF 2	REV H4		

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Board to Board & Mezzanine Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[10135583-642402LF](#) [89885-310LF](#) [589158040000018](#) [6-1393048-0](#) [68683-613](#) [MDF7-12DP-2.54DSA](#) [MDF7-18P-2.54DSA\(01\)](#) [MDF7-20DP-2.54DSA](#) [MDF7-26D-2.54DSA\(55\)](#) [MDF7-3P-2.54DSA\(01\)](#) [MDF7B-20P-2.54DSA\(01\)](#) [MDF7B-3P-2.54DSA\(55\)](#) [MDF7C-18P-2.54DSA\(55\)](#) [MDF7P-5P-2.54DSA\(55\)](#) [75234-0516](#) [FCN-230C068-11](#) [FCN-268F012-G/BD](#) [FCN-268F036-G/BD](#) [FCN-268M012-G/0D](#) [FCN-268M024-G/1D](#) [FCN-360C008-C](#) [FCN-723J004/1](#) [MIS-048-01-F-D-DP-K](#) [832-10-034-10-001000](#) [93696-325LF](#) [11828-1FA](#) [AXK630345P](#) [18097-0013](#) [2007042-2](#) [304400-2](#) [FCN-214Q030-G/0](#) [FCN-215Q040-G/0](#) [FCN-230C068-ESA](#) [FCN-234P048-G/0](#) [FCN-235D050-G/C](#) [FCN-360A3](#) [FCN-360C040-B](#) [210-93-314-41-105000](#) [2-22603-0](#) [379-064-521-202](#) [MDF7-12P-2.54DSA\(01\)](#) [MDF7-16P-2.54DS\(56\)](#) [MDF7-16P-2.54DSA\(55\)](#) [MDF7-40DP-2.54DSA\(55\)](#) [MDF7-8P-2.54DSA\(55\)](#) [AXG720047](#) [5031084030](#) [55323-1519](#) [DF33-2P-3.3DSA\(24\)](#) [DF33-2S-3.3C](#)