

Quick Reference GuideEconomy Power Connector System

TE Connectvity's (TE) Economy Power (EP) wire-to-board connector family is widely used for power circuit applications. Based on the proven EP version the new and advanced EP II and EP 2.5 lines offer additional benefits. EP II connectors are rated for 600VAC at up to 11A and thus offer potential for a larger range of applications. Still their electric properties make it an option to mix signal and power in one connector.

EP II connectors offer two levels of mechanical and electrical reliability: A true locking latch prevents the plug housing and post header from vibrating apart, while a Terminal Position Assurance (TPA) device produces a tangible click once a receptacle contact is fully seated. A visual aid confirms that the contact is home plus it provides easy access to a probe tip for continuity testing. The new EP 2.5 family is a compact version based on a .100" [2.5mm] pitch ideally suited for PC board space restraints. Up to 20 positions make it the perfect choice for combining power and signal.

FEATURES AND BENEFITS

- Positive audible latch designed for easier mating & unmating
- · Polarization tabs help prevent post misalignment
- Complete product offering with color coded housings
- End to end stackable
- Intermateable to similar competitive products for retrofit applications
- Broad portfolio includes .100, .156, .200 and .312 centerline families.


PRODUCT APPLICATIONS

- Household appliances
- · Commercial & building equipment
- HVAC & vending controls
- Industrial machinery & equipment: generators
- · Coin changers/vending machines
- Lighting


Electrical and Mechanical Specifications

| Product | Pos | Current Rating | Centerline | Voltage Rating | Operating Temperature | Housing Rating | Wire Size |
|----------------------------|------|----------------|-------------|----------------|-----------------------|----------------|-----------|
| Economy Power (EP) | 1-12 | 7.5 | .156 (3.96) | 250 VAC | -25°C to 105°C | UL 94V-0 | 18-22 AWG |
| Economy Power II (EP II) | 2-12 | 11 | .156 (3.96) | 600 VAC | -55°C to 105°C | UL 94V-0 | 16-22 AWG |
| Ecomony Power 2.5 (EP 2.5) | 2-20 | 3 | .100 (2.50) | 250 VAC | -55°C to 105°C | UL 94V-0 | 22-26 AWG |

Housing Features



(a): Positive audible latch on housing helps to ensure complete system mating and provides durability in high vibration applications. (a): Anti-snag features prevent wires from snagging on the latch.




EP II Housing contains (a) window slots for continuity testing simultaneously with (b) contact back-out check.

Contact Features (EP II)



(A): Lanceless contact design on EP II to ensure reliable contact seating



EP II additional points of contact for increased current rating.
 : Asymmetrical design prevents mis-insertion.


Housing*



2132781 .156 (3.96 mm) EP II Housing




1744036 .200 (5.0 mm) EP Housing




2110992 .100 (2.5 mm) EP 2.5 Housing

Headers*



1123723 .156 (3.96 mm) low profile header (EP and EP II)




1744057 .156 (3.96 mm) low profile post header w/ pegs (EP and EP II)




1877285 .156 (3.96 mm) Vertical shrouded headers (EP and EP II)




1123724 .312 (7.92 mm) straight post header (EP)



647676 .156 (3.96 mm) right angle post header (EP and EP II)



1744037 .200 (5.0 mm) straight post header (EP)



2132230 .100 (2.5 mm) vertical shrouded header w/ boss (EP 2.5)



2132415 .100 (2.5 mm) vetical shrouded header w/o boss (EP 2.5)



 $^{^*}$ Base part numbers shown. See following page for specific part numbers.

Economy Power 2.5 mm (EP 2.5)

| .100 EP 2.5 CRIMP RECEPTACL | E CONTACTS |
|-----------------------------|------------|
|-----------------------------|------------|

| Phos Bronze, Pre-Tin | 26-22 AWG | 8000/reel |
|----------------------|-----------|-----------|
| Phos Bronze, Pre-Tin | 26-22 AWG | 2110989-1 |
| | | |

Part Number Ordering: Example for X-2110992-Y Housing*

-2 thru -9Substitute dash number listed for "Y", therefore a -2 signifies PN 2110922-2

1- -0 thru 2- -0

Substitute first number for "X" and second number listed for "Y", therefore a 1- -2 signifies PN 1-2110922-2

* Follow same numbering scheme throughout for other part numbers listed

| .100 EP 2.5 PLUG H | OUSINGS | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------|-----------|------|----|----------|----------|----------|----------|------|----|----|--------------|----|----|----|----|----|----|--------------|----|
| Position : | size | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| Housing | X-2110992-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | | | | | | | | | | | | | | | | | | | |
| .100 EP 2.5 VERTIC | AL SHROUDED | HEA | DERS | S | | | | | | | | | | | | | | | | |
| .100 EP 2.5 VERTIC | | HEA 2 | DERS | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| | | HEA1 2 -2 | - | | 5 | 6 | 7 | 8 | 9 -9 | | | 12 12 | | | | | | | 19 19 | |

Economy Power (EP) and EP II

| .156 ECONOMY | POWER CRIMP, I | RECEPTACLE CONTAC | TS, BREAKAWAY TPA | DEVICE | | |
|--------------------|---------------------|-------------------|-------------------|-------------|-------------|------------------|
| | Material/Finish | Wire Size | Strip Form | Loose Piece | TPA | TPA Type |
| Faanamu Bausan | Phos Bronze,Pre-Tin | 18-22 AWG | 1123721-1 | 1318912-1 | NA | NA |
| Economy Power | Brass,Pre-Tin | 18-22 AWG | 1123721-2 | 1318912-2 | NA | NA |
| Farmanny Bauran II | Dhaa Duanna Dua Tin | 18-22 AWG | 1744144-1 | 1744395-1 | 1-2132782-2 | 12 Dee Breekewey |
| Economy Power II | Phos Bronze,Pre-Tin | 16-20 AWG | 1744201-1 | 1744396-1 | 1-2132/82-2 | 12 Pos Breakaway |

| .156 ECONOMY POWER LOW-PROFILE PLUG HOUSINGS | | | | | | | | | | | | |
|--|-------------|-----------|----|----|----|----|----|----|----|----|----|------------|
| Position si | ze | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Economy Power | X-1123722-Y | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 10 | 11 | 1-647690-2 |
| Economy Power II | X-2132781-Y | 2132813-2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 |

| .156 ECONOMY PO | WER STRAIG | HT LOW-PR | OFILE | HEADEF | เร | | | No | ote : Additi | onal color | s available | upon request. |
|------------------------|-------------|---------------------------|-------|--------|----|----|----|----|--------------|------------|-------------|---------------|
| Position si | ze | e 2 3 4 5 6 7 8 9 10 11 1 | | | | | | | | | | 12 |
| Bulk Pack | X-1123723-Y | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 10 | 11 | 1-647689-2 |
| Tube Loaded | X-1318300-Y | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 10 | 11 | |
| Bulk with Pegs | X-1744057-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 |
| Bulk, High Temperature | X-1744055-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | |
| Vertical Shrouded | X-1877285-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 |

| .156 ECONOMY POWER RIGHT-ANGLE LOW-PROFILE POST HEADERS Note: Additional colors available upon reque | | | | | | | | | | | | upon request. |
|---|-------------|----|----|----|----|----|----|----|----|----|----|---------------|
| Position si | ze | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Bulk Pack | X-647676-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 |
| Bulk, High Temperature | X-1744056-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 |

| .312 ECONOMY POWER STRAIGHT POST HEADERS Note: Additional colors available upon reque | | | | | | | | | | | | upon request. |
|--|-------------|----|----|----|----|----|---|---|---|----|----|---------------|
| Position si | ze | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Bulk Pack | X-1123724-Y | 12 | 13 | 14 | 15 | 16 | | | | | | |
| Tube Loaded | X-1318301-Y | 12 | 13 | 14 | 15 | | | | | | | |

| .200 ECONOMY PC | WER PLUG H | IOUSINGS | | | | | | No | ote : Additi | onal color | s available | upon request. | | |
|-----------------|-------------|----------|----|----|----|----|----|--|--------------|------------|-------------|---------------|--|--|
| Position si | ze | 2 | 3 | 4 | 5 | 6 | 7 | Note : Additional colors available upon requ | | | | | | |
| Economy Power | X-1744036-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 | | |

| .200 ECONOMY POWER POST HEADERS Note : Additional colors available upon request | | | | | | | | | | | | upon request. |
|---|-------------|----|----|----|----|----|----|----|----|----|----|---------------|
| Position si | ze | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Straight | X-1744037-Y | -2 | -3 | -4 | -5 | -6 | -7 | -8 | -9 | 10 | 11 | 12 |
| Right angle X-1744048-Y -2 -3 -4 -5 -6 -7 -8 -9 10 11 12 | | | | | | | | | | | 12 | |



Frequently asked questions

Do I need new tooling to change from EP to EP II housings?

No. The same tooling is used for EP and EP II.

Is TE's EP 2.5 intermateable with competitors product?

Yes. Our EP 2.5 connectors are intermateable to similar competitive products for retrofit applications

Is EP, EP II and EP 2.5 available in colors?

Yes. All of these are available in multiple colors.

What if I have additional product questions?

We've got answers when you need them! You can contact Product Information Specialists by e-mail, telephone or live chat. English, German and Chinese speaking Product Information Specialist are available, providing you with the technical assistance you require.

FOR MORE INFORMATION

TE Technical Support Center

Internet: te.com/help +1 (800) 522-6752 USA: +1 (905) 475-6222 Canada: Mexico +52 (0) 55-1106-0800 Latin/S. America: +54 (0) 11-4733-2200 Germany: +49 (0) 6251-133-1999 UK. +44 (0) 800-267666 France: +33 (0) 1-3420-8686 Netherlands: +31 (0) 73-6246-999 China: +86 (0) 400-820-6015

Part numbers in this brochure are RoHS Compliant*, unless marked otherwise.

*as defined www.te.com/leadfree

te.com

© 2011 Tyco Electronics Corporation, a TE Connectivity Ltd. company. All Rights Reserved. 7-1773458-5 CIS FP 3M 08/2011

TE Connectivity and the TE connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

892-18-020-10-001101 58102-G61-06LF 582553-1 0009485154 009176003701906 0050291907 LY20-4P-DT1-P1E-BR 02.125.8002.8
609-3404 61062-3 61082-181009 622-3653LF 63453-116 636-1030 636-1427 636-3427 636-4007 641938-9 641991-4 644827-2 65817010LF 65817-015LF 65863-015LF 66207-023LF 67095-007LF 67601157 68645-018 68648-049 70.362.1628.0 70-4210 70-4226B 704853B 707-5020 707-5028 71.350.2428.0 71918-208LF 71961-016LF 733-134 733-162 754199-000 760-3052 787-8014-00 79531-3000
FCN-360C032-B FCN-367T-T012/H FCN-723D010/2 80.063.4001.1 800-90-001-10-001000 800-90-010-10-002000 801-43-002-10-013000