


- 1 CABLE ASSEMBLY TESTED FOR OPENS, SHORTS AND HI-POT @ 300V.
- 2 LABEL INFORMATION:
 

	2127833-	← TE LOGO & TE CONNECTIVITY PART NUMBER
MINI-SAS	6Gbps	
---	METERS	← LENGTH
YYWW		← DATE CODE
MADE IN	---	← COUNTRY OF ORIGIN
- 3. PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE CONNECTIVITY STANDARD TEC-138-702.
- 4. PRODUCT MEETS THE REQUIREMENTS OF T10/2125-D, REVISION 04b [SAS-2.1].

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T.SMITH 24FEB2010	TE Connectivity
DIMENSIONS: mm		CHK J.HACKMAN 24FEB2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.HACKMAN 24FEB2010	NAME CABLE ASSEMBLY, MINI-SAS, 4X, EXTERNAL 6 Gbps, PASSIVE
0 PLC ± -		PRODUCT SPEC	SIZE A1
1 PLC ± -		APPLICATION SPEC	CAGE CODE 00779
2 PLC ± -		WEIGHT	DRAWING NO 2127833
3 PLC ± -		RESTRICTED TO	SCALE 1:1
4 PLC ± -		CUSTOMER DRAWING	SHEET 1 OF 2
ANGLES ± -			REV B1



3	3	2-4-6	2-4-6	6 GBPS	24 AWG	10±0.15 METERS	2-2127833-6
3	3	2-4-6	2-4-6	6 GBPS	24 AWG	9±0.15 METERS	2-2127833-5
3	3	2-4-6	2-4-6	6 GBPS	24 AWG	8±0.125 METERS	2-2127833-4
3	3	2-4-6	2-4-6	6 GBPS	24 AWG	7±0.1 METERS	2-2127833-3
-	-	2-4-6	2-4-6	6 GBPS	24 AWG	6±0.075 METERS	2-2127833-2
-	-	2-4-6	2-4-6	6 GBPS	24 AWG	5±0.075 METERS	2-2127833-1
-	-	2-4-6	2-4-6	6 GBPS	26 AWG	4±0.075 METERS	2-2127833-0
-	-	2-4-6	2-4-6	6 GBPS	26 AWG	3±0.05 METERS	1-2127833-9
-	-	2-4-6	2-4-6	6 GBPS	28 AWG	2.5±0.05 METERS	1-2127833-8
-	-	2-4-6	2-4-6	6 GBPS	28 AWG	2±0.05 METERS	1-2127833-7
-	-	2-4-6	2-4-6	6 GBPS	28 AWG	1.5±0.04 METERS	1-2127833-6
-	-	2-4-6	2-4-6	6 GBPS	30 AWG	1±0.04 METERS	1-2127833-5
-	-	2-4-6	2-4-6	6 GBPS	30 AWG	0.5±0.025 METERS	1-2127833-4
3	3	2-4	4-6	6 GBPS	24 AWG	10±0.15 METERS	1-2127833-3
3	3	2-4	4-6	6 GBPS	24 AWG	9±0.15 METERS	1-2127833-2
3	3	2-4	4-6	6 GBPS	24 AWG	8±0.125 METERS	1-2127833-1
3	3	2-4	4-6	6 GBPS	24 AWG	7±0.1 METERS	1-2127833-0
-	-	2-4	4-6	6 GBPS	24 AWG	6±0.075 METERS	2127833-9
-	-	2-4	4-6	6 GBPS	24 AWG	5±0.075 METERS	2127833-8
-	-	2-4	4-6	6 GBPS	26 AWG	4±0.075 METERS	2127833-7
-	-	2-4	4-6	6 GBPS	26 AWG	3±0.05 METERS	2127833-6
-	-	2-4	4-6	6 GBPS	28 AWG	2.5±0.05 METERS	2127833-5
-	-	2-4	4-6	6 GBPS	28 AWG	2±0.05 METERS	2127833-4
-	-	2-4	4-6	6 GBPS	28 AWG	1.5±0.04 METERS	2127833-3
-	-	2-4	4-6	6 GBPS	30 AWG	1±0.04 METERS	2127833-2
-	-	2-4	4-6	6 GBPS	30 AWG	0.5±0.025 METERS	2127833-1
P1	P2	P1	P2	DATA RATE	WIRE GAGE	L	PART NO
KEY RIB		KEY SLOTS					

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DRAWING NO	RESTRICTED TO
0. PLC ± -	1. PLC ± -	24FEB2010	
2. PLC ± -	3. PLC ± -	24FEB2010	
4. PLC ± -	ANGLES ± -		
MATERIAL	FINISH	WEIGHT	SCALE 1:1 SHEET 2 OF 2 REV B1

STE TE Connectivity  
 CABLE ASSEMBLY, MINI-SAS, 4X, EXTERNAL  
 6 Gbps, PASSIVE

CUSTOMER DRAWING

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Computer Cables](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[68809-0004](#) [8F36-AAA105-1.00](#) [IB63](#) [CB-716EB-RS](#) [CB-716P8P9-RS](#) [CBK-11-290K-00](#) [ACL-10550](#) [ACL-10568-2](#) [ACL-10568-5](#)  
[427522400-3](#) [32102-021500-200-RS](#) [426091300-3](#) [48000023](#) [10114976-P015002LF](#) [10111838-S444ALF](#) [88761-6101](#) [NT631C-CN321-EU](#)  
[ACL-10568NF-1](#) [MIKROE-2092](#) [PCL-101100R-2E](#) [1700009405](#) [PS/2 Cable](#) [NT31C-CN323-EU](#) [PCL-10168H-1E](#) [68801-1905](#) [111068-](#)  
[1015](#) [100436-1107](#) [68801-0630](#) [68801-3612](#) [68801-3618](#) [205058-1002](#) [PS2NK](#) [SATA cable](#) [96021-0000-00-0](#) [FAK-SMZSMZ 5M](#) [FAK-](#)  
[SMZSMZ-3M](#) [ACC-500-200-R](#) [iW-C40-PCIe08-C1](#) [1700001531](#) [96048-0000-00-0](#) [96054-0000-00-0](#) [SATA III cable 30cm, down/straight](#)  
[cab-Pico-ITX-LVDS](#) [PCL-101100SB-2E](#) [AXXSTCBLQAT](#) [NT31C-KBA05](#) [PCL-101100M-2E](#) [A2U4PSWCXCXK1](#) [2 port SATA to 5](#)  
[pin,L=200mm](#) [P782-006-DH](#)