




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
	A4	ECR-21-103323	18MAY2021	NT JDB



VIEW A

NOTES:

- 1 PACKAGING: ACC. TO TE SPEC. 107-18064
- 2 ELECTRICAL TEST ACCORDING TE SPECIFICATION 108-18857.
SHORT-CIRCUIT AND CONTINUITY TEST AT 500V DC, 0.1s
- 3 WIRING SCHEMA ACC. TO TIA/EIA-568-B AS SHOWN IN WIRING SCHEDULE
- 4 PROP 65 WARNING LABEL: SEE SHEET 2
- 5 LABEL TEXT:
TE CONNECTIVITY
WW/YY/PRODUCTION LOCATION CODE

WIRING SCHEDULE 3

CAVITY SIDE A	COLOR
1	WH/OG
2	OG
3	WH/GN
4	BU
5	WH/BU
6	GN
7	WH/BN
8	BN

4	10000 (±300)	HiFlex MultiPurpose 70°C PUR	2-2205129-6
	5000 (±150)	HiFlex MultiPurpose 70°C PUR	2-2205129-5
	3000 (±50)	HiFlex MultiPurpose 70°C PUR	2-2205129-4
	2000 (±25)	HiFlex MultiPurpose 70°C PUR	2-2205129-3
	1000 (±15)	HiFlex MultiPurpose 70°C PUR	2-2205129-2
	500 (±10)	HiFlex MultiPurpose 70°C PUR	2-2205129-1
OBSOLETE	10000 (±300)	HI 125°C TPE	1-2205129-6
	5000 (±150)	HI 125°C TPE	1-2205129-5
	3000 (±50)	HI 125°C TPE	1-2205129-4
	2000 (±25)	HI 125°C TPE	1-2205129-3
	1000 (±15)	HI 125°C TPE	1-2205129-2
	500 (±10)	HI 125°C TPE	1-2205129-1
	10000 (±300)	STD 110°C PVC	2205129-6
	5000 (±150)	STD 110°C PVC	2205129-5
	3000 (±50)	STD 110°C PVC	2205129-4
	2000 (±25)	STD 110°C PVC	2205129-3
1000 (±15)	STD 110°C PVC	2205129-2	
500 (±10)	STD 110°C PVC	2205129-1	
	Length "L"	Cable version	TE PN


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03FEB2015 SATHISH KUMAR .G	TE Connectivity	
		CHK 03FEB2015 B.VELDHOVEN		
		APVD 03FEB2015 A.VAN ZANDVOORT	NAME	
DIMENSIONS: mm		PRODUCT SPEC		
		108-78955		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		
0 PLC ± -		114-5506		
1 PLC ± -		SIZE		
2 PLC ± -		CAGE CODE		
3 PLC ± -		DRAWING NO		
4 PLC ± -		RESTRICTED TO		
ANGLES ± 1°		A3 00779 C-2205129		
MATERIAL		WEIGHT		
FINISH		CUSTOMER DRAWING		
		SCALE NTS		SHEET 1 OF 2
				REV A4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

NOTES: CONTINUATION FROM SHEET 1:

- 4 PROP 65 WARNING LABEL:
- THE WARNING LABEL ON THE PRODUCT OR LOWEST LEVEL PACKAGING
 - CHEMICAL NAME: ANTIMONY TRIOXIDE



WARNING: This product can expose you to chemicals including ANTIMONY TRIOXIDE which is known to the state of California to cause cancer. For more information, visit www.P65Warnings.ca.gov.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03FEB2015 SATHISH KUMAR .G	 TE Connectivity		
		CHK 03FEB2015 B.VELDHOVEN			
DIMENSIONS: mm 		APVD 03FEB2015 A.VAN ZANDVOORT	NAME CA MINI IO TYPE I PIGTAIL		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± 1°		PRODUCT SPEC 108-78955	RESTRICTED TO -		
MATERIAL -		APPLICATION SPEC 114-5506	SIZE A3	CAGE CODE 00779	DRAWING NO C-2205129
FINISH -		WEIGHT 0.000000	SCALE NTS		
CUSTOMER DRAWING			SHEET 2 OF 2	REV A4	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#) [AX105346-EW](#) [MT14-187L](#)
[17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#) [NK5EPC1GRY](#) [NK5EPC4Y](#)
[NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#) [C501106015](#) [C501106025](#) [C601102010](#)
[C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#) [RJF SFTP 5E 0500](#) [AX100351](#)
[MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#) [CA21106004](#) [CA21106010](#) [CA21106015](#)
[CA21109007](#) [CA21109010](#)