





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		FIRST RELEASED	15AUG2017	WH	DZ



- 1 MATERIAL: HOUSING-NYLON, UL94V-0
(COLOR-NATURAL, COLOR OF PARTS MAY VARY)
CONTACTS-0.25 [.010] THICK HIGH PERFORMANCE COPPER ALLOY
- 2 CONTACT FINISH: POST-TIN PLATING
- 3 MATES WITH VAL-U-LOK(TM) RECEPTACLE HOUSINGS:
X-1586019-X(UL94-V0)
X-1586765-X(UL94-V2,GLOW WIRE)




24	46.2±0.25 [1.819±.01]	51.6 [2.031]	2-2825260-4
22	42.0±0.25 [1.654±.01]	47.4 [1.866]	2-2825260-2
20	37.8±0.25 [1.488±.01]	43.2 [1.701]	2-2825260-0
18	33.6±0.25 [1.323±.01]	39.0 [1.536]	1-2825260-8
16	29.4±0.25 [1.157±.01]	34.8 [1.370]	1-2825260-6
14	25.2±0.25 [.992±.01]	30.6 [1.205]	1-2825260-4
12	21.0±0.25 [.827±.01]	26.4 [1.039]	1-2825260-2
10	16.8±0.13 [.661±.005]	22.2 [.874]	1-2825260-0
8	12.6±0.13 [.496±.005]	18.0 [.709]	2825260-8
6	8.4±0.13 [.331±.005]	13.8 [.543]	2825260-6
4	4.2±0.13 [.165±.005]	9.6 [.378]	2825260-4
2		5.4 [.213]	2825260-2
POS	DIM A	DIM B	PART NUMBER

2-2825260-4 SHOWN


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WARREN HUO 15AUG2017	TE TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK DANIEL ZHANG 15AUG2017		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD DANIEL ZHANG 15AUG2017	NAME	
0 PLC ±		PRODUCT SPEC	WITH DRAIN HOLES	
1 PLC ± 0.5 [.02]		108-150000	VAL-U-LOK(TM), HCS	
2 PLC ± 0.25 [.010]		APPLICATION SPEC	-	
3 PLC ±		114-13172	SIZE A2	CAGE CODE 00779
4 PLC ±		WEIGHT 0	DRAWING NO	RESTRICTED TO
ANGLES ±		CUSTOMER DRAWING	SCALE N/A	SHEET 1 OF 2
FINISH			REV A	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-




2825260-2




2825260-4




2825260-6




2825260-8




1-2825260-0




1-2825260-2




1-2825260-4




1-2825260-6




1-2825260-8



2-2825260-0



2-2825260-2



2-2825260-4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 19APR2016 NAGALAKSHMI K	TE Connectivity WITH DRAIN HOLES VAL-U-LOK(TM), HCS		
DIMENSIONS: mm [INCHES]		CHK 19APR2016 DAVIDE CHIARELLI			APVD 19APR2016 DAVIDE CHIARELLI
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 0.5 [.02] 2 PLC ± 0.25 [.010] 3 PLC ± - 4 PLC ± - ANGLES ± FINISH ±		PRODUCT SPEC 108-150000 APPLICATION SPEC 114-13172	NAME SIZE CAGE CODE DRAWING NO RESTRICTED TO
MATERIAL		WEIGHT		A2 00779 C-2825260 SCALE N/A SHEET 2 OF 2 REV A	
		CUSTOMER DRAWING			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [000-34000](#) [0009482033](#) [0009507031](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009508121](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [647662-1](#) [65039-019ELF](#) [65817-002LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67016-026LF](#) [67046-001LF](#) [67095-007LF](#) [68002-116](#) [68016-236H](#) [68648-049](#)