




TERMINALS & SPLICES

CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

TE CONNECTIVITY (TE) PIDG SPADE PIDG | PIDG

130639
TE Internal Number: 130639

Always EU RoHS/ELV Compliant

Terminal Shape **Spade Tongue**

Stud Diameter **5.2 mm [.2047 in]**

Tongue Thickness **.78 mm [.031 in]**

Sealed **No**

Heavy Duty **No**



Product Drawings

[TERMINAL, RECTANGULAR TONGUE, P.I.D.G. WIRE SIZE: 16-14 AWG](#)
PDF (TIFF AVAILABLE)
English

[TERMINAL, RECTANGULAR TONGUE, P.I.D.G. WIRE SIZE: 16-14 AWG](#)
PDF (TIFF AVAILABLE)
English

[TERMINAL, RECTANGULAR TONGUE, P.I.D.G. WIRE SIZE: 16-14 AWG](#)
PDF (TIFF AVAILABLE)
English

[TERMINAL, RECTANGULAR TONGUE, P.I.D.G. WIRE SIZE: 16-14 AWG](#)
PDF (TIFF AVAILABLE)
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealed

No

Barrel Type

Closed Barrel

Wire/Cable Type

Regular Wire

	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	M5
	Shape Code	SPADE-020
	Wire/Cable Composition	Stranded
Configuration Features	Terminal Angle	Straight
Body Features	Plating Material	Tin
	Plating Thickness (µm)	2.54
	Insulation Sleeve Material	Copper
	Insulation Sleeve Color	Blue
	Insulation Material	Nylon
	Inspection Slot	No
	Insulation Support Sleeve Material	Copper
Contact Features	Terminal Shape	Spade Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	5.2 mm [.2047 in]
	Tongue Thickness	.78 mm [.031 in]
	Wire Insulation Diameter (Max)	3.8 mm [.15 in]
	Wire Insulation Diameter	2.7 – 3.81 mm [.105 – .15 in]
	Wire Size (AWG)	16 – 14
	Wire Size (mm ²)	1.04 – 2.62
	Wire Size (CMA)	2050 – 5180
	Material Thickness	.78 mm [.031 in]
	Overall Length	23.4 mm [.921 in]
Usage Conditions	Operating Temperature Range (°C)	150
Operation/Application	Heavy Duty	No
Industry Standards	Government Qualified	No

Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
<hr/>		
Other	Barrel Color	Blue
<hr/>		

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [61-SN](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [63-S](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#) [M55155/29-5S](#)