
# 140731-2 - ACTIVE

TE Internal #: 140731-2 Ring Terminals & Spade Terminals, Ring Tongue, 22 – 16AWG Wire Size, .3 – 1.3mm<sup>2</sup> Wire Size, 642.4 – 2583CMA Wire Size, 1/4 View on TE.com >



Terminals & Splices > Ring Terminals & Spade Terminals



Terminal & Splice Type: Ring Tongue Wire Size: 642.4 – 2583 CMA

Ring & Spade Stud Size: 1/4

## Features

## Product Type Features

Shape Description

Circular/Oval

Ring & Spade Stud Size	1/4
Ring & Spade Barrel Type	Open Barrel
Sealable	No
Insulated	No
Ring & Spade Wire/Cable Type	Regular Wire
Support Style	Insulation Support
Configuration Features	
Number of Holes	1
Terminal Angle	180°
Body Features	
Inspection Slot	No
Weight per Piece	1.53 g
Ring & Spade Plating Material	Tin
Contact Features	
Contact Base Material	Brass

## 140731-2

Ring Terminals & Spade Terminals, Ring Tongue, 22 – 16AWG Wire Size, .3 – 1.3mm² Wire Size, 642.4 – 2583CMA Wire Size, 1/4



Terminal & Splice Type	Ring Tongue
Ring & Spade Terminal Orientation	Straight
Underplating Material	None
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
	.059 in
Wire Size	642.4 – 2583 CMA
Stud Diameter	6.3 mm[.24 in]
Tongue Thickness	.76 mm[.03 in]
Ring & Spade Overall Length	24.89 mm[.98 in]
Barrel Inside Diameter	.89 mm, 1.77 mm[.035 in][.07 in]
Ring & Spade Wire Insulation Diameter (Max)	.3 mm[.118 in]
Ring & Spade Wire Insulation Diameter	1.5 – 3 mm[.059 – .118 in]
Usage Conditions	
Insulation Requirement	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

# Operation/Application

Heavy Duty	No
Industry Standards	
Government Qualified	No
Packaging Features	
Packaging Quantity	5000
Ring & Spade Packaging Method	Strip/Reel
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
•	Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

Ring Terminals & Spade Terminals, Ring Tongue, 22 – 16AWG Wire Size, .3 – 1.3mm<sup>2</sup> Wire Size, 642.4 – 2583CMA Wire Size, 1/4



Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Not Yet Reviewed

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

### Solder Process Capability


Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






Customers Also Bought

### 140731-2

Ring Terminals & Spade Terminals, Ring Tongue, 22 – 16AWG Wire Size, .3 – 1.3mm<sup>2</sup> Wire Size, 642.4 – 2583CMA Wire Size, 1/4







TE Part #CN6841-000 FLTWD0319-12-2

## Documents

Product Drawings RING TONGUE 1/4 22-16 AWG TPBR

French

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_140731-2\_K.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_140731-2\_K.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_140731-2\_K.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**C** For support call+1 800 522 6752

## 140731-2

Ring Terminals & Spade Terminals, Ring Tongue, 22 – 16AWG Wire Size, .3 – 1.3mm² Wire Size, 642.4 – 2583CMA Wire Size, 1/4



Application Specification

English

Product Environmental Compliance TE Material Declaration

English

Agency Approvals

Agency Approval Document

English

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 61-SN 626-0194 62-NBM-A 62-SN 62-SP 63-S 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02 M55155/29-5S