
GRACE INERTIA CONNECTOR 3.5 2P ACTIVE



Grace Inertia | GRACE INERTIA 3.5

TE Part # 1565085-6 TE Internal #: 1565085-6

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors











Product Type: Housing Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 3.5 mm [.138 in]

Features

Product Type Features

Product Type	Housing
Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Contact Type	Tab
Configuration Features	

Number of Positions	2
Number of Power Positions	0
Number of Signal Positions	0
Number of Rows	1

Electrical Characteristics

Operating Voltage	300 VAC

Contact Features

Multiple Contact Types	Without

TE Part # 1565085-6 TE Internal #: 1565085-6



Contact Retention	Without
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	3.5 mm[.138 in]
UL Flammability Rating	UL 94V-0
Housing Color	Black
Housing Material	PA 66
Dimensions	
	.375 in
Usage Conditions	
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]
Operation/Application	
Assembly Integration Feature	Without
Circuit Application	Power & Signal
Identification Marking	
Circuit Identification Feature	Without
Industry Standards	
CSA Rating	Certified
Glow Wire Rating	Standard Part - Not Glow Wire
UL Rating	Recognized
Agency/Standard Number	E28476
VDE Tested	No
Agency/Standard	CSA, UL
Packaging Features	
Packaging Method	Bag
Packaging Quantity	400

Product Compliance

For compliance documentation, visit the product page on TE.com>

TE Part # 1565085-6 TE Internal #: 1565085-6



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



CONTACT(M)



Also in the Series | GRACE INERTIA 3.5

TE Part # 1565085-6 TE Internal #: 1565085-6





PCB Latches, Locks & Retainers(4)



Power Contacts(4)



Rectangular Power Connectors(44)

Customers Also Bought



TE Part #1-1903392-2 GIC 2.5 W CAP HSG 3P RED




TE Part #1981973-1 GIC2.5W CAP HOUSING 12POS (2-ROW) NAT



TE Part #1565085-5
GRACE INERTIA
CONNECTOR 3.5 2P



TE Part #2134905-1 GIC 2.5W PLUG HSG 6P NATURAL



TE Part #1827628-1 POSITIVE LOCK EX 110 HOUSING



TE Part #1565081-5 GRACE INERTIA CONNECTOR 3.5 2P



TE Part #1565082-5 GRACE INERTIA CONNECTOR 3.5 3P



TE Part #1318553-1 SMARTEC CONN CABLE COVER A



TE Part #1318558-1
SMARTEC SPRING LOCK
LEVER ASSY



TE Part #2-2150091-1
OCEAN-2.0-APPLICATORE-070F100F

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1565085-6_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1565085-6_H.3d_igs.zip

GRACE INERTIA CONNECTOR 3.5 2P

TE Part # 1565085-6 TE Internal #: 1565085-6



English

Customer View Model

ENG_CVM_CVM_1565085-6_H.3d_stp.zip

English

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Product Specification

English

Instruction Sheets

Extraction Tool for GIC 3.5 Conn.

Japanese

Instruction Sheet (non U.S.)

Japanese

Agency Approvals

UL Report

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

892-18-020-10-001101 58102-G61-06LF 582553-1 0009485154 009176003701906 0050291907 LY20-4P-DT1-P1E-BR 02.125.8002.8
609-3404 61062-3 61082-181009 622-3653LF 63453-116 636-1030 636-1427 636-3427 636-4007 641938-9 641991-4 644827-2 65817010LF 65817-015LF 65863-015LF 66207-023LF 67095-007LF 67601157 68645-018 68648-049 70.362.1628.0 70-4210 70-4226B 704853B 707-5020 707-5028 71.350.2428.0 71918-208LF 71961-016LF 733-134 733-162 754199-000 760-3052 787-8014-00 79531-3000
FCN-360C032-B FCN-367T-T012/H FCN-723D010/2 80.063.4001.1 800-90-001-10-001000 800-90-010-10-002000 801-43-002-10-013000