



ᄤ My Cart | 🕒 My Part Lists | Sign In/Register 🛮 🇨 📻 English (Change)

**Products** 

**Industries** 

Resources

**About TE** 

My Account

**Innovation** 

**Support Center** 

🗓 Share

What can we help you find?

Email

Home > Products > D-Subminiature Connectors > Product Feature Selector > Product Details

## 1571650-4 Product Details



1571650-4

**Standard Cable Connectors** 

Always EU RoHS/ELV Compliant (Statement of Compliance)

#### **Product Highlights:**

- Connector
- Product Series = HD-20 (Solder Cup)
- 9 Positions
- With Enclosure
- Shielded

View all Features

## **Quick Links**

- Pricing & Availability
- Search for Tooling
- View Mating Products (30)
- Product Feature Selector
- Contact Us About This Product

Print

TE Internal Number: 1571650-4











## **Documentation & Additional Information**

#### **Product Drawings:**

• BULK KIT, PLUG, AMPLIMITE SOLDER CUP SHIELDING ENCL... (PDF, English)

#### Catalog Pages/Data Sheets:

• AMPLIMITE Subminiature D Connectors - Cable Connectors (PDF, English)

## **Product Specifications:**

None Available

## **Application Specifications:**

None Available

## **Instruction Sheets:**

• AMPLIMITE Solder Cup Shielding Enclosure Kits (PDF, English)

### CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version D3)
- 3D Model (IGES, Version D3)
- 3D Model (STEP, Version D3)

#### **Additional Information:**

Product Line Information

#### **Related Products:**

- Tooling
- Mating Products (30)

List all Documents

## Product Features (Please use the Product Drawing for all design activity)

## **Product Type Features:**

- Product Type = Connector
- Product Series = HD-20 (Solder Cup)
- Wire/Cable Type = Round Jacketed Cable
- Mating Connector Lock = With
- Mating Connector Lock Type = Jackscrews
- Shell Size = 1
- Shell Type = Full Metal Shell
- Grounding Indents = With
- Grade = Standard
- Enclosure Material = PVC
- Color = Black

#### **Termination Features:** • Termination Method to Wire/Cable = Solder

## **Dimensions:**

• Cable Insulation Diameter (mm [in]) = 7.20 [0.283]

#### **Body Features:**

- Wire Range (mm<sup>2</sup> [AWG]) = 0.5 0.6 [20]
- Jackscrew Material = Brass
- Shell Material = Steel
- Shell Plating = Tin
- Shield Material = Steel
- Shield Plating = Tin
- Insert Material = PBT

## Contact Features:

- Contact Type = Pin
- Contact Base Material = Brass
- Contact Plating, Mating Area, Material = Gold Flash
- Solder Tail Contact Plating = Tin
- Contact Size = 20
- Contact Configuration = Solder Cup

## **Housing Features:**

- Enclosure = With
- Connector Style = Plug

#### Configuration Features:

- Number of Positions = 9
- Shielded = Yes
- Preloaded = Yes
- Pre-Assembled = No

#### **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Hand solderable with lead free solder
- RoHS/ELV Compliance History = Always was RoHS compliant
- Insert Flammability Rating = UL 94V-0

#### **Packaging Features:**

Packaging Method = Loose Piece

#### Other:

Brand = AMP

Feedback

#### **Corporate Information**

About TE Investors

News Room

Supplier Portal

Careers

Terms & Conditions

Privacy Policy

**AODA Accessibility Policy** 

AODA Multi-Year Accessibility

Plan

### **Quick Links**

Site Map

Distributor Inventory **Product Cross Reference** Documents & Drawings **Product Compliance Support Center** 

Find a Phone Number Knowledge Base Manage Your Account

**Customer Support** 

Email or Chat With Us



**Keep Me Informed** 





© 2014 TE Connectivity Ltd. family of companies. All Rights Reserved

[+] Provide Website Feedback

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

56F711-015 012-9507-004 LV242999-142T12 015-0341-000 015-0349-000 015-0372-005 015-0372-008 015-8755-001 020419-0104 012-0467-000 012-0515-000 012-9507-034 012-9507-114 020745-0008 609-25P M24308315F CT2-14S-2PCA34 CT2-18-11PCAU CT2-36-15SC CT6-14S-2SC CT6E14SA7SC CT6E22-14PC CT6E22-14PS CT6E22-22PS M83513/01-FC M85049/48-3-2F 6STD09PCM99B70X 6STD09SCM99B30X 6STD09SCT99S40X 6STD15PCT99S40X 6STD15SCM99B30X 6STD15SCT99S40X 6STF09PCM05B70X 7-135760-9 MC11E-10-6SN 747552-3 MD1-21PS MDM-15SCBRM7-F222 MDM96517-699 MDM96521-744 MDVB1-21SL1 MIK0-1-7SH003 MIKQ6-7SH076 MIKQ7-7PH077 MIKQ7-7PH11 MIKQ7-7PH32 MIKQ9-7PH003 MJSV-28SL61 MKJ4A1F14-55S 8-135760-3