

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
C1		ECR-16-007228	18MAY2016	KG	DW
D		ECR-17-013284	11SEP2017	KG	DW
D1		ECR-19-017391	14NOV2019	LN	DW


- ASSEMBLY SHOWN FOR REFERENCE ONLY.
SHIPPED LOOSE PIECE AS SHOWN ON PAGE 2.
- ALL ASSEMBLY DIMENSIONS ARE FOR REFERENCE ONLY.
-  PANEL SHOULD BE BETWEEN 1mm AND 6.5mm THICKNESS.
- ADD ANY PRO BEAM JR. INSERT TO COMPLETE THE CONNECTOR KIT.

Technical drawing of a connector assembly. Dimensions shown: 45, 14, 14, 28, 27, 24, 37, 30, 28.

Circular panel cut-out diagram. Dimensions shown: 30, 28.

 RECOMMENDED PANEL CUT-OUT

BLACK Zn-Ni	ALUMINUM	D	1693741-3
NONE	NICKEL ALUMINUM BRONZE	D	1693741-2
HARD ANODIZE	ALUMINUM	D	1693741-1
FINISH	HOUSING ALLOY	PART REVISION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. GLATFELTER 16 JUL 2003	 TE Connectivity	
DIMENSIONS: mm		CHK D. WERTMAN 17 JUL 2003		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. WERTMAN 18 JUL 2003	NAME CONNECTOR SHELL KIT, PRO BEAM JR., D-HOLE BULKHEAD, LOW PROFILE	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC -	RESTRICTED TO -	
MATERIAL -		APPLICATION SPEC -	SIZE A200779	DRAWING NO C-1693741
SEE TABLE		WEIGHT -	SCALE 2:1	SHEET 1 OF 2
-		CUSTOMER DRAWING	REV D1	

1471-9 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-		SEE SHEET 1	-	-

1. CONNECTOR SHELL KIT SHIPPED LOOSE PIECE AS SHOWN.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. GLATFELTER 16 JUL 2003	TE Connectivity															
DIMENSIONS: mm		CHK D. WERTMAN 17 JUL 2003																
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. WERTMAN 18 JUL 2003	NAME CONNECTOR SHELL KIT, PRO BEAM JR., D-HOLE BULKHEAD, LOW PROFILE															
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±</td></tr> <tr><td>2 PLC</td><td>±</td></tr> <tr><td>3 PLC</td><td>±</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> <tr><td>FINISH</td><td>±</td></tr> </table>		0 PLC	±	1 PLC	±	2 PLC	±	3 PLC	±	4 PLC	±	ANGLES	±	FINISH	±	PRODUCT SPEC -	SIZE A200779	
0 PLC	±																	
1 PLC	±																	
2 PLC	±																	
3 PLC	±																	
4 PLC	±																	
ANGLES	±																	
FINISH	±																	
MATERIAL AS LISTED		APPLICATION SPEC -	DRAWING NO C-1693741															
MATERIAL AS LISTED		WEIGHT -	RESTRICTED TO -															
		CUSTOMER DRAWING	SCALE 2:1	SHEET 2 OF 2														

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fiber Optic Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[0004700001](#) [6100-R](#) [6313](#) [F709034706](#) [F709722200](#) [F718183204](#) [F727403500](#) [F727752800](#) [FCXO-12-3BY](#) [FO-SCREW\(M2X6\)](#) [9440F20-27S-190](#) [944-120-6001](#) [944-125-6003](#) [9441F10SL-3S](#) [9446F10SL-4S](#) [953-101-5310-P](#) [954-101-57202B](#) [A0270169](#) [12-9122](#) [12-5702](#) [143025NC](#) [AX101713](#) [AX102420](#) [AX103923](#) [AX104141](#) [AX104193](#) [AX104228](#) [AX104230](#) [AX104562](#) [AX105203-B25](#) [AX105205-S1](#) [EHSC2M](#) [17-300800](#) [181-011-126](#) [BT34IW](#) [HRFCP-HSCJ-1\(61\)](#) [HRFC-R2\(40\)](#) [NKSOPBUY](#) [20500002116](#) [2064996-1](#) [20800001065](#) [2170](#) [9132](#) [2612](#) [2620](#) [9291](#) [9440F18-19S](#) [9440F20-14P](#) [9440F20-14PW](#) [9440W18-1S](#)