

RECTANGULAR POWER CONNECTORS











TE Internal Number: 1-794657-0





Product Type Housing

Housing Type Receptacle

Connector System Wire-to-Board

Applies To Printed Circuit Board

Number of Positions 10





PRODUCT DRAWING



3D PDF

Product Drawings

RECEPTACLE HOUSING, 2 TO 24 POSITION, AMP-DUAC(TM) POWER

CONNECTOR

PDF English

CAD Files

Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

3D PDF

PDF **English**

Catalog Pages/Data Sheets

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

PDF **English**

Product Specifications

Product Specification AMP DUAC Socket Connector

PDF **English**

AMP DUAC Socket Connector

English

Application Specification **AMP-DUAC Headers And Connectors**

Qualification Test Report **AMP DUAC Socket Connector**

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Product Type	Housing
	Housing Type	Receptacle
	Contact Type	Socket
Configuration Features	Number of Positions	10
	Centerline	4.2 mm [.165 in]
	Number of Power Positions	0
	Number of Signal Positions	10
	Number of Rows	2
	Row-to-Row Spacing (mm)	4.2
Electrical Characteristics	Operating Voltage (VAC)	600
Housing Features	UL Flammability Rating	UL 94V-0
	Housing Color	White
	Housing Material	Nylon
Dimensions	Width	18.8 mm [.74 in]
	Height	11.7 mm [.461 in]
	Length	22.3 mm [.88 in]
Operation/Application	Connector System	Wire-to-Board
	Applies To	Printed Circuit Board
	Operating Temperature (°C)	-55 – 105
Industry Standards	VDE Tested	Yes
industry standards		
	Agency/Standard Number	E28476
Packaging Features	Packaging Method	Bag
-	Packaging Quantity	750
Product Compliance	Statement of Compliance	

VIEW ALL PRODUCT COMPLIANCE



Relation Type ▼

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - Standard Rectangular
Connectors
VAL-U-LOK | VAL-U-LOK

1 OP VAL - I I - I OK RM

10P VAL-U-LOK BMI VRTHDR V0 - 1-1586588-0

TE INTERNAL NUMBER: 1-1586588-0

✓ Active

Always EU RoHS/ELV Compliant

Product Type Connector

Mating Alignment With

Mating Alignment Type **Keyed**

Mating Retention With

Mating Retention Type Latch

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - Rectangular Power Connectors VAL-U-LOK | VAL-U-LOK

10P VAL-U-LOK R/A HDR V0 - 1-1586042-0 TE INTERNAL NUMBER: 1-1586042-0

✓ Active

Always EU RoHS/ELV Compliant

Product Type **Header**

Housing Type **Plug**

Connector System Wire-to-Board

Applies To Printed Circuit Board

Contact Current Rating 9 A

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - Rectangular Power Connectors VAL-U-LOK | VAL-U-LOK

10P VRT HDR VAL-U-LOK V0 - 1-1586038-0

TE INTERNAL NUMBER: 1-1586038-0

✓ Active

Always EU RoHS/ELV Compliant

Product Type **Header**

Housing Type **Plug**

Connector System Wire-to-Board

Applies To Printed Circuit Board

Contact Current Rating 9 A



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

892-18-020-10-001101 58102-G61-06LF 582553-1 0009485154 009176003701906 0050291907 LY20-4P-DT1-P1E-BR 02.125.8002.8
609-3404 61062-3 61082-181009 622-3653LF 63453-116 636-1030 636-1427 636-3427 636-4007 641938-9 641991-4 644827-2 65817010LF 65817-015LF 65863-015LF 66207-023LF 67095-007LF 67601157 68645-018 68648-049 70.362.1628.0 70-4210 70-4226B 704853B 707-5020 707-5028 71.350.2428.0 71918-208LF 71961-016LF 733-134 733-162 754199-000 760-3052 79531-3000 FCN360C032-B FCN-367T-T012/H FCN-723D010/2 80.063.4001.1 800-90-010-10-002000 801-43-002-10-013000 801-43-006-10-002000
801-93-011-10-001000