# 17P MODU 2 PIN HDR V ACTIVE

## AMPMODU | AMPMODU Headers

TE Part # 1-826634-7
TE Internal #: 1-826634-7

View on TE.com >



Connectors > PCB Connectors > Multiple Configuration PCB Connectors > Multiple Config PCB Headers & Receptacles



PCB Connector Assembly Type: PCB Mount Header

PCB Mount Orientation: Right Angle

Number of Positions: 34

Centerline (Pitch): 2.54 mm [.1 in]

Contact Type: Pin

### **Features**

### **Product Type Features**

PCB Connector Assembly Type	PCB Mount Header
Connector & Contact Terminates To	Printed Circuit Board
Header Type	Breakaway

### **Configuration Features**

Connector Contact Load Condition	Fully Loaded
PCB Mount Orientation	Right Angle
Number of Positions	34
Number of Rows	2

#### **Electrical Characteristics**

Dielectric Withstanding Voltage	1000 V
---------------------------------	--------

# **Body Features**

Connector Profile	Standard
Post Size	.63 mm[.024 in]

#### **Contact Features**

Mating Post Length	6.7 mm[.264 in]
PCB Contact Termination Area Plating Material Thickness	3 µm
Contact Mating Area Plating Material Thickness	.8 μm
Contact Mating Area Plating Material	Gold
Contact Shape	Square



PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Type	Pin
Contact Current Rating (Max)	5 A
Termination Features	
Termination Post & Tail Length	3.2 mm[.1259 in]
Termination Method to Printed Circuit Board	Through Hole
Mechanical Attachment	
Strain Relief	Without
Mating Alignment	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Housing Features	
Housing Material	PBT GV
Centerline (Pitch)	2.54 mm[.1 in]
Housing Color	Green
Dimensions	
Row-to-Row Spacing	2.54 mm[.1 in]
Usage Conditions	
Usage Conditions	
High Temperature Housing	No
	No -65 – 105 °C
High Temperature Housing	
High Temperature Housing  Operating Temperature Range	
High Temperature Housing  Operating Temperature Range  Industry Standards	-65 – 105 °C
High Temperature Housing  Operating Temperature Range  Industry Standards  UL Flammability Rating	-65 – 105 °C

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

TE Part # 1-826634-7 TE Internal #: 1-826634-7



EU REACH Regulation (EC) No. 1907/2006 ECHAによる現在の候補リスト: 2019年1月

(197)

候補リストの表記: 2016年6月(169)

Halogen Content Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# Also in the Series | AMPMODU Headers



Automotive, Truck, Bus, & Off-Road Headers(2)



Board-to-Board Headers & Receptacles(1571)



Multiple Configuration PCB Connector Contacts (75)



Multiple Configuration PCB Connector Housings (3)



Multiple Configuration PCB Headers & Receptacles(4201)



PCB Connector Mounting (1)



PCB Connector Shrouds(1)



PCB Latches, Locks & Retainers(2)

TE Part # 1-826634-7 TE Internal #: 1-826634-7





# Customers Also Bought






TE Part #2-826634-0 MOD2 PIN HEADER 20P



TE Part #6-1879213-8 CPF 0402 143R 0.1% 25PPM 1K RL



TE Part #1-826634-3 13P MODU 2 PIN HDR.



TE Part #2-1624108-1 3640 0402 10nH 2% 1K RL



TE Part #5-338309-2 9P.HDP20 PLUG ASSY




TE Part #1419108-8 RT314005F



TE Part #1676915-8 YR1 0.1% 732R



TE Part #7-1624108-1 3640 0402 20.8nH 2% 1K RL



TE Part #8-1879254-8
RP 2B 46R4 0.1% 15PPM
CUT LENGTH

## **Documents**

**CAD Files** 

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-826634-7\_N.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-826634-7\_N.3d\_igs.zip

## 17P MODU 2 PIN HDR

TE Part # 1-826634-7 TE Internal #: 1-826634-7



English

**Customer View Model** 

ENG\_CVM\_CVM\_1-826634-7\_N.3d\_stp.zip

English

Agency Approvals

**UL Report** 

English

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

892-18-020-10-001101 58102-G61-06LF 582553-1 0009485154 009176003701906 0050291907 LY20-4P-DT1-P1E-BR 02.125.8002.8
609-3404 61062-3 61082-181009 622-3653LF 63453-116 636-1030 636-1427 636-3427 636-4007 641938-9 641991-4 644827-2 65817010LF 65817-015LF 65863-015LF 66207-023LF 67095-007LF 67601157 68645-018 68648-049 70.362.1628.0 70-4210 70-4226B 704853B 707-5020 707-5028 71.350.2428.0 71918-208LF 71961-016LF 733-134 733-162 754199-000 760-3052 787-8014-00 79531-3000
FCN-360C032-B FCN-367T-T012/H FCN-723D010/2 80.063.4001.1 800-90-001-10-001000 800-90-010-10-002000 801-43-002-10-013000