



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
L		RESIN SUPPLIER CHANGE FOR THE HOUSING	13DEC2021	SCB	KJK



NOTES:

- 1 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 2 .000015 GOLD ON THE CONTACT AREA, GOLD FLASH ON SOLDER AREA, ALL OVER .000050 NICKEL
- 3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



RECOMMENDED HOLE LAYOUT

3	OBSOLETE	NONE	6TH	.984	.900	9	19	20	4-87230-3		
	OBSOLETE	2ND	NONE	.584	.500	5	11	12	4-	-2	
	OBSOLETE	4TH		.484	.400	4	9	10	4-	-1	
		NONE		3.984	3.900	39	80	80	4-	-0	
				3.884	3.800	38	78	78	3-	-9	
				3.784	3.700	37	76	76	3-	-8	
				3.684	3.600	36	74	74	3-	-7	
				3.584	3.500	35	72	72	3-	-6	
				3.484	3.400	34	70	70	3-	-5	
				3.384	3.300	33	68	68	3-	-4	
				3.284	3.200	32	66	66	3-	-3	
				3.184	3.100	31	64	64	3-	-2	
				3.084	3.000	30	62	62	3-	-1	
				2.984	2.900	29	60	60	3-	-0	
				2.884	2.800	28	58	58	2-	-9	
				2.784	2.700	27	56	56	2-	-8	
				2.684	2.600	26	54	54	2-	-7	
				2.584	2.500	25	52	52	2-	-6	
				2.484	2.400	24	50	50	2-	-5	
				2.384	2.300	23	48	48	2-	-4	
				2.284	2.200	22	46	46	2-	-3	
				2.184	2.100	21	44	44	2-	-2	
				2.084	2.000	20	42	42	2-	-1	
				1.984	1.900	19	40	40	2-	-0	
				1.884	1.800	18	38	38	1-	-9	
				1.784	1.700	17	36	36	1-	-8	
				1.684	1.600	16	34	34	1-	-7	
				1.584	1.500	15	32	32	1-	-6	
				1.484	1.400	14	30	30	1-	-5	
				1.384	1.300	13	28	28	1-	-4	
				1.284	1.200	12	26	26	1-	-3	
				1.184	1.100	11	24	24	1-	-2	
				1.084	1.000	10	22	22	1-	-1	
				.984	.900	9	20	20	1-	-0	
				.884	.800	8	18	18		-9	
				.784	.700	7	16	16		-8	
				.684	.600	6	14	14		-7	
				.584	.500	5	12	12		-6	
				.484	.400	4	10	10		-5	
				.384	.300	3	8	8		-4	
				.284	.200	2	6	6		-3	
				.184	.100	1	4	4		-2	
	NONE	NONE		.084			2	2		87230-1	
ROW N	ROW M	C	B	A	NO OF ACT POS	NO OF POS	ASSEMBLY PART NUMBER				
POSTS OMITTED											

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN 5-15-85	TE Connectivity
0. PLC ± -	1. PLC ± -	L. MAYER 5-22-85	
2. PLC ± -	3. PLC ± .005	T. ZOLA 5-22-85	
4. PLC ± -	ANGLES ± -	APVD T. ZOLA 5-22-85	NAME
MATERIAL: HOUSING: FRAM RETARDANT THERMOPLASTIC, COLOR:BLACK POSTS: PHOS BRONZE	FINISH: 2	APPLICATION SPEC	ASSEMBLY, MOD II, HEADER, DOUBLE ROW, .100 X .100 CL
		SIZE	RIGHT ANGLE, .025 SQ POSTS, SELECTIVELY LOADED
		WEIGHT	SCALE 4:1 SHEET 1 OF 1 REV
		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 1 REV

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)