






LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		C1		REV PER ECR-13-004638	20MAR2013	ML	SZ



- 1 PART NUMBER, AND DATE CODE MARKED IN AREA SHOWN.
- 2 MATERIAL:
 HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0, BLACK
 SIGNAL CONTACT - COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 HOLE.
- 8 VARIABLE DIMENSIONS SHOWN ON VIEW (SHEET 2)



2.500	.250	.250	2.150	1.425	2.550	2.850	.450	4P + 24S + 2P	1892120-5
4.700	.250	.250	2.850	2.375	4.750	5.050	.450	8P + 16S + 8P	1892120-4
2.800	.200	.200	2.525	2.025	2.850	3.150	.425	8P + 16S + 2P	1892120-3
2.550	8	.250	1.550	.875	2.600	2.900	.450	2P + 24S + 1P + 3ACP	1892120-2
2.500	.250	.250	2.150	1.425	2.550	2.850	.450	4P + 24S + 2P	1892120-1
DIM U	DIM T	DIM S	DIM R	DIM W	DIM D	DIM L	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: C. ZHOU 05JUL2007
 CHK: S. ZHAO 05JUL2007

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.0020
 ANGLES ±.020

MATERIAL: FINISH: 3

Customer Drawing

APVD: S. YAO
 NAME: S. YAO
 PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: -

SCALE: 4:1 SHEET 1 OF 3 REV: C1



TE Connectivity
 RIGHT ANGLE HEADER ASSEMBLY W/GUIDES AND THREE-BEAM CONTACTS MULTI-BEAM XLE
 A100779C=1892120

LOC	DIST	REV	DATE	BY	APP'D
ES	00				

PART NUMBER	ROWS	POWER				SIGNAL						POWER'	
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6
1892120-1	D	TM	TM	TM	TM	J	J	J	J	J	J	TM	TM
	C					K	K	K	K	K	K		
	B					N	N	N	N	N	N		
A	S	S	S	S	S	S							
4P + 24S + 2P													

PART NUMBER	ROWS	POWER		SIGNAL						POWER'			
		P1	P2	1	2	3	4	5	6	P3	P4	P5	P6
1892120-2	D	TM	TM	J	J	J	J	J	J	TM	TM	TM	TM
	C			K	K	K	K	K	K				
	B			N	N	N	N	N	N				
A	S	S	S	S	S	S							
2P + 24S + 1P + 3ACP													

PART NUMBER	ROWS	POWER				SIGNAL						POWER'	
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6
1892120-5	D	TM	TM	TM	TM	J	J	J	J	J	J	TM	TM
	C					K	K	F	K	K	K		
	B					N	N	G	N	N	N		
A	S	S	H	S	S	S							
4P + 24S + 2P													



ROW	DESCRIPTION	CODE
C	SIGNAL CONTACT, MLBF	F
B	SIGNAL CONTACT, MLBF	G
A	SIGNAL CONTACT, MLBF	H
D	SIGNAL CONTACT, STD	J
C	SIGNAL CONTACT, STD	K
B	SIGNAL CONTACT, STD	N
A	SIGNAL CONTACT, STD	S
-	STD HOT PLUG POWER CONTACT	TM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.002
 ANGLES ±.020

MATERIAL: -
 FINISH: -



DWG: C.ZHOU 05JUL2007
 CHK: S.ZHAO 05JUL2007
 APVD: S.YAO
 NAME: -
 PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: -
 Customer Drawing

STE TE Connectivity
 RIGHT ANGLE HEADER ASSEMBLY
 W/GUIDES AND THREE-BEAM CONTACTS
 MULTI-BEAM XLE
 SIZE: 114-13038
 CAGE CODE: A100779
 DRAWING NO: 1892120
 SCALE: 4:1 SHEET 2 OF 3

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	OWN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	POWER								SIGNAL				POWER'	
		P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	4	P9	P10
1892120-3	D C B A	TM	TM	TM	TM	TM	TM	TM	TM	J	J	J	J	TM	TM
		TM	TM	TM	TM	TM	TM	TM	TM	K	K	K	K	TM	TM
		TM	TM	TM	TM	TM	TM	TM	TM	N	N	N	N	TM	TM
8P + 16S + 2P										S	S	S	S		

PART NUMBER	ROWS	POWER								SIGNAL				POWER'							
		P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	4	P9	P10	P11	P12	P13	P14	P15	P16
1892120-4	D C B A	TM	TM	TM	TM	TM	TM	TM	TM	J	J	J	J	TM	TM	TM	TM	TM	TM	TM	TM
		TM	TM	TM	TM	TM	TM	TM	TM	K	K	K	K	TM	TM	TM	TM	TM	TM	TM	TM
		TM	TM	TM	TM	TM	TM	TM	TM	N	N	N	N	TM	TM	TM	TM	TM	TM	TM	TM
8P + 16S + 8P										S	S	S	S								



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: C. ZHOU 05JUL2007	 TE Connectivity
DIMENSIONS: INCHES		CHK: S. ZHAO 05JUL2007	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: S. YAO	NAME: RIGHT ANGLE HEADER ASSEMBLY W/GUIDES AND THREE-BEAM CONTACTS MULTI-BEAM XLE
0 PLC ±.01		PRODUCT SPEC: 108-1973	SIZE: A1
1 PLC ±.01		APPLICATION SPEC: 114-13038	CAGE CODE: 1892120
2 PLC ±.005		WEIGHT: -	RESTRICTED TO: -
3 PLC ±.0020		Customer Drawing	SCALE: 4:1
ANGLES: ±.7°		Customer Drawing	SHEET: 3 OF 3
FINISH: -		Customer Drawing	REV: C1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power to the Board](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[6450171-4](#) [6450552-7](#) [6600323-8](#) [6643429-1](#) [6646040-2](#) [6651939-1](#) [6766604-1](#) [120959-1](#) [1393557-2](#) [1393532-2](#) [1393532-3](#) [1393532-4](#)
[1393557-1](#) [1600812-5](#) [1-6450861-2](#) [1744132-7](#) [1761122-1](#) [1766250-1](#) [1892109-1](#) [2-6450860-5](#) [2-6450870-0](#) [1-6450161-4](#) [1-6450850-6](#) [1-6450869-6](#) [1645526-2](#) [1-6600130-0](#) [2005243-2](#) [377-0020-11130](#) [TE34-12-16P-F0](#) [5-6450830-6](#) [5646956-4](#) [377-0080-11131A](#) [4-6450830-9](#)
[4-6600333-3](#) [10125416-4050LF](#) [6600320-3](#) [3-6450860-5](#) [1888123-2](#) [6450166-1](#) [6643978-1](#) [6766605-1](#) [701-15-02109](#) [N11444](#) [6651938-1](#)
[6450810-7](#) [46437-1112](#) [1-1589677-8](#) [5646956-5](#) [6450813-2](#) [6450129-4](#)