



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | |
|-----|------|-------------|---------------------------|-----------|---------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| - | - | B | REVISED PER ECR-12-002341 | 06FEB2012 | S.W S.Y |
| - | - | C | REVISED PER ECR-15-017537 | 12JAN2016 | D.Z S.L |
| - | - | C1 | REVISED PER ECR-16-012137 | 24AUG2016 | D.Z S.L |
| - | - | C2 | REVISED PER ECR-17-012657 | 30AUG2017 | R.Z S.L |



Mating End---0 ±0.20
 Card Detect Contact---0.88 ±0.20
 Contact 1,2,3,5,7,8---1.8 ±0.20
 Contact 4,6---2.4 ±0.20
 Mating Begin---5.55 ±0.20

CONTACTS MATING SEQUENCE




RECOMMENDED P.C.B. LAYOUT

OBSOLETE

▣ PATTERN PROHIBITION AREA

- 1 MATERIAL
 HOUSING : LCP UL94V-0
 CONTACT : PHOSPHOR BRONZE
 SWITCH CONTACT : PHOSPHOR BRONZE
 SHELL : STAINLESS STEEL
 - 2 FINISH
 CONTACT : Ni PL 0.0013 MIN. ALL OVER
 Au PL 0.0003 MIN. AT CONTACT AREA
 Au FLASH PL 0.00005-0.00013 AT SOLDERING AREA
 SWITCH CONTACT: Ni PL 0.0013 MIN. ALL OVER
 Au PL 0.0003 MIN. AT CONTACT AREA
 Au FLASH PL 0.00005-0.00013 AT SOLDERING AREA
 SHELL : Ni PL 0.0013 MIN. ALL OVER
 Au FLASH PL 0.00005-0.00013 AT SOLDERING AREA
 - 3. COPLANARITY : 0.08MAX.
 - 4. RECOMMENDED STENCIL THICKNESS 0.1mm MIN.
- : CRITICAL ITEMS.



1932739-1: AS SHOWN

| | | | | | | | | | | | | | | | | |
|--|---------|-------------------------------|---|-----------------------|------|-------|-------|-------|--------|-------|---------|--------|---|----------------------------|------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN 13MAY2011 DANIEL ZHANG | TE Connectivity | | | | | | | | | | | | | |
| DIMENSIONS: mm | | CHK 13MAY2011 WENKE HE | | | | | | | | | | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2 | | APVD 13MAY2011 STEVEN YAO | NAME MicroSD SOCKET PUSH/PULL, LOW PROFILE TYPE | | | | | | | | | | | | | |
| <table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±0.5</td></tr> <tr><td>2 PLC</td><td>±0.13</td></tr> <tr><td>3 PLC</td><td>±0.013</td></tr> <tr><td>4 PLC</td><td>±0.0001</td></tr> <tr><td>ANGLES</td><td>±</td></tr> </table> | | 0 PLC | ± | 1 PLC | ±0.5 | 2 PLC | ±0.13 | 3 PLC | ±0.013 | 4 PLC | ±0.0001 | ANGLES | ± | PRODUCT SPEC 108-115017 | SIZE A3 | |
| 0 PLC | ± | | | | | | | | | | | | | | | |
| 1 PLC | ±0.5 | | | | | | | | | | | | | | | |
| 2 PLC | ±0.13 | | | | | | | | | | | | | | | |
| 3 PLC | ±0.013 | | | | | | | | | | | | | | | |
| 4 PLC | ±0.0001 | | | | | | | | | | | | | | | |
| ANGLES | ± | | | | | | | | | | | | | | | |
| MATERIAL 1 | | APPLICATION SPEC - | CAGE CODE 00779 | DRAWING NO 1932739 | | | | | | | | | | | | |
| FINISH 2 | | WEIGHT - | RESTRICTED TO - | | | | | | | | | | | | | |
| | | CUSTOMER DRAWING | SCALE 5:1 | SHEET 1 OF 2 | | | | | | | | | | | | |
| | | | REV C2 | | | | | | | | | | | | | |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

| LOC | DIST |
|-----|------|
| - | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | - | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |



OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.

| | |
|-------------------|--|
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: |
| | 0 PLC ±- |
| | 1 PLC ±0.5 |
| | 2 PLC ±0.13 |
| | 3 PLC ±0.013 |
| | 4 PLC ±0.0001 |
| | ANGLES ±- |
| MATERIAL - | FINISH - |

| | |
|------------------|-----------|
| DWN | 13MAY2011 |
| DANIEL ZHANG | |
| CHK | 13MAY2011 |
| WENKE HE | |
| APVD | 13MAY2011 |
| STEVEN YAO | |
| PRODUCT SPEC | |
| APPLICATION SPEC | |
| WEIGHT | - |
| CUSTOMER DRAWING | |

| | | | |
|-----------------|-----------|---|---------------|
| TE Connectivity | | NAME | |
| | | MicroSD SOCKET PUSH/PULL, LOW PROFILE TYPE | |
| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
| A3 | 00779 | C-1932739 | - |
| SCALE 5:1 | | SHEET 2 OF 2 | REV C2 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Memory Card Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[M21-033321-005](#) [6426-201-21343](#) [69.920.0553.0](#) [MCR60A-98D-2.54DSA\(70\)](#) [FCN-568P068-G/07-4V](#) [809180410000000](#) [95622-003LF](#)
[DM3AT-SF-PEJM5\(41\)](#) [EN2997S72039F6](#) [N7E50-7516PG-20-WF](#) [IC11S-BUR-PNEJL\(71\)](#) [NX30TA-15PAA\(50\)](#) [NX60TA-25SAA9-](#)
[SP\(50\)](#) [21920-5](#) [2041353-2](#) [FUA006-3220-0](#) [33CFAE-DN](#) [MI21A-50PD-SF-EJR\(91\)](#) [502431-1011](#) [5175651-2](#) [10-247926-166](#)
[EN2997S02039B8](#) [EN2997S61212BN](#) [EN2997S72039B6](#) [EN2997SE02039B8](#) [EN2997SE61212BN](#) [EN2997SE72039B6](#) [NX1-32T-](#)
[KT3K\(05\)](#) [95622-003LF](#) [91-570124-15P](#) [192900-0488](#) [DM1AA-SF-PEJ](#) [95079-00CALF](#) [84648-056HLF](#) [68-580163-21S](#) [33DVIR-29S12R](#)
[SF58S006VBBR2000](#) [93-570123-08P](#) [GMC020080HR](#) [125A-78C00](#) [1010040575#](#) [MI20A-50PD-SF-EJL\(71\)](#) [KP10S-SF-PEJ\(812\)](#)
[DM1AA-SF-PEJ\(31\)](#) [FO-10GGBLCX20-002](#) [504536-0691](#) [115S-ACA2](#) [115S-ACA3](#) [115S-BS00](#) [115S-BT00](#)