




# 1986724-6 Product Details

[Share](#) [Print](#) [Email](#)



**1986724-6**

TE Internal Number: 1986724-6

Active

## Terminal Block Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance)

### Product Highlights:

- Connector
- Type of Connector = Plug (right-hand)
- Not Shrouded
- Housing Color = Green
- Not Side Stackable

[View all Features](#)

## Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

## Documentation & Additional Information

Documents are temporarily unavailable. We are working hard to correct the problem. Please try again later.

### Additional Information:

- [Product Line Information](#)

### Related Products:

- [Tooling](#)

## Product Features (Please use the Product Drawing for all design activity)

### Product Type Features:

- [Product Type](#) = Connector
- [Type of Connector](#) = Plug (right-hand)
- [Mount Angle](#) = Vertical

### Electrical Characteristics:

- Current Rating, Max. (A) = 11 Stranded, 9 Solid
- Voltage (VAC) = 300

### Body Features:

- [Wire Entry Diameter \(Solid Wire\) \(mm<sup>2</sup>\)](#) = 0.05 - 2.00
- [Wire Entry Diameter \(Stranded Wire\) \(mm<sup>2</sup>\)](#) = 0.05 - 2.00
- [Wire Entry Angle](#) = Top
- [Wire Range \(mm \[AWG\]\)](#) = 0.05-2.00<sup>2</sup> [30-14]
- [Lever Color](#) = Orange

### Contact Features:

- [Contact Plating, Mating Area, Material](#) = Tin over Copper Alloy

### Housing Features:

- [Housing Color](#) = Green
- [Centerline \(mm \[in\]\)](#) = 3.81 [0.1499]
- [Housing Material](#) = Polyamide - GF

### Configuration Features:

- [Shrouded](#) = No
- [Side Stackable](#) = No
- [Threaded Flange](#) = With
- [Screw Flange](#) = With
- [Number of Positions](#) = 6
- [Number of Rows](#) = Single
- [Mating Angle](#) = 90° (Bottom)/ 270° (Top)

### Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 260°C, Wave solder capable to 240°C, Wave solder capable to 265°C
- [RoHS/ELV Compliance History](#) = Always was RoHS compliant

### Other:

- [Brand](#) = TE Connectivity

Feedback

## Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [AODA Accessibility Policy](#)
- [AODA Multi-Year Accessibility Plan](#)

## Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

## Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

## Keep Me Informed





## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pluggable Terminal Blocks](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[57.510.0053](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [734-104](#) [734-302](#) [8-141-P](#) [8426620000](#) [860505](#) [860516](#) [860810](#) [GBPACX-12](#)  
[93.731.4953.0](#) [PV05-5,08-K](#) [PVP03-3,50](#) [PVP04-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [1377680000](#) [1531000000](#) [1546228-5](#) [ELFH16150](#)  
[ELFP03110](#) [ELFP10210](#) [ELFT06250](#) [ELVP03100](#) [1700101](#) [1700410](#) [1700425](#) [1702246](#) [1705229](#) [1710175](#) [1714537](#) [1717806](#) [1719600](#)  
[1728941](#) [1734692](#) [1734795](#) [1736036](#) [1740194](#) [1740628](#) [1740990](#) [1746952](#) [1750207](#) [1752441](#) [1752865](#) [1754115](#) [1754144](#) [1756913](#)  
[1760051](#) [1760336](#)