
202A132-25-0 - ACTIVE

Raychem

TE Internal #: 806697-000 Heat Shrink Boots, 180 °, Molded Part Shape Code 202, 25, 25, Operating Temperature Range -75 – 150 °C [-103 – 302 °F] View on TE.com >

Wire Protection & Management > Heat Shrink Molded Shapes > Heat Shrink Boots > Heat Shrink Boots: Non Lipped, Straight



Molded Part Angle: 180 °

Molded Part Shape Code: 202

Lipped: No

Material Code: 25

Heat Shrink Boot Material Systems Code: 25

All Heat Shrink Boots: Non Lipped, Straight (171)

Features

Product Type Features

Molded Part Angle

ennectivity

180°

Configuration Features

Lipped	No
Body Features	
Material Code	25
Heat Shrink Boot Material Systems Code	25
Adhesive Pre-Coat	No
Material	Fluid Resistant Modified Elastomer
Dimensions	
Wire/Cable Outside Diameter	.3 in, .31 in, .35 in, .39 in, .43 in, .433 in, .47 in, 10 mm, 11 mm, 12 mm, 8 mm, 9 mm
Cable Diameter Range	6.6 – 20.3 mm[.26 – .8 in]
Usage Conditions	
Operating Temperature Range	-75 – 150 °C[-103 – 302 °F]
Operation/Application	
Power Cable Accessory	No
Industry Standards	

202A132-25-0

Heat Shrink Boots, 180°, Molded Part Shape Code 202, 25, 25, Operating Temperature Range -75 – 150 °C [-103 – 302 °F]



Approved Standards	BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867
Government Qualified	No
Other	
Molded Part Shape Code	202
Fluid & Chemical Resistance	Long-Term Exposure at High Temperature
Adhesive Options	/225 Precoat
Adhesive Type	Adhesive Purchased Separately
Product Compliance For compliance documentation, visit the product page on TE.com>	
•	Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

Halogen Content

Out of Scope - excluded from Halogen

Solder Process Capability

requirements

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts


202A132-25-0

Heat Shrink Boots, 180 °, Molded Part Shape Code 202, 25, 25, Operating Temperature Range -75 – 150 °C [-103 – 302 °F]





Customers Also Bought



TE Part #2160013004 55A0111-22-9	TE Part #3160193002 55A0121-24-2/6	TE Part #3160333004 55A1121-20-2/6-9	TE Part #3160353004 55A1121-24-2/6-9	
Documents				
Product Drawings 202A132-25-0				
English				
Datasheets & Catalog 1654025_Sec425	g Pages			
English				
Raychem Molded Parts	Visual Guide			
English				
Product Specification	S			
Product Specification				
English				
Product Environment	al Compliance			
Safety Datasheet	•			

Safety Datasheet

202A132-25-0

Heat Shrink Boots, 180 °, Molded Part Shape Code 202, 25, 25, Operating Temperature Range -75 – 150 °C [-103 – 302 °F]



Safety Datasheet

English

Safety Datasheet

French

Safety Datasheet

German

Safety Datasheet

Safety Datasheet

Safety Datasheet

Safety Datasheet

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Cable Boots & End Caps category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

577159N001 645494-000 CX4132-000 687025-000 705331-000 718446-000 725666N001 729257-000 F27131-000 F85868-000 770-003S106W2 770-013210W1 770-013311 770-013312 806542N001 807507-000 808059-000 808362-000 808618-000 809125-000 809130-000 809218-000 812014-000 812047-000 813166-000 813767N002 814741-000 819117N001 823026-000 823070-000 825002-000 841189N001 861471-000 866647-000 879515-000 937577-000 957073-000 982033-2 A77813-000 R280576000 D96192-000 163549-000 MTPSRBCL-C 1954015-1 200W531-3-0 202A163-4-0-CS5067 202A343-3-00-0 202B221-13-0 202B231-13-0 202B563-25-07-0