



NOTES

- ALL DIMENSIONS ARE IN $\frac{\text{INCHES}}{\text{[MILLIMETERS]}}$
- DIMENSIONS APPEARING IN TABLE ARE AS FOLLOWS:
 - a - AS SUPPLIED
 - b - AFTER UNRESTRICTED RECOVERY
- COATING (ADHESIVE) IS OPTIONAL. AS SUPPLIED DIMENSIONS APPEARING IN TABLE ARE FOR UNCOATED PARTS. WHEN COATING IS ADDED, ENTRY DIAMETERS WILL BE REDUCED BY .06 MAX.
- MOLDING PORTS ARE OPTIONAL. WHEN -00 MODIFICATION NUMBER IS SPECIFIED MOLDING PORTS WILL BE LOCATED AS SHOWN.

| REVISIONS | | |
|-----------|---------------------------|----------|
| LTR | DESCRIPTION | DATE |
| Y | REVISED PER ECD-15-010088 | 07/01/15 |



AS SUPPLIED



AFTER UNRESTRICTED RECOVERY

TABLE OF DIMENSIONS

| PART NUMBER | H | | | | J | | | | P ±10% | R ±10% | S Ref b | T Ref b | JO Ref b | W ±20% |
|-------------|-----------------------|-----------------------|----------------|----------------|-----------------------|-----------------------|----------------|----------------|-----------------|-----------------|----------------|----------------|----------------|---------------|
| | Min -3,-4,-25 a | Min -3,-4,-25 a | Min -4 a | Max b | Min -3,-4,-25 a | Min -3,-4,-25 a | Min -4 a | Max b | | | | | | |
| 202A111 | .65 [16,5] | .65 [16,5] | .65 [16,5] | .31 [7,9] | .65 [16,5] | .47 [11,9] | .65 [16,5] | .15 [3,8] | 1.00 [25,4] | .56 [14,2] | .50 [12,7] | N/A | .23 [5,8] | .05 [1,27] |
| 202A121 | .97 [24,6] | .89 [22,6] | .92 [23,4] | .39 [9,9] | .97 [24,6] | .70 [17,8] | .92 [23,4] | .21 [5,3] | 1.50 [38,1] | .86 [21,8] | .60 [15,2] | N/A | .36 [9,1] | .08 [1,52] |
| 202A132 | 1.12 [28,4] | 1.03 [26,2] | 1.05 [26,7] | .56 [14,2] | 1.12 [28,4] | .80 [20,3] | 1.05 [26,7] | .26 [6,6] | 2.02 [51,3] | 1.10 [27,9] | .75 [19,1] | .63 [16,0] | .51 [13,0] | .07 [1,78] |
| 202A142 | 1.22 [31,0] | 1.22 [31,0] | 1.22 [31,0] | .70 [17,8] | 1.22 [31,0] | 1.00 [25,4] | 1.22 [31,0] | .29 [7,4] | 2.63 [66,6] | 1.40 [35,6] | .75 [19,1] | .87 [22,1] | .70 [17,8] | .07 [1,78] |
| 202A153 | 1.42 [36,0] | 1.42 [36,0] | 1.42 [36,0] | .86 [21,9] | 1.42 [36,0] | 1.03 [26,2] | 1.42 [36,0] | .34 [8,6] | 2.90 [73,7] | 1.63 [41,4] | .75 [19,1] | .87 [22,1] | .63 [16,0] | .07 [1,78] |
| 202A163 | 1.68 [42,7] | 1.68 [42,7] | 1.68 [42,7] | 1.08 [27,4] | 1.68 [42,7] | 1.07 [27,2] | 1.68 [42,7] | .37 [9,4] | 3.90 [99,1] | 2.47 [62,7] | .75 [19,1] | .99 [25,2] | .71 [18,0] | .08 [2,03] |
| 202A174 | 2.04 [51,8] | 1.90 [48,3] | 2.04 [51,8] | 1.39 [35,3] | 2.04 [51,8] | 1.90 [48,3] | 2.04 [51,8] | .63 [16,0] | 5.13 [130,3] | 2.55 [64,8] | 1.00 [25,4] | 2.00 [50,8] | 1.65 [41,9] | .13 [3,30] |
| 202A185 | 2.60 [66,0] | 2.60 [66,0] | 2.60 [66,0] | 1.72 [43,7] | 2.60 [66,0] | 2.13 [54,1] | 2.60 [66,0] | .77 [19,6] | 6.35 [161,3] | 3.55 [90,2] | 1.00 [25,4] | 2.15 [54,6] | 1.88 [47,8] | .15 [3,81] |
| 202A196 | 3.40 [86,4] | 3.40 [86,4] | 3.40 [86,4] | 2.25 [57,2] | 3.40 [86,4] | 2.81 [71,4] | 3.40 [86,4] | 1.06 [26,9] | 8.37 [212,6] | 4.45 [113,0] | 1.00 [25,4] | 3.15 [80,0] | 2.45 [62,2] | .16 [4,06] |

Raychem Molded Parts

CUSTOMER DRAWING

| | | |
|--|------------------------|------------|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE INCHES. METRIC DIMENSIONS ARE IN BRACKETS. | DRAWN | DATE |
| | UNGUYEN | 05/21/2008 |
| DECIMAL TOLERANCES .XXX ± 0.005 (0.13 mm) .XX ± 0.01 (0.25 mm) .X ± 0.1 (0.50 mm) | RPN | |
| ANGLE TOLERANCE .X ± 1 DEG. | THIRD ANGLE PROJECTION | |

| | | |
|---------------------------------------|--------------------------|----------------------------|
| STE | | TE Connectivity |
| TITLE BOOT, STRAIGHT, OVEREXPANDED | | |
| SIZE B | CODE IDENT. NO. 06090 | DWG. NO. 202A111thru196 |
| DO NOT SCALE THIS DRAWING | | SHEET 1 OF 2 |

© 2015 Tyco Electronics Corporation. TE Connectivity Ltd. Company. All rights reserved.

If this document is printed it becomes uncontrolled. Check for the latest revision

4 | 3 | 2 | 1

D

D

| COMPATIBILITY CHART | | | | | |
|---------------------|----------------------------|---------|-------------------|------------------------|---------------------|
| MATERIAL DASH NO. | MATERIAL DESCRIPTION | RT SPEC | COATING SLASH NO. | COATING SPEC | COATING DESCRIPTION |
| -3 | POLYOLEFIN, SEMI-RIGID | RT-301 | /42; /86 | S-1017; S-1048 | ADHESIVE |
| -4 | POLYOLEFIN, FLEXIBLE | RT-1304 | /164; /86; /180 | S-1017; S-1048; S-1030 | ADHESIVE |
| -5 | ELASTOMER, FLEXIBLE | RT-501 | /42, | S-1017 | ADHESIVE |
| -6 | SILICONE | RT-602 | N/A | | |
| -12 | FLUOROELASTOMER | RT-1312 | N/A | | |
| -25 | ELASTOMER, FLUID RESISTANT | RW-2070 | /42; /86; /225 | S-1017; S-1048; S-1206 | ADHESIVE |
| -100 | POLYOLEFIN, SEMI-FLEXIBLE | RT-1323 | /180; /184; /86 | S-1030; S-1048 | ADHESIVE |
| | ZEROHAL | | | | |


C

C

ORDERING INFORMATION

B

B



A

A

CUSTOMER DRAWING

| | | | | |
|---------------------------|----------|-----|--------------|----------------|
| SIZE | DWG. NO. | REV | DWG. NO. | |
| B | 06090 | Y | | 202A111thru196 |
| DO NOT SCALE THIS DRAWING | | | SHEET 2 OF 2 | |

4 | 3 | 2 | 1

If this document is printed it becomes uncontrolled. Check for the latest revision

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Boots](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[618235-000](#) [622A014-3-0](#) [CX4132-000](#) [879103-4](#) [879515-000](#) [889092](#) [982033-2](#) [R280576000](#) [1300830729](#) [MTPSRBCL-C](#) [1811481-1](#)
[200W531-3-0](#) [202A121-386-0](#) [202A142-4-00/42-0](#) [202A163-4-0-CS5067](#) [202B221-13-0](#) [202B231-13-0](#) [202B563-25-07-0](#)
[202C621710CS5361](#) [202D132-4-07/42-0](#) [202D221-4-0-CS5349](#) [202D221-4-26-0](#) [202D263-25-08-0](#) [202D263-4-22/42-0](#) [202D263-4-88-0](#)
[202D921-2542-0](#) [202E336-71-0](#) [202F211-50-22-0-CS8474](#) [202F242-50-05-0](#) [202F242-51-04/164-0](#) [202K121-25-CS-1858-0](#) [202K121-25-](#)
[CS-2062-0](#) [202K132-25-01/225-0CS8387](#) [202K153-3-0186-0](#) [202S132-25-UP-0](#) [203W301-3/42-0](#) [207W613-100/184-0-CS5657](#) [207W623-](#)
[100-01/184-0](#) [207W634-100/184-0-CS5657](#) [207W656-100-01/184-0](#) [207W667-100-01/184-0](#) [207W667-100/184-0](#) [208A011-3-0](#) [208A021-3-](#)
[0](#) [221A011-51164-0-CS7133](#) [222A121-2586](#) [222A152-342-0](#) [222A213-25-0-CS5613](#) [222D221-25-13/86-0](#) [222D232-4-61-0-CS5078](#)