

Molded Parts Specification Control Drawing

NOTES

- 1. All dimensions are in $\frac{\text{inches}}{[\text{millimeters}]}$
- 2. Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.





202D2XX-X-48

Boot, Straight With Lip

Part Number :

Description :

TABLE OF DIMENSIONS											
PART NUMBER	н		J			P	R	s	Т	нw	JW
	Min	Max	Min	Min -5,-6,-8 -12,-100	Max	±10%	Ref	Ref	Ref	±20%	±20%
	a	ь	-3,-4,-25 -130 C	-12,-100 0	b	b	b	b	b	ь	b
202D211-X-48	.88	.45	.88	.55	.25	3.00	<u>.46</u>	. <u>12</u>	.04	.06	. <u>045</u>
	[22,4]	[11,4]	[22,4]	[14,0]	[6,4]	[76,2]	[11,7]	[3,0]	[1,0]	[1,52]	[1,14]
202D221-X-48	1.01	.59	1.01	.63	<u>.29</u>	3.00	.48	. <u>12</u>	.04	.06	. <u>045</u>
	[25,7]	[15,0]	[25,7]	[16,0]	[7,4]	[76,2]	[12,2]	[3,0]	[1,0]	[1,52]	[1,14]
202D232-X-48	1.16	.74	1.16	.72	. <u>33</u>	3.00	.48	. <u>12</u>	.04	.07	. <u>045</u>
	[29,5]	[18.8]	[29,5]	[18,3]	[8,4]	[76,2]	[12,2]	[3,0]	[1,0]	[1,78]	[1,14]
202D242-X-48	1.34	.90	1.34	.84	<u>.38</u>	3.00	.48	. <u>12</u>	.04	<u>.07</u>	. <u>045</u>
	[34,0]	[22,9]	[34,0]	[21,3]	[9,7]	[76,2]	[12,2]	[3,0]	[1,0]	[1,78]	[1,14]
202D253-X-48	1.47	1.16	1.47	<u>.91</u>	<u>.41</u>	3.00	<u>.55</u>	<u>.12</u>	. <u>065</u>	<u>.08</u>	. <u>045</u>
	[37,3]	[29,5]	[37,3]	[23,1]	[10,4]	[76,2]	[14,0]	[3,0]	[1,65]	[2,0]	[1,14]

tyco/Electronics

TYCO ELECTRONICS 307 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025 Revision: B
Date: 6/21/02

Part Number :

202D2XX-X-48

Description : Boot, Straight With Lip


Molded Parts Specification Control Drawing

Part Number : 202D2XX-X-48

Description : Boot, Straight With Lip

COMPATABILITY	CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION	
-3	Polyolefin, Semi-rigid	RT-301	/42; /86	S-1017; S-1048	Adhesive	
-4	Polyolefin, Flexible	RT-1304	/42; /86	S-1017;S-1048	Adhesive	
-5	Neoprene	RT-501	/42	S-1017		
-6	Silicone	RT-602	N/A			
-8	Polyolefin, Space	RT-1308	N/A			
-12	*VITON, Flexible	RT-1312	N/A			
-25	Elastomer, Fluid Resistant	RT-1325	/42,/86	S-1017; S-1048	Adhesive	
-130	Polyolefin, Flexible	RW-2008	/42; /86	S-1017; S-1048	Adhesive	
-100	Polyolefin, Semi-flexible ZEROHAL ^M	RT-1323	/86	S-1048	Adhesive	

*VITON is a Registered Trademark of Dupont



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

tyco/Electronics

TO ELECTRONICS 307 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025

Revision: B
Date: 6/21/02

Part Number: 202D2XX-X-48

Description : Boot, Straight With Lip

CAD FILE MP02076

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Cable Boots & End Caps category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

577159N001 645494-000 CX4132-000 687025-000 705331-000 718446-000 725666N001 729257-000 F27131-000 F85868-000 770003S106W2 806542N001 807507-000 808059-000 808362-000 808618-000 809125-000 809130-000 809218-000 812014-000 812047-000
813166-000 813767N002 814741-000 819117N001 823026-000 823070-000 825002-000 841189N001 861471-000 866647-000 879515000 937577-000 957073-000 982033-2 A77813-000 R280576000 D96192-000 163549-000 MTPSRBCL-C 1954015-1 200W531-3-0
202A163-4-0-CS5067 202A343-3-00-0 202B221-13-0 202B231-13-0 202B563-25-07-0 202C241-13-0 202D121-4-01/86-0 202D132-407/42-0