


# Specification Control Drawing


## Raychem

a) Part as supplied.

202K1\*\*-100-01



b) Part after unrestricted recovery.



DIMENSIONS	in millimetres
	(in inches for reference)

Part No.	Min	Max	Min	J Max	P ±10%	R ±10%	5 ±10%	T ±10%	U ±10%	J0 ±10%	HW ±20%	JW ±20%
	a	b	a	b	b 	b	b	b	b 	b	b	b
202K121-100-01	24 {0.94}	10.4	14 {0.55}	5.6 {0.22}	26 {1.02}	9 {0.35}	3.0 {0.12}	1.0	1	8.5 {0.33}	1.6 {0.06}	0.5 {0.02}
202K132-100-01	30 {1.18}	14.2 {0.56}	15 {0.59}	5.9 {0.23}	43 {1.69}	20 {0.79}	3.0 {0.12}	1.0	1)	11.5 {0.45}	1.8 {0.07}	1.0
202K142-100-01	31 {1.22}	18.0 {0.71}	18 {0.71}	7.1 {0.28}	47 {1.85}	15 {0.59}	3.0 {0.12}	1.0 {0.04}	1)	17.0 {0.67}	1.8 {0.07}	1.0
202K153-100-01	36 {1.42}	22.4 {0.88}	21 {0.83}	8.4 {0.33}	60 {2.36}	22 {0.87}	3.0 {0.12}	1.0 {0.04}	1)	19.5 {0.77}	2.0 {0.08}	1.0
202K163-100-01	43 {1.69}	28.2 {1.11}	25 {0.98}	9.9 {0.39}	79 {3.11}	41 {1.61	3.0 {0.12}	1.7 {0.07}	20 {0.79}	21.0 {0.83}	2.2 {0.09}	1.0
202K174-100-01	52 {2.05}	35.1 (1.38)	39 {1.54}	15.7 {0.62}	110 {4.33}	52 {2.05}	3.0 {0.12}	1.7 {0.07}	20 {0.79}	39.0 {1.54}	3.2 {0.13}	1.5 {0.06}
202K185-100-01	66 {2.60}	44.5 {1.75}	42 {1.65}	16.8 (0.66)	150 {5.91}	70 {2.76}	3.0 {0.12}	2.0 {0.08}	20 {0.79}	51.5 {2.03}	3.8 {0.15}	2.0 {0.08}

This is a trimmed variant

Modified dimensions are shown thus:- #

Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked Issue 3 Date April 2007

2007

Conforms to ISO Recommendations
3rd Angle Projection
Not to Scale

Approval Design


MKTG.

Q.A.

Page 1 of 2

R	aychem	Specificat  Control Di		Part Number $202 ext{K}1 imes imes-100-01$ Issue 3	
Iss.	Date	E.C.R. No.	Details of Change		
3	September 2001 April 2007	CR01-HM-0018 CR07-HM-010		ension changed t title was 202K121 thru 185-100-01	

### (Ordering Information)



#### COMPATIBILITY CHART)

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-100	Zero Halogen	RT-1323, RK-6717	/86, /180

#### NOTES

- (1) Dimension U does not apply on sizes 202K121 thru 153
- (2) If eyelet clip (000W212) is required with part then add CS-1858 to description (i.e. 202K132-100-01-CS-1858-0).
- (3) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Faraday Road,	Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025 USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361–3860 Fax: (650) 361–5579
Cage Code K1010	Cage Code 06090

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Cable Boots & End Caps category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

577159N001 645494-000 CX4132-000 687025-000 705331-000 718446-000 725666N001 729257-000 F27131-000 F85868-000 770003S106W2 770-013210W1 770-013311 770-013312 806542N001 807507-000 808362-000 808618-000 809125-000 809130-000 809218000 812014-000 812047-000 813166-000 813767N002 814741-000 819117N001 823026-000 823070-000 841189N001 861471-000
866647-000 879515-000 937577-000 957073-000 982033-2 A77813-000 R280576000 D96192-000 163549-000 EN3BOOTLKIT

MTPSRBCL-C 1954015-1 200W531-3-0 202A163-4-0-CS5067 202A343-3-00-0 202B221-13-0 202B231-13-0 202B563-25-07-0 202C24113-0