
# Thermofit Molded Parts Specification Control Drawing

Part Number: 202S121 thru 174-XXS

Description: Boot, Straight, with Lip, Shielded

- 1. All dimensions are in  $\frac{\text{Incres}}{[\text{millimeters}]}$
- 2. Dimensions appearing in table are as follows:
  - a As Supplied
  - b After Unrestricted Recovery






TABLE OF DIMENSIONS														
PART	Н		J		Р		R	S T		Ų		JO	HW	JW
NÜMBER	Min	Max	Min	Max	±5%	±10%	Ref	Ref	Ref	Min	±20%	Ref	±30%	±30%
	a	b	a	ь	a	b	b	b	b	a	b	ь	ь	b
202S121-XXS	.79	.41	.43	.20	1.77	1.77	<u>.67</u>	.12	.04	.24	.39	.59	.08	.04
	[20,0]	[10,4]	[11,0]	[5,0]	[45,0]	[45,0]	[17,0]	[3,0]	[1,0]	[6,0]	[10,0]	[15,0]	[2,0]	[1,0]
202S132-XXS	.94	.56	.59	.24	2.36	2.36	1.10	.12	. <u>04</u>	.24	.39	.67	.08	.04
	[24,0]	[14,2]	[15,0]	[6,0]	[60,0]	[60,0]	[28,0]	[3,0]	[1,0]	[6,0]	[10,0]	[17,0]	[2.0]	[1,0]
202S142-XXS	1.22	.71	.71	.28	2.83	2.83	1.26	.12	.04	.24	.39	.79	.08	.04
	[31,0]	[18,0]	[18,0]	[7,2]	[72,0]	[72,0]	[32,0]	[3,0]	[1,0]	[6,0]	[10,0]	[20,0]	[2,0]	[1,0]
202S152-XXS	1.42	.88	.87	. <u>33</u>	3.35	3.35	1.22	.12	.04	.35	.59	.98	.08	<u>.04</u>
	[36,0]	[22,4]	[22,0]	[8,5]	[85,0]	[85,0]	[31,0]	[3,0]	[1,0]	[9,0]	[15,0]	[25,0]	[2,0]	[1,0]
202S163-XXS	1.69	1.11	1.02	<u>.39</u>	4.33	4.33	1.97	.12	.07	<u>.47</u>	.79	1.18	.09	.05
	[43,0]	[28,2]	[26,0]	[10,0]	[110,0]	[110,0]	[50,0]	[3,0]	[1,7]	[12,0]	[20,0]	[30,0]	[2,2]	[1,2]
202S174-XXS	1.85	1.38	1.42	<u>.62</u>	<u>5.20</u>	<u>5.32</u>	2.76	.12	<u>.07</u>	. <u>47</u>	.79	1.18	. <u>12</u>	.06
	[47,0]	[35,1]	[36,0]	[15,8]	[132,0]	[135,0]	[70,0]	[3,0]	[1,7]	[12,0]	[20,0]	[30,0]	[3,0]	[1,5]

### Raychem

Revision: D

Part Number: 202S121 thru 174-XXS

Date: 7/23/92


Description: Boot, Straight, with Lip, Shielded

## Thermofit Molded Parts Specification Control Drawing

Part Number: 202S121 thru 174-XXS

Description: Boot, Straight, with Lip, Shielded |

COMPATABILITY CHART										
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION					
-3\$	Polyolefin/Copper Composite	RT-1370								
-25S	-25S Elastomer/Copper Composite									



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

#### Raychem

RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025 (415) 361-6055

Revision: D Date: 7/23/92

Part Number: 202S121 thru 174-XXS

Description: Boot, Straight, with Lip, Shielded

CAD FILE MP92349

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Shrink Cable Boots & End Caps category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

577159N001 645494-000 CX4132-000 687025-000 705331-000 718446-000 725666N001 729257-000 F27131-000 F85868-000 770003S106W2 770-013210W1 770-013311 770-013312 806542N001 807507-000 808362-000 808618-000 809125-000 809130-000 809218000 812014-000 812047-000 813166-000 813767N002 814741-000 819117N001 823026-000 823070-000 841189N001 861471-000
866647-000 879515-000 937577-000 957073-000 982033-2 A77813-000 R280576000 D96192-000 163549-000 EN3BOOTLKIT

MTPSRBCL-C 1954015-1 200W531-3-0 202A163-4-0-CS5067 202A343-3-00-0 202B221-13-0 202B231-13-0 202B563-25-07-0 202C24113-0