

CODE 21 - HEAT SHRINK BOOT BACKSHELL

203M916-19B-	С
SERIES—	
SHELL SIZE (TABLE 1)	
MATERIAL	
REFER TO CH00-0250-004	
FINISH———	
REFER TO CH00-0250-004	
MODIFICATION CODE	_
REFER TO CH00-0250-004 $\langle \overline{2} \rangle$	

NOTES:

- 1. THIS PRODUCT IS DESIGNED TO TERMINATE A HEAT SHRINKABLE LIPPED BOOT TO A CONNECTOR.
- (2) FOR ADDITIONAL DIMENSIONS, ORDERING INFORMATION AND MODIFICATIONS, SEE CH00-0250-004.
- 3. BACKSHELL TO BE PERMANETLY MARKED/BAGGED AND LABELLED WITH CODE IDENTIFICATION NUMBER AND PART NUMBER. (e.g. 06090-203M912-19B).
- 4. KNURL INSIDE BOOT GROOVE MAY BE SUPPLIED AT MANUFACTURER'S OPTION.
- (5)BACKSHELL MATES TO MIL-C-26482 SERIES I, CLASS E, F, MS3110, MS3111 AND MS3116 CONNECTORS.
- (6) ANTI-ROTATIONAL SET SCREW, THREE #4-40 THREADED HOLES 120° APART, SINGLE MATING SET SCREW SUPPLIED.

LTR	LTR DESCRIPTION			DATE	APPROVED		
REVISIONS							
APPROVED		H.SMITH	01/10/2015	GENERAL TOL LINEAR +/-0,25MM ANGULAR +/- 1°			
APPRO	OVED	K.SHEPPARD	08/09/2015	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRE			
CHEC	KED		08/09/2015	Ψ ¹	NOT TO SCALE		
DRA	WN	W.RUST	DATE 08/09/2015		3RD ANGLE PROJECTION		

01/10/15

06/04/18

H.SMITH

O. CANO

ASSY USED ON:

TITLE:

MIL-DTL-26482 SERIES I

HEAT SHRINK BOOT BACKSHELL



TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING

AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

DRAWING NO: DRAWING REV: 203M9XX

K REVISED PER ECO-15-013980 L REVISED PER ECO-18-008680








TABLE 1

BASE PART	SHELL SIZE	Α	ØB	Х	ØZ	ØY
NUMBER	⟨5⟩	THREAD	MAX	+0,20/-0,00	WZ.	MAX
203M908	80	7/16-28UNEF	18,05	1,12	7,15	13,50
203M910	10	9/16-24UNEF	21,55	1,12	9,80	15,50
203M912	12	11/16-24UNEF	24,65	1,12	13,50	19,50
203M914	14	13/16-20UNEF	27,65	1,12	15,90	21,50
203M916	16	15/16-20UNEF	31,05	1,12	19,00	24,50
203M918	18	1 1/16-18UNEF	34,35	1,12	21,40	26,50
203M920	20	1 3/16-18UNEF	37,55	1,75	24,60	31,00
203M922	22	1 5/16-18UNEF	40,55	1,75	27,80	34,50
203M924	24	1 7/16-18UNEF	43,55	1,75	31,00	36,50

DRAWN	W.RUST	DATE 08/09/2015	A 1	3RD ANGLE PROJECTION	
CHECKED		08/09/2015	Ψ □	NOT TO SCALE	
APPROVED	K.SHEPPARD	08/09/2015	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES		
APPROVED	H.SMITH	01/10/2015	GENERAL TOL LINEAR +/-0,25MM ANGULAR +/-1°		
REVISIONS					

LTR DATE APPROVED DESCRIPTION K REVISED PER ECO-15-013980 01/10/15 H.SMITH REVISED PER ECO-18-008680 06/04/18 O. CANO

TITLE:

HEAT SHRINK BOOT BACKSHELL

ASSY USED ON:

MIL-DTL-26482 SERIES I

TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.



DRAWING NO: DRAWING REV:

Polamco

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular MIL Spec Strain Reliefs & Adapters category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

896227-000 899170S004 0113-023-000 6000-063-0022 CS6624-000 620AB038Z136 620AS001Z108 620AS038Z112 620AS038Z120 620AS038Z132 620FB038NF08 620HA038NF09 620HA038NF11 620HA038NF13 620HA038NF25 620HB049NF17 620HS038NF11 620HS038Z121 620HS042XM19 620HS042XM25 620HS048B17 620MS064NF12 620MS065Z107 620MS065ZNU06 627-123NF21-11 627-125NF23-6 630J041M06H 630J041M20H 637S010NF0212H 637S010NF0416A 640830-000 659943-000 66241-10A CW0597-000 CW0598-000 CW0948-000 CY0122-000 M85049/41-6A W/B M85049/42-12DS M85049/47N8 M85049/51-1-14S M85049/51S16S M85049/60-1N16 M85049/60-2G12W M85049/69-11N CZ3661-000 D02922-000 70.360.1628.0 703797-000 705825-000