

4 3 2 1

© - TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
P		REVISED PER ECO-17-011181	05AUG2017	RS	MZ
R		REVISED PER ECO-18-000441	24JAN2018	RS	MZ
S		REVISED PER ECO-20-002046	14FEB2020	RK	MZ

Front view dimensions:  
 - MOUNTING TAB 2 PLC SEE TABLE  
 - Ø2.64±0.10 [Ø.104±.004] 2 HOLES  
 - 22.40 [.882]  
 - 5.00 [.197] TYP  
 - 27.69 [1.090] MAX  
 - 21.34 [.840] TYP  
 - 5.00 [.197] TYP

Side view dimensions:  
 - 14.35 [.565] 2 PLC  
 - 2.54 [.100] 2 PLC  
 - 4.60±0.64 [.181±.025] 9 PLC  
 - CONTACT 9 PLC  
 - HOUSING  
 - Ø0.99 [Ø.039] TYP

Recommended layout dimensions:  
 - Ø2.64±0.10 [Ø.104±.004] 2 HOLES  
 - Ø0.15 [.006] (M) 2 HOLES  
 - 11.20 [.441]  
 - 5.00 [.197]  
 - 0  
 - 5.00 [.197]  
 - 11.20 [.441]  
 - 5.00 [.197]  
 - 0  
 - 5.00 [.197]  
 - Ø1.60±0.05 [Ø.063±.002]  
 - Ø0.15 [.006] (M) 9 HOLES

RECOMMENDED LAYOUT

1 HOUSING MATERIAL: PA66, BLACK, UL 94 V-0 RATED.  
 2 CONTACT MATERIAL: PHOSPHOR BRONZE.  
 3 3.81µm [.000150] MIN TIN-LEAD OVER 1.27µm [.000050] MIN NICKEL.  
 4 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 4.95 [.195] MIN FROM MATING END, 3.81µm [.000150] MIN TIN-LEAD FOR A LENGTH OF 4.88 [.192] MIN ON OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.  
 5 3.81µm [.000150] MIN TIN OVER 1.27µm [.000050] MIN NICKEL.  
 6 0.76µm [.000030] MIN GOLD FOR A LENGTH OF 4.95 [.195] MIN FROM MATING END, 3.81µm [.000150] MIN TIN FOR A LENGTH OF 4.88 [.192] MIN ON OPPOSITE END, BOTH OVER 1.27µm [.000050] MIN NICKEL.

6	NO	1-207526-0
6	YES	207526-9
5	NO	207526-8
5	YES	207526-7
4	NO	207526-4
4	YES	207526-3
3	NO	207526-2
3	YES	207526-1

CONTACT FINISH MOUNTING TABS PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 03/20/92	L.SIPE	
DIMENSIONS: mm [INCHES]		CHK 3-25-92	R.STONE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	108-10033	
2 PLC ± 0.25 [.010]	3 PLC ± -	APPLICATION SPEC	-	
4 PLC ± -	ANGLES ± -	WEIGHT	-	
MATERIAL SEE NOTE	FINISH CONTACT: SEE TABLE	SCALE	A2 00779 C=207526	
CUSTOMER DRAWING		SCALE 4:1	SHEET 1 of 1	REV S

TE Connectivity  
 SOCKET HEADER ASSEMBLY, 9 POSITION, METRIMATE

1471-9 (1/15)

207526

A

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for IC & Component Sockets category:*

*Click to view products by TE Connectivity manufacturer:*

Other Similar products are found below :

[714-43-102-31-012000](#) [0066-3-17-15-30-14-02-0](#) [0134-0-15-15-32-27-04-0](#) [614-DG5](#) [6527-0-00-15-00-00-03-0](#) [670](#) [672](#) [673](#) [712-93-120-41-001000](#) [714-93-104-31-018000](#) [8059-4G1-LF](#) [807-22-001-10-001101](#) [807-22-001-10-003101](#) [807-22-001-10-004101](#) [807-22-001-10-006101](#) [807-22-001-30-011101](#) [807-22-001-30-012101](#) [807-22-001-30-013101](#) [807-22-001-30-014101](#) [8-1437531-4](#) [8150-6P10](#) [833-93-034-10-001000](#) [835-43-014-10-001000](#) [851-41-006-10-001000](#) [851-43-008-20-001000](#) [851-43-014-20-001000](#) [851-93-006-20-001000](#) [851-93-010-20-001000](#) [853-43-020-10-001000](#) [86.010.0053.0](#) [116-43-306-41-003000](#) [116-43-308-41-007000](#) [116-87-308-41-007101](#) [PX-68LCC](#) [PX-84LCC](#) [121-13-318-41-001000](#) [121-13-320-41-001000](#) [121-13-308-41-001000](#) [123-43-314-41-801000](#) [123-43-420-41-001000](#) [123-43-636-41-001000](#) [123-87-320-41-001101](#) [122-13-316-41-001000](#) [123-13-624-41-001000](#) [123-43-306-41-001000](#) [123-43-322-41-801000](#) [123-43-428-41-001000](#) [123-43-624-41-001000](#) [12-3513-11](#) [123-91-320-41-001000](#)