



## General Information

<b>Kit Part Number:</b>	<a href="#">2110838-1</a>
<b>Description:</b>	Uninsulated Ring Tongue Terminal Kit
<b>Application:</b>	Appliance Industries, Heavy Equipment, Instrumentation and Controls, Motors, Pad and Pole Mount Transformers, Panel Boxes, Power Supplies, Telecommunications, Transportation
<b>Family:</b>	SOLISTRAND
<b>TE Brand:</b>	AMP Products
<b>Solution:</b>	MRO (Maintenance, Repair and Operation)
<b>Product Type:</b>	Terminals & Splices
<b>Number of Pieces:</b>	120
<b>RoHS:</b>	Yes

## Specifications

<b>Body and Plating:</b>	Tin Plated, Copper Body
<b>Insulation:</b>	Non-Insulated
<b>Stud/Tab Size:</b>	1/4, 3/8, 4, 6, 8, 10
<b>Temperature Rating:</b>	170 Degrees C (Max)
<b>Terminal Type:</b>	Ring Tongue
<b>Tool Included:</b>	No
<b>Wire:</b>	Brazed Barrel
<b>Wire Gauge (AWG):</b>	12-10, 16-14 , 22-16

## Product Highlights

### Product Highlights

SOLISTRAND terminals and splices are especially designed to terminate solid and stranded wire, irregular shaped conductors, and combinations of these, while still retaining the superior performance characteristics of single purpose terminals and splices. Because TE Connectivity matches the terminal to the tool, each termination is uniformly perfect making quality control easy and performance consistent. Corrosion resistance, vibration resistance and tensile strength of these terminals and splices are well within the limits of commercial and military specifications. The SOLISTRAND line includes terminals, parallel and butt splices, flat rings, spades, hooks, and flanged tongue terminals in sizes from 26 AWG [0.1mm<sup>2</sup>] through 600 MCM [304mm<sup>2</sup>].

### Features and Benefits

- Brazed seam for uniform metal strength around the entire barrel area
- Brazed seam also prevents pinched wires
- "W" crimp provides excellent electrical performance and higher tensile strength
- Dimples or serrations inside the wire barrel provide optimum tensile strength and maximum electrical contact area after crimping
- Bell mouth on barrel entrance makes insertion of wires easier
- Product is rated for 170 degrees C maximum

### Applications

- Pad and Pole Mount Transformers
- Power Supplies
- Motors
- Switchgear
- Telecommunications



- Appliances
- Panel Boxes
- Heavy Equipment
- Instruments / Control
- Transportation



**Bill of Materials**

Part No.	Qty In Kit	Description	Datasheet	P/N Details	Search Distributors Inventory
<a href="#">34104</a>	10	Ring Tongue Terminal # 4 Stud 22-16 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34105</a>	10	Ring Tongue Terminal # 6 Stud 22-16 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34109</a>	10	Ring Tongue Terminal # 10 Stud 22-16 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34108</a>	10	Ring Tongue Terminal # 8 Stud 22-16 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34120</a>	10	Ring Tongue Terminal # 6 Stud 16-14 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34122</a>	10	Ring Tongue Terminal # 8 Stud 16-14 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34123</a>	10	Ring Tongue Terminal # 10 Stud 16-14 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">34124</a>	10	Ring Tongue Terminal 1/4 Stud 16-14 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">32994</a>	10	Ring Tongue Terminal # 8 Stud 12-10 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">33457</a>	10	Ring Tongue Terminal # 10 Stud 12-10 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">33458</a>	10	Ring Tongue Terminal 1/4 Stud 12-10 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>
<a href="#">33220</a>	10	Ring Tongue Terminal 3/8 Stud 12-10 AWG	<a href="#">Datasheet</a>	<a href="#">Details</a>	<a href="#">Search</a>

**Recommended Tool**

Part No.	Included in Kit
<a href="#">58546-1</a>	No







Terminals and Splices Category

**TE** connectivity  
Authorized  
Distributor

Kit Part No. **2110838-1**

**AMP SOLISTRAND  
Connector Kit**

Uninsulated Ring Tongue Terminals

- 4, 6, 8, 10, 1/4 and 3/8 Stud Sizes
- 22-16, 16-14 and 12-10 AWG
- Temperature Rating: 170°C (Max)
- Tin Plated Copper Body

Additional kits available at: [www.products.kits.com](http://www.products.kits.com)

AMP and SOLISTRAND are trademarks of AMPTEC Corporation. TE Connectivity is a trademark of the TE Connectivity Ltd. family of companies.

AMPTEC Corporation, Terminal and Splicing Division, 10000 E. Harvard Ave., Denver, CO 80231, USA. © 2011 AMPTEC Corporation. All rights reserved. AMPTEC Corporation is an Equal Opportunity Employer. AMPTEC Corporation is an Equal Opportunity Employer. AMPTEC Corporation is an Equal Opportunity Employer.

**120  
pieces**



Product Name: Connector Kit - Amp Solistrand  
Kit - Amp Solistrand

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Terminals](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [0-0320562-0](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [61-SN](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [63-S](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#)