

CODE 30 - HEAT SHRINK BOOT BACKSHELL

<u>211M9</u> 14-19C-	C
SERIES	
SHELL SIZE (TABLE 1)	
MATERIAL	
REFER TO CH00-0250-004	
FINISH———	
REFER TO CH00-0250-004	
MODIFICATION CODE	┙
REFER TO CH00-0250-004(2)	

NOTES:

G REVISED PER ECO-15-009385

TE CAGE CODE: 06090

POLAMCO/TE CAGE CODE: U5792

24/06/2015 H.SMITH

- 1. THIS PRODUCT IS DESIGNED TO TERMINATE A HEAT SHRINKABLE LIPPED BOOT TO A CONNECTOR.
- (2) FOR ADDITIONAL DIMENSIONS, ORDERING INFORMATION AND MODIFICATIONS, SEE CH00-0250-004.
- 3. BACKSHELL TO BE PERMANENTLY MARKED/BAGGED AND LABELLED WITH CODE IDENTIFICATION NUMBER AND PART NUMBER. (e.g. 06090-211M914-19C).
- (4) KNURL INSIDE BOOT GROOVE MAY BE SUPPLIED AT MANUFACTURER'S OPTION.
- 5. BACKSHELL MATES TO MIL-C-28840, CLASS A, B, C, & E: M28840/10, /11, /14 & /16 CONNECTORS.

DRA	WN K.WINCZURA	DATE 07/05/2015	⊕ €	3RD ANGLE PROJECTION	TITLE:	
CHEC	KED	07/05/2015	9 7	NOT TO SCALE	HEAT SHRINK BOOT BACKSHELL	
APPR	OVED K.SHEPPARD	08/05/2015	ALL DIMENSION	RWISE SPECIFIED IS IN MILLIMETRES	HEAT SHANK BOOT BASKSHEEL	
APPROVED H.SMITH		24/06/2015	GENERAL TOL LINEAR +/-0,25MM ANGULAR +/- 1°		ASSY USED ON:	Polamco
REVISIONS					MIL C 20040 CLASS A B C 9 E: M20040/40 /44 /44 9 /46	
LTR	LTR DESCRIPTION DATE		DATE	APPROVED	MIL-C-28840, CLASS A, B. C, & E: M28840/10, /11, /14 & /16	
F	F REVISED PER ECN AD93049			CONNECTORS	connectivity	

TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING

AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

DRAWING NO: DRAWING REV:

G

211M9XX

SHT






TABLE 1

TABLE I						
BASE PART	SHELL SIZE	Α	ØС	ØD	E	ØG
NUMBER	COM'L / MIL	THREAD	MAX	MAX	+0,20/-0,00	MIN
211M912	13 / B	7/8 - 20UNEF	29,7	18,9	1,12	13,8
211M914	15 / C	1 - 20UNEF	31,3	22,0	1,12	16,9
211M916	17 / D	1 1/8 - 18 UNEF	35,5	24,1	1,12	19,0
211M918	19 / E	1 1/4 - 18UNEF	38,7	28,0	1,75	22,4
211M922	23 / F	1 7/16 -18UNEF	43,6	34,5	1,75	28,4
211M924	25 / G	1 9/16 -18UNEF	47,2	36,8	1,75	30,7
211M928	29 / H	1 7/8 - 16UN	55,2	42,9	1,75	36,8
211M932	33 / J	2 1/16 -16UN	60,5	47,9	2,20	41,7

DRAWN	K.WINCZURA	DATE 07/05/2015	A - 1	3RD ANGLE PROJECTION			
CHECKED		07/05/2015	9 4	NOT TO SCALE			
APPROVED	K.SHEPPARD	08/05/2015	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRE GENERAL TOL LINEAR +/-0,25MM ANGULAR +/- 1°				
APPROVED	H.SMITH	24/06/2015					
REVISIONS							


LTR DESCRIPTION DATE APPROVED REVISED PER ECN AD93049 G REVISED PER ECO-15-009385 24/06/2015 H.SMITH

TITLE:

HEAT SHRINK BOOT BACKSHELL

ASSY USED ON:

MIL-C-28840, CLASS A, B. C, & E: M28840/10, /11, /14 & /16 **CONNECTORS**



SHT

Polamco

2

TE CAGE CODE: 06090 POLAMCO/TE CAGE CODE: U5792 TE CONNECTIVITY - POLAMCO LTD RESERVES THE RIGHT TO AMEND THIS DRAWING AND THE INFORMATION SET FORTH HEREON AT ANY TIME. USERS SHOULD INDEPENDENTLY EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular MIL Spec Strain Reliefs & Adapters category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

896227-000 899170S004 0113-023-000 6000-063-0022 CS6624-000 620AB038Z136 620AS001Z108 620AS038Z112 620AS038Z120 620AS038Z132 620FB038NF08 620HA038NF09 620HA038NF11 620HA038NF13 620HA038NF25 620HB049NF17 620HS038NF11 620HS038Z121 620HS042XM19 620HS042XM25 620HS048B17 620MS064NF12 620MS065Z107 620MS065ZNU06 627-123NF21-11 627-125NF23-6 630J041M06H 630J041M20H 637S010NF0212H 637S010NF0416A 640830-000 659943-000 66241-10A CW0597-000 CW0598-000 CW0948-000 CY0122-000 M85049/41-6A W/B M85049/42-12DS M85049/47N8 M85049/51-1-14S M85049/51S16S M85049/60-1N16 M85049/60-2G12W M85049/69-11N CZ3661-000 D02922-000 70.360.1628.0 703797-000 705825-000