TE Internal #: 2-1437712-5

Housing for Female Terminals, Wire-to-Wire, 2 Position, 6.5mm [. 255in] Centerline, Black, Wire & Cable, Power, Cable Mount (Free-Hanging)

View on TE.com >



Connectors > Automotive Connectors > Connector Housings











Connector & Housing Type: Housing for Female Terminals

Mating Pin Diameter: 1.54 mm [.061 in]

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 6.5 mm [.255 in]

Nominal Voltage Architecture

Body Features

Body Material

Features

Product Type Features

Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	2
Number of Rows	1
Electrical Characteristics	
Operating Voltage	24 VDC

24 V

PBT GF



Primary Product Color	Black
Contact Features	
Mating Pin Diameter	1.54 mm[.061 in]
Mechanical Attachment	
Mounting Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	6.5 mm[.255 in]
Usage Conditions	
Operating Temperature (Max)	135 °C[275 °F]
Operating Temperature Range	-40 – 135 °C[-40 – 275 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	

3 3

Packaging Quantity	2000
Packaging Method	Box
Other	

No

Product Compliance

For compliance documentation, visit the product page on TE.com>

Connector Position Assurance Capable

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



















TE Part #1-1437709-2 106011/106012=TERMINAL MALE CR

Documents

Product Drawings

NP1WA-0002XX=CONN. 2W FEMA BLK

English

NP1WA-0002XX=CONN. 2W FEMA BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1437712-5_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1437712-5_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1437712-5_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

1,6mm CONTACT SYSTEM MALE AND FEMALE CONNECTORS

English

Instruction Sheet (non U.S.)

English

Housing for Female Terminals, Wire-to-Wire, 2 Position, 6.5mm [.255in] Centerline, Black, Wire & Cable, Power, Cable Mount (Free-Hanging)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

003-018-000 60403001 60993906-B M902-2131 M902-2161 M902-2344 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004147 12004475-L 12010290 12010309-B 12015454 12020219-B 12041318-B 12052225-L 12052466 12064869 12004327-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546 12110546-B