



**Kilovac**

TE Internal #: 2-1618256-3

High Voltage Relays, 28 – 1800kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form B, SPST-NC, 1 N/C, PCB Tails

[View on TE.com >](#)

Relays, Contactors & Switches > Relays > High Voltage Relays



Contact Voltage Rating: **28 – 1800 kVDC**

High Voltage Relay Contact Arrangement: **1 Form B, SPST-NC, 1 N/C**

High Voltage Connection (Coil): **PCB Tails**

High Voltage Connection (Power): **PCB Solder Connections**

Economizer: **Without**

**Features**

**Product Type Features**

RF Rated	No
Product Type	Relay
Relay Type	High Voltage

**Configuration Features**

Economizer	Without
Power Switching	Yes

**Electrical Characteristics**

Contact Voltage Rating	28 – 1800 kVDC
High Voltage Relay Voltage (Max)	320 VDC
High Voltage Relay Coil Voltage Rating	12 VDC
High Voltage Relay Coil Resistance	70 Ω
High Voltage Relay Contact Switching Voltage (Max)	1800

**Contact Features**

High Voltage Relay Contact Arrangement	1 Form B, SPST-NC, 1 N/C
Auxiliary Contacts	Without
High Voltage Relay Contact Current Rating	5 A

**Termination Features**

High Voltage Connection (Coil)	PCB Tails
--------------------------------	-----------



High Voltage Connection (Power)	PCB Solder Connections
Termination Style	PCB Tails

**Mechanical Attachment**

High Voltage Relay Mounting Type	Printed Circuit Board
----------------------------------	-----------------------

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not lead free process capable


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

**Compatible Parts**



TE Part # 2-1618256-0  
PD5AA57=RELAY, VACUUM, SPST-NO



TE Part # 1618013-3  
PD10B535=RELAY, VACUUM, SPST-N


## Customers Also Bought



TE Part #1-2823595-1  
LOW PROFILE 2G/3G/4G,MIMO+GPS  
WHITE ANTE



TE Part #2-1623821-1  
Power Wirewound Resistor: Mineral,  
CFH



TE Part #1623787-1  
SQM3 10R 5% (WIRE)



TE Part #1735104-3  
SAS BACKPLANE RECEPT, VERTICAL



TE Part #7-1879126-6  
RN 0402 205R 0.1% 10PPM CUT  
LENGTH



TE Part #2198234-2  
SFP+ Enhanced 1x4, SAN Heatsink, LP



TE Part #2-2134533-1  
ILM KIT NARROW WITH COVER,  
LGA2011-3

## Documents

### CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2-1618256-3\\_C.2d\\_dxf.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2-1618256-3\\_C.3d\\_igs.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2-1618256-3\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[5-1773450-5\\_sec7\\_PD5A](#)

English



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [General Purpose Relays](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[PCN-105D3MH,000](#) [59641F200](#) [5JO-1000CD-SIL](#) [5X827E](#) [5X837F](#) [5X840F](#) [5X842F](#) [5X848E](#) [LY2N-AC120](#) [LY2-US-AC120](#) [LY2-US-DC24](#) [LY3-US-AC120](#) [LY4F-UA-DC12](#) [LY4F-UA-DC24](#) [LY4F-US-AC120](#) [LY4F-US-AC240](#) [LY4F-US-DC24](#) [LY4F-VD-AC110](#)  
[M115C60](#) [M115N010](#) [M115N0150](#) [603-12D](#) [60HE1-5DC](#) [60HE2S-12DC](#) [61211T0B4](#) [61212T400](#) [61222Q400](#) [61243B600](#) [61243C500](#)  
[61243Q400](#) [61311BOA2](#) [61311BOA6](#) [61311BOA8](#) [61311C0A2](#) [61311COA1](#) [61311COA6](#) [61311F0A2](#) [61311QOA1](#) [61311QOA4](#)  
[61311T0D6](#) [61311TOA6](#) [61311TOA7](#) [61311TOB3](#) [61311TOB4](#) [61311U0A6](#) [61312Q600](#) [61312T400](#) [61312T600](#) [61313U200](#) [61313U400](#)