




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A		REVISED PER ECO-16-000464	02FEB2016	AP	RP
		B		REVISED PER ECO-16-015291	25OCT2016	AP	RP
		C		REVISED PER ECO-20-008552	02JUL2020	AP	RP



- △1 HOUSING: THERMOPLASTIC, UL 94V-0, BLACK.
CONTACTS AND SHIELDS: COPPER ALLOY
- △2 FINISH:
- CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-32021 BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE).
- COMPLIANT PIN AREA: 0.5µm MIN MATTE TIN.
- △3 SIGNAL, GROUND, AND SI VIA PLATED THRU HOLE REQUIREMENTS:
FINISHED HOLE = $\varnothing 0.37 \pm 0.05$
HOLE SIZE PRIOR TO PLATING = $\varnothing 0.450 \pm 0.025$
COPPER THICKNESS = 0.025 MIN
IMMERSION TIN IF APPLICABLE = (0.00095)
- △4 PTH DIMENSIONS APPLY TO THE TOP 1.00mm OF THE PCB THICKNESS FROM THE CONNECTOR MOUNTING SIDE.
- △5 APPLIES TO FINISHED HOLE DIAMETER.
- △6 CONNECTOR MARKED WITH PART NUMBER, DATE CODE, AND "85 OHM" IN APPROXIMATE AREA SHOWN.
- △7 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.





(3.9) TYP
 POSITION A1 CORNER INDICATOR

2187345-1
 PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. McCLINTON 13AUG2015	STE TE Connectivity	
DIMENSIONS: mm		CHK R. PATTERSON 13AUG2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. PATTERSON 13AUG2015	NAME HEADER ASSEMBLY, 8 PAIR 8 COLUMN, BACKPLANE, 85 OHM, PAIR-IN-ROW, STRADA WHISPER	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-32021	SIZE A2	CAGE CODE 00779
MATERIAL △1 - △2 -		APPLICATION SPEC 114-32029	DRAWING NO C-2187345	RESTRICTED TO -
		WEIGHT -	SCALE 4:1 SHEET 1 OF 2 REV C	
		CUSTOMER DRAWING		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



TOP SURFACE OF DAUGHTERCARD

2.5 TYP

(1.26)

BSC 1.25 TYP 0.825 TYP

7 -Y-

1.3 TYP 1.3 TYP

0.1 TYP

1.1 TYP

2.6 TYP

BSC 3.9 TYP

7 -X-

SIGNAL CONTACT A2 CONNECTOR OUTLINE

RECOMMENDED PCB LAYOUT COMPONENT SIDE SHOWN SCALE 8:1

- = SIGNAL
- ⊗ = GROUND
- ⊙ = SIGNAL INTEGRITY VIA TO GROUND

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. McCLINTON 13AUG2015	TE Connectivity	
DIMENSIONS: mm		CHK R. PATTERSON 13AUG2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. PATTERSON 13AUG2015	NAME HEADER ASSEMBLY, 8 PAIR 8 COLUMN, BACKPLANE, 85 OHM, PAIR-IN-ROW, STRADA WHISPER	
0 PLC ±		PRODUCT SPEC 108-32021	SIZE CAGE CODE DRAWING NO	
1 PLC ±		APPLICATION SPEC 114-32029	A2 00779 C-2187345	
2 PLC ±		WEIGHT -	RESTRICTED TO	
3 PLC ±		MATERIAL material_2	SCALE 2:1 SHEET 2 OF 2 REV C	
4 PLC ±		FINISH finish_spec_2	Customer Drawing	
ANGLES ±				
FINISH -				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)