

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.


REVISIONS

変更



P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	REVISED PER ECR-17-017423	29NOV2017	T.S	E.1



22POS(X-KEY)  
 : 2-2013325-1  
 2-2069573-1  
 2-2069574-1



RECOMMEND PC BOARD HOLE PATTERN  
 : CONNECTOR MOUNT SIDE  
 (NOT ACCUMULATE TOLERANCE)  
 PC BOARD THICKNESS : 1.0~1.6±0.1



2 4  
CONTACT TAIL

2 4  
RETENTION LEG

n	A	B	C	KEY	POS.	COLOR	PART NO
10	35.0	42.3	44.3	X	22	YELLOW	2-2069574-1
						NATURAL	2-2069573-1
						BLACK	2-2013325-1
5	17.5	24.8	26.8	X	12	YELLOW	1-2069574-6
						NATURAL	1-2069573-6
						BLACK	1-2013325-6
3	10.5	17.8	20.2	X	8	YELLOW	1-2069574-4
						BLACK	1-2013325-4

1. MATERIAL: HOUSING: 66 NYLON GLASS FILLED(UL94V-0)  
 CONTACT: COPPER ALLOY  
 RETENTION LEG: PRE-TIN COPPER ALLOY

2. FINISH(ALL OVER): NICKEL PLATING 1.27μmMIN

3. FINISH(CONTACT AREA): GOLD PLATING 0.38μmMIN AFTER 2

4. FINISH(CONTACT TAIL): TIN PLATING 2μmMIN AFTER 2

5. THE SHAPE, SIZE AND POSITION OF THE CHARACTER  
 SHOW THE OUTLINE.  
 THEY DON'T SHOW DETAILS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: 単位: 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3, ±5° 0-PLC ± 1-PLC ±0.5 2-PLC ±0.13 3-PLC ±0.013 4-PLC ±0.0001 ANGLES ±
MATERIAL 材料	FINISH 仕上

DWN M. MAEBASHI 09MAY2008	CHK T. KUDO 09MAY2008	APVD S. MANABE 09MAY2008
PRODUCT SPEC 製品規格 108-78336		
APPLICATION SPEC 取付適用規格 -		
WEIGHT -		
CUSTOMER DRAWING		

**TE** TE Connectivity

NAME  
名称 DYNAMIC D1900D 3.5mmPITCH  
HDR ASSY (V-TYPE)

SIZE A3	CAGE CODE 00779	DRAWING NO C-2013325	RESTRICTED TO -
------------	--------------------	-------------------------	--------------------

SCALE  
尺度 4:1

SHEET  
1 OF 2

REV  
D1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


20

© COPYRIGHT 20 BY -


ALL RIGHTS RESERVED.

REVISIONS





P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



12POS(X-KEY) : 1-2013325-6  
 1-2069573-6  
 1-2069574-6



8POS(X-KEY) : 1-2013325-4  
 1-2069574-4



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±0.5
2 PLC	±0.13
3 PLC	±0.013
4 PLC	±0.0001
ANGLES	±

MATERIAL

FINISH

DWN 09MAY2008

M. MAEBASHI

CHK 09MAY2008

T. KUDO

APVD 09MAY2008

S. MANABE

PRODUCT SPEC  
108-78336

APPLICATION SPEC

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME  
DYNAMIC D1900D 3.5mmPITCH  
HDR ASSY (V-TYPE)

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-2013325

SCALE 4:1 SHEET 2 OF 2 REV D1

SEE SHEET 1 OF 2

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [61082-181009](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-](#)  
[010LF](#) [65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68645-018](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)  
[4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#)  
[FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#)