


| REVISIONS | | | | | |
|-----------|-----|---------------|-----------|-----|------|
| P | LTR | DESCRIPTION | DATE | DMN | APVD |
| D | PER | ECO-15-016946 | 21MAR2016 | PL | FG |

P1 **P2**



1. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, EEPROM PROGRAM AND SIGNAL INTEGRITY.
2. ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL INFORMATION:

| | | |
|---------|-------------|-------------------|
| | 2202508-[] | TE LOGO AND P/N |
| --- | METERS | LENGTH |
| YYWW | | DATE CODE |
| MADE IN | --- | COUNTRY OF ORIGIN |

4 LABEL INFORMATION:

| | | |
|--|-------------|--------------------------------------|
| | 2202508-[] | TE LOGO AND P/N |
| | MINI-SAS HD | |
| | YYWWSSSS | YYWW= DATE CODE, SSSS= SERIAL NUMBER |
| | | BARCODE |


5. MINI-SAS HD EEPROM PROGRAMMED PER 2202508_EEPROM.

6 -1 ONLY: LABEL IS APPLIED TO THE CENTER OF CABLE ASSEMBLY.

| | | | |
|-----|-------------|--------|--------------------|
| 5 | +0.1 -0 | METERS | 2202508-6 |
| 4 | +0.08 -0 | METERS | 2202508-5 |
| 3 | +0.08 -0 | METERS | 2202508-4 |
| 2 | +0.08 -0 | METERS | 2202508-3 |
| 1 | +0.08 -0 | METERS | 2202508-2 |
| 0.5 | +0.05 -0 | METERS | 2202508-1 6 |
| L | | | PART NO |

| | | | | |
|--|---|-------------------------------|---|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DMN P.LI 09MAR2012 | TE Connectivity | |
| DIMENSIONS: mm | | CHK J.MEYERS 09MAR2012 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD J.MEYERS 09MAR2012 | NAME CABLE ASSEMBLY, 28 AWG TURBOTWIN, MINI-SAS HD, 4X TO MINI-SAS, 4X | |
| 0. PLC | ± | APPLICATION SPEC | RESTRICTED TO | |
| 1. PLC | ± | SIZE | A1 | |
| 2. PLC | ± | CAGE CODE | 00779 | |
| 3. PLC | ± | DRAWING NO | C=2202508 | |
| 4. PLC | ± | WEIGHT | - | |
| ANGLES | ± | CUSTOMER DRAWING | SCALE 1:1 SHEET 1 OF 2 REV D | |

| REVISIONS | | | | |
|-----------|-----|-------------|------|-----|
| P | LTR | DESCRIPTION | DATE | OWN |
| - | - | SEE SHEET 1 | - | - |



| | | | |
|--|--|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DIN P. LI 09MAR2012 | TE Connectivity |
| DIMENSIONS: mm | | CHK J. MEYERS 09MAR2012 | |
| | | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± - 1. PLC ± - 2. PLC ± - 3. PLC ± - 4. PLC ± - ANGLES ± - | NAME CABLE ASSEMBLY, 28 AWG TURBOTWIN, MINI-SAS HD, 4X TO MINI-SAS, 4X |
| MATERIAL | | APVD J. MEYERS 09MAR2012 | APPLICATION SPEC SIZE A1 00779 C=2202508 |
| FINISH | | WEIGHT 0 | RESTRICTED TO CUSTOMER DRAWING SCALE 1:1 SHEET 2 OF 2 REV D |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Computer Cables](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[68809-0004](#) [8F36-AAA105-1.00](#) [IB63](#) [CB-716EB-RS](#) [CB-716P8P9-RS](#) [CBK-11-290K-00](#) [ACL-10550](#) [ACL-10568-2](#) [ACL-10568-5](#)
[427522400-3](#) [32102-021500-200-RS](#) [426091300-3](#) [48000023](#) [10114976-P015002LF](#) [10111838-S444ALF](#) [88761-6101](#) [NT631C-CN321-EU](#)
[ACL-10568NF-1](#) [MIKROE-2092](#) [PCL-101100R-2E](#) [1700009405](#) [PS/2 Cable](#) [NT31C-CN323-EU](#) [PCL-10168H-1E](#) [68801-1905](#) [111068-](#)
[1015](#) [100436-1107](#) [68801-0630](#) [68801-3612](#) [68801-3618](#) [205058-1002](#) [PS2NK](#) [SATA cable](#) [96021-0000-00-0](#) [FAK-SMZSMZ 5M](#) [FAK-](#)
[SMZSMZ-3M](#) [ACC-500-200-R](#) [iW-C40-PCIe08-C1](#) [1700001531](#) [96048-0000-00-0](#) [96054-0000-00-0](#) [SATA III cable 30cm, down/straight](#)
[cab-Pico-ITX-LVDS](#) [PCL-101100SB-2E](#) [AXXSTCBLQAT](#) [NT31C-KBA05](#) [PCL-101100M-2E](#) [A2U4PSWCXCXK1](#) [2 port SATA to 5](#)
[pin,L=200mm](#) [P782-006-DH](#)