





REVISONS		DATE	DWN	APVD
P	LTM			
A	RELEASED DRAWING	26FEB2016	TZ	SZ



- NOTES, UNLESS OTHERWISE SPECIFIED:
- ▲ "TE", PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
 - ▲ MATERIAL:
 - HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, COLOR: BLACK, UL94 V- 0.
 - SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 - ▲ CONTACT PLATING:
 - MATING AREA - NOBLE METAL OVERALL NICKEL
 - TAIL SIDE AREA - MATTE TIN OVERALL NICKEL.
 - ▲ MECHANICAL CONNECTOR KEEP OUT ZONE.
 - ▲ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - ▲ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
 - ▲ PCB HOLE:
 - POWER - 1.15±0.025 MM DRILLED HOLES SIZE PLATING WITH 0.0076 MM MIN. Sn OVER 0.025-0.076 MM Cu PLATING TO ACHIEVE A 1.02 MM DIA. HOLE.
 - SIGNAL - 0.835±0.025 MM DRILLED HOLES SIZE PLATING WITH 0.0076 MM MIN. Sn OVER 0.025-0.076 MM Cu PLATING TO ACHIEVE A 0.72 MM DIA. HOLE.
 - ▲ CONFIGURATION "S+LP+P+S" REFER TO THE VIEW OF SHEET 2



53.00	45.40	42.85	/	38.70	/	7.70	5.00	/	44.30	15S+6P+2LP+15S	2204442-3
58.00	50.40	47.85	/	17.70	/	6.70	5.00	5.00	49.30	15S+4VLP+6P+15S	2204442-2
99.00	91.40	88.85	69.70	55.70	3.00	7.70	6.00	5.00	90.30	15S+8VP+8LP+8VLP+15S	2204442-1
DIM L	DIM U	DIM N	DIM D	DIM E	DIM H	DIM W	DIM S	DIM T	DIM V	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.4
1 PLC	±0.4
2 PLC	±0.25
3 PLC	±0.15
4 PLC	±0.1
ANGLES	±0.1

MATERIAL: 2 FINISH: 3



DATE: 19AUG2013
 CHK: THOMAS_ZHAO
 SUNY_ZHAO
 APVD: SUNY_ZHAO

NAME: CUSTOMER DRAWING PRESS FIT RIGHT ANGLE PLUG S+P+LP+S MULTI-BEAM HD CONNECTOR


SIZE: A1 CAGE CODE: 2204442 DRAWING NO: 2204442

SCALE: 4:1 SHEET 1 OF 5 REV A


LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
-		SEE SHEET 1	-	-	-		



CONFIGURATION FOR "S+VLP+P+S"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN THOMAS_ZHAO 19AUG2013	 TE Connectivity
		CHK SUNY_ZHAO 19AUG2013	
DIMENSIONS:		APVD SUNY_ZHAO 19AUG2013	NAME CUSTOMER DRAWING PRESS FIT
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	RIGHT ANGLE PLUG S+P+LP+S
	0 PLC ±0.4	APPLICATION SPEC	MULTI-BEAM HD CONNECTOR
	1 PLC ±0.4	SIZE CAGE CODE DRAWING NO	RESTRICTED TO
	2 PLC ±0.75	WEIGHT	A100779C=2204442
	3 PLC ±0.15	Customer Drawing	SCALE 4:1 SHEET 2 OF 5 REV A
	4 PLC ±		
	ANGLES ±		
MATERIAL	FINISH		

LOC	DIST	REVISIONS			
P	LTM	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



PART NUMBER	ROWS	SIGNAL			POWER																SIGNAL		
		1	2	3	P1	P2	P3	P4	P5	P6	P7	P8	LP1	LP2	LP3	LP4	LP1	LP2	LP3	LP4	4	5	6
2204442-1	E	[Symbol]			[Symbol]								[Symbol]				[Symbol]				[Symbol]		
	D	SH	SH	SH	PH	PH	PH	PH	PH	PH	PH	PH	LH2	LH2	LH2	LH2	LH2	LH2	LH2	LH2	SH	SH	SH
	C	SH	SH	SH																	SH	SH	SH
	B	SH	SH	SH																	SH	SH	SH
	A	SH	SH	SH																	SH	SH	SH

15S+8VP+8LP+8VLP+15S

LP BOTTOM CONTACT PRESS-FIT	LH2
LP TOP CONTACT PRESS-FIT	LH1
POWER CONTACT PRESS-FIT	PH
SIGNAL CONTACT PRESS-FIT	SH1
SIGNAL/HP/SIGNAL WITH GUIDE	HOUSING
DESCRIPTION	CODE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: THOMAS ZHAO 19AUG2013
 CHK: SUNY ZHAO 19AUG2013
 APVD: SUNY ZHAO 19AUG2013

DIMENSIONS: mm
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±0.4
 1 PLC ±0.4
 2 PLC ±0.25
 3 PLC ±0.15
 4 PLC ±0.15
 ANGLES ±°

MATERIAL: -
 FINISH: -
 WEIGHT: -


Customer Drawing

NAME: CUSTOMER DRAWING PRESS FIT RIGHT ANGLE PLUG S+P+LP+S MULTI-BEAM HD CONNECTOR
 SIZE: A100779
 CAGE CODE: C=2204442
 DRAWING NO: 2204442

RESTRICTED TO: -
 SCALE: 4:1
 SHEET: 3 OF 5
 REV: A

STE TE Connectivity

LOC	DIST	REVISIONS			
P	LTH	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



PART NUMBER	ROWS	SIGNAL			POWER						SIGNAL								
		1	2	3	LP1	LP2	PI	P2	P3	P4	P5	P6	4	5	6				
2204442-2	E	SH	SH	SH	LH1	LH1	PH	PH	PH	PH	PH	PH	SH	SH	SH				
	D	SH	SH	SH									SH	SH	SH				
	C	SH	SH	SH									LH2	LH2	SH	SH	SH	SH	SH
	B	SH	SH	SH											SH	SH			
	A	SH	SH	SH											SH	SH			
15S+4VLP+6P+15S																			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: THOMAS_ZHAO 19AUG2013
 CHK: SUNY_ZHAO 19AUG2013
 APVD: SUNY_ZHAO 19AUG2013

STE TE Connectivity

NAME: CUSTOMER DRAWING PRESS FIT RIGHT ANGLE PLUG S+P+LP+S MULTI-BEAM HD CONNECTOR

PRODUCT SPEC: -
 APPLICATION SPEC: -


SIZE: A1 CAGE CODE: 2204442 DRAWING NO: 2204442

RESTRICTED TO: -

MATERIAL: - FINISH: - WEIGHT: -

Customer Drawing SCALE: 4:1 SHEET: 4 OF 5 REV: A

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	OWN	APVD		
-	-	SEE SHEET 1	-	-	-	-	-



PART NUMBER	ROWS	SIGNAL			POWER						SIGNAL			
		1	2	3	P1	P2	P3	P4	P5	P6	LP1	4	5	6
2204442-3	E	SH	SH	SH	PH	PH	PH	PH	PH	PH	LP1	SH	SH	SH
	D	SH	SH	SH	PH	PH	PH	PH	PH	PH		SH	SH	SH
	C	SH	SH	SH								SH	SH	SH
	B	SH	SH	SH								SH	SH	SH
	A	SH	SH	SH								SH	SH	SH
15S+6P+2LP+15S														

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: THOMAS_ZHAO 19AUG2013
 CHK: SUNY_ZHAO 19AUG2013
 APVD: SUNY_ZHAO 19AUG2013

DIMENSIONS: mm
 TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ± 0.4
 1 PLC ± 0.4
 2 PLC ± 0.25
 3 PLC ± 0.15
 4 PLC ± 0.15
 ANGLES ± 0.1
 FINISH ± 0.1

MATERIAL: -
 FINISH: -
 WEIGHT: -
 Customer Drawing

NAME: CUSTOMER DRAWING PRESS FIT RIGHT ANGLE PLUG S+P+LP+S MULTI-BEAM HD CONNECTOR
 SIZE: A100779
 CAGE CODE: 2204442
 DRAWING NO: 2204442

RESTRICTED TO: -
 SCALE: 4:1
 SHEET: 5 OF 5
 REV: A

STE TE Connectivity

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power to the Board](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[6450171-4](#) [6450552-7](#) [6600323-8](#) [6643429-1](#) [6646040-2](#) [6651939-1](#) [6766604-1](#) [120959-1](#) [1393557-2](#) [1393532-2](#) [1393532-3](#) [1393532-4](#)
[1393557-1](#) [1600812-5](#) [1-6450861-2](#) [1744132-7](#) [1761122-1](#) [1766250-1](#) [1892109-1](#) [2-6450860-5](#) [2-6450870-0](#) [1-6450161-4](#) [1-6450850-6](#) [1-](#)
[6450869-6](#) [1645526-2](#) [1-6600130-0](#) [2005243-2](#) [377-0020-11130](#) [TE34-12-16P-F0](#) [51700-10201602AALF](#) [5-6450830-6](#) [5646956-4](#) [377-](#)
[0080-11131A](#) [4-6450830-9](#) [4-6600333-3](#) [10125416-4050LF](#) [10130248-005LF](#) [6600320-3](#) [3-6450860-5](#) [1888123-2](#) [6450166-1](#) [6643978-1](#)
[6766605-1](#) [701-15-02109](#) [N11444](#) [6651938-1](#) [6450810-7](#) [46437-1112](#) [1-1589677-8](#) [5646956-5](#)