





REVISIONS					
P.	LTM	DESCRIPTION	DATE	DMN	APVD
A1		ECR-16-006244	11MAY2016	TZ	SZ



NOTES, UNLESS OTHERWISE SPECIFIED:
 ⚠ "TE", PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
 ⚠ MATERIAL:
 HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, COLOR: BLACK, UL94 V-0.
 SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
 ⚠ CONTACT PLATING:
 MATING AREA - NOBLE METAL OVERALL NICKEL
 TAIL SIDE AREA - MATTE TIN OVERALL NICKEL.
 4. MECHANICAL CONNECTOR KEEP OUT ZONE.
 ⚠ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 ⚠ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
 ⚠ PCB HOLE:
 POWER - 1.15 ± 0.025 MM DRILLED HOLES SIZE PLATING WITH 0.0076 MM MIN. Sn OVER 0.025-0.076 MM Cu PLATING TO ACHIEVE A 1.02 MM DIA. HOLE.
 SIGNAL - 0.835 ± 0.025 MM DRILLED HOLES SIZE PLATING WITH 0.0076 MM MIN. Sn OVER 0.025-0.076 MM Cu PLATING TO ACHIEVE A 0.72 MM DIA. HOLE.



DIM F.	DIM E.	DIM D.	DIM C.	DIM B.	DIM A.	DESCRIPTION	PART NUMBER
6.20	10.70	6.00	-	-	36.25	4VP+20S	2204446-8
-	7.70	5.00	-	-	30.25	4P+15S	2204446-7
-	7.70	5.00	-	-	67.25	10S+1P+2P+2P+2P+2P	2204446-6
-	7.70	6.00	6.00	32.70	58.25	4VP++4VP+15S	2204446-4
-	7.70	5.00	-	-	20.25	2P+15S	2204446-3
-	7.70	6.00	6.00	32.70	58.25	15S+4VP+4VP	2204446-2
-	7.70	6.00	6.00	20.70	34.25	2VP+2VP+10S	2204446-1

THIS DRAWING IS A CONTROLLED DOCUMENT. DMN: THOMAS ZHAO 17NOV2014
 CHK: SUNY ZHAO 17NOV2014
 APVD: SUNY ZHAO 17NOV2014


STE TE Connectivity

CUSTOMER DRAWING
 R/A PLUG WITH SINGAL GIDE
 MULTI-BEAM HD

SIZE: A1 CAGE CODE: - DRAWING NO: C=2204446 RESTRICTED TO: -
 WEIGHT: -
 MATERIAL: 2 FINISH: 3

CUSTOMER DRAWING SCALE: 6:1 SHEET 1 OF 5 REV: A1

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



PART NUMBER	POWER				SIGNAL		ROWS
	P1	P2	P3	P4	1	2	
2204446-1	PH	PH	PH	PH			E D C B A
					SH1	SH1	
					SH1	SH1	
					SH1	SH1	

2VP+2VP+10S


POWER CONTACT PRESS FIT	PH
SIGNAL CONTACT STANDARD PRESS FIT	SH1
SIGNAL CONTACT MLBF PRESS FIT	SH2
SIGNAL CONTACT SPECIAL PRESS FIT	SH3
HP/SIGNAL WITH SINGAL GUIDE	HOUSING
DESCRIPTION	CODE

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	THOMAS ZHAO 17NOV2014
mm	0 PLC ±0.4 1 PLC ±0.4 2 PLC ±0.25 3 PLC ±0.15 4 PLC ±0.0001	CHK	SUNY ZHAO 17NOV2014
	ANGLES	APVD	SUNY ZHAO 17NOV2014
MATERIAL	FINISH	NAME	CUSTOMER DRAWING
-	-	SIZE	A1
-	-	SCALE	6:1
CUSTOMER DRAWING	WEIGHT	DRAWING NO	2204446
-	-	SHEET	2 OF 5
-	-	REV	A1

STE TE Connectivity

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APPD
-	-	SEE SHEET 1	-	-




PART NUMBER	ROWS	SIGNAL			POWER							
		1	2	3	P1	P2	P3	P4	P5	P6	P7	P8
2204446-2	E	SH	SH	SH	PH	PH	PH	PH	PH	PH	PH	PH
	D	SH	SH	SH								
	C	SH	SH	SH								
	B	SH	SH	SH								
	A	SH	SH	SH								
15S+4VP+4VP												




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN THOMAS_ZHAO 17NOV2014	TE Connectivity	
DIMENSIONS: mm		CHK SUNY_ZHAO 17NOV2014		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SUNY_ZHAO 17NOV2014	NAME CUSTOMER DRAWING	
0 PLC ±0.4	ANGLES ±0.0001	PRODUCT SPEC	R/A PLUG WITH SINGAL GIDE	
1 PLC ±0.4		APPLICATION SPEC	MULTI-BEAM HD	
2 PLC ±0.25		WEIGHT	SIZE A1	CAGE CODE
3 PLC ±0.15		FINISH	DRAWING NO	REV A1
4 PLC ±0.15		CUSTOMER DRAWING	SCALE 6:1 SHEET 3 OF 5	

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APP'D.
-	-	SEE SHEET 1	-	-




LAYOUT FOR P/N: 2204446-3


PART NUMBER	POWER		SIGNAL			ROWS
	P1	P2	1	2	3	
2204446-3	PH	PH	SHISHISHI			E D C B A
			SHISHISHI			
			SHISHISHI			
			SHISHISHI			
			SHISHISHI			
2P+15S						



P/N: 2204446-3






P/N: 2204446-4



PART NUMBER	POWER								SIGNAL			ROWS
	P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	
2204446-4	PH	PH	PH	PH	PH	PH	PH	PH	SHISHISHI			E D C B A
									SHISHISHI			
									SHISHISHI			
									SHISHISHI			
									SHISHISHI			
4VP+4VP+15S												

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: THOMAS_ZHAO 17NOV2014	TE Connectivity
DIMENSIONS: mm		CHK: SUNY_ZHAO 17NOV2014	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.4 1 PLC ±0.4 2 PLC ±0.25 3 PLC ±0.15 4 PLC ±0.0001 ANGLES ±0.0001		APVD: SUNY_ZHAO 17NOV2014	NAME: CUSTOMER DRAWING
MATERIAL: -		FINISH: -	PRODUCT SPEC: -
WEIGHT: -		SIZE: A1	CAGE CODE: -
CUSTOMER DRAWING		SCALE: 6:1	DRAWING NO: C=2204446
SHEET 4 OF 5		REV: A1	RESTRICTED TO: -

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	OWN. APVD.
-	-	SEE SHEET 1	-	-






PART NUMBER: 2204446-6

PART NUMBER: 2204446-7

PART NUMBER	ROWS	SIGNAL		POWER										
		1	2	P1	P2	P3	P4	P5	P6	P7	P8	P9		
2204446-6	E	SH	SH	PH	PH	PH	PH	PH	PH	PH	PH	PH	PH	PH
	D	SH	SH											
	C	SH	SH											
	B	SH	SH											
		10S+1P+2P+2P+2P+2P												

PART NUMBER	ROWS	POWER				SIGNAL		
		P1	P2	P3	P4	1	2	3
2204446-7	E	PH	PH	PH	PH	SH	SH	SH
	D					SH	SH	SH
	C					SH	SH	SH
	B					SH	SH	SH
		4P+15S						



PART NUMBER: 2204446-8

PART NUMBER	ROWS	POWER				SIGNAL				
		P1	P2	P3	P4	1	2	3	4	
2204446-8	E	PH	PH	PH	PH	SH	SH	SH	SH	
	D					SH	SH	SH	SH	
	C					SH	SH	SH	SH	
	B					SH	SH	SH	SH	
		4VP+20S								

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: THOMAS_ZHAO 17NOV2014
 CHK: SUNY_ZHAO 17NOV2014
 APVD: SUNY_ZHAO 17NOV2014

STE TE Connectivity

CUSTOMER DRAWING
 R/A PLUG WITH SINGAL GIDE
 MULTI-BEAM HD

SCALE: 6:1 SHEET 5 OF 5 REV: A1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power to the Board](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[6450171-4](#) [6450552-7](#) [6600323-8](#) [6643429-1](#) [6646040-2](#) [6651939-1](#) [6766604-1](#) [120959-1](#) [1393557-2](#) [1393532-2](#) [1393532-3](#) [1393532-4](#)
[1393557-1](#) [1600812-5](#) [1-6450861-2](#) [1744132-7](#) [1761122-1](#) [1766250-1](#) [1892109-1](#) [2-6450860-5](#) [2-6450870-0](#) [1-6450161-4](#) [1-6450850-6](#) [1-](#)
[6450869-6](#) [1645526-2](#) [1-6600130-0](#) [2005243-2](#) [377-0020-11130](#) [TE34-12-16P-F0](#) [51700-10201602AALF](#) [5-6450830-6](#) [5646956-4](#) [377-](#)
[0080-11131A](#) [4-6450830-9](#) [4-6600333-3](#) [10125416-4050LF](#) [10130248-005LF](#) [6600320-3](#) [3-6450860-5](#) [1888123-2](#) [6450166-1](#) [6643978-1](#)
[6766605-1](#) [701-15-02109](#) [N11444](#) [6651938-1](#) [6450810-7](#) [46437-1112](#) [1-1589677-8](#) [5646956-5](#)